



















Adattatori BSP / BSP Adaptors





Pagina / Page	131	131		132	132
BSPP niples					
	OL2770 UNION	**OL2870** REDUCING NIPLE		**OL3070** SHORT MALE-FEMALE REDUCING	**OL3170** MALE-FEMALE CONNECTOR

Pagina / Page	133	133	134	134	134
BSPP niples					
	OL3270 FEMALE-MALE REDUCING	**OL3350** MALE-MALE EXTENSION	**OL2790** BULKHEAD	**OL2792** BULKHEAD LOCKNUT	**OL2791** NIPPLE FOR BULKHEAD

Pagina / Page	135	135	136	136
BSPP male				
	OL5260 90° UNION ELBOW	**OL5360** 45° UNION ELBOW	**OL5800** UNION TEE	**OL5805** CROSS UNION

Pagina / Page	137	137	138	138	139
BSPP tee swivel					
	OL5815 FEMALE SWIVEL TEE	**OL5820** FEMALE BRANCH TEE	**OL5825** MALE SWIVEL TEE	**OL5830** MALE BRANCH TEE	**OL5835** SWIVEL FEMALE UNION TEE





Pagina / Page	139	140	140
BSPP m/f swivel 1 piece			
	OL5005 SWIVEL CONNECTOR	**OL5280** SWIVEL 90° ELBOW	**OL5380** SWIVEL 45° ELBOW




Pagina / Page	141	141		142	142
BSPP m/f swivel comp.			**BSPP m/f swivel welded**		
	OL5270 SWIVEL 90° ELBOW (WELDED)	**OL5370** SWIVEL 45° ELBOW (FORGED)		**OL5255** SWIVEL 90° ELBOW (WELDED)	**OL5355** SWIVEL 45° ELBOW (WELDED)




Dimensions and general characteristics may be changed at any time without prior notice.




Data contained herein are for information purpose only, and it does not enlarge, amend or imply any warranty other than provided by us with the product
Any use of the product not in conformance with our instructions may be dangerous.






Adattatori BSP / BSP Adaptors



Pagina / Page	143	143			144	144
BSPP f/f swivel 1 piece				BSPP f/f swivel welded		
	OL4150 SWIVEL CONNECTOR	**OL5285** SWIVEL 90° ELBOW			**OL5455** SWIVEL 90° ELBOW (WELDED)	**OL5555** SWIVEL 45° ELBOW (WELDED)

Pagina / Page	145	145	146
BSPP f/f			
	OL5460 90° ELBOW UNION	**OL5840** UNION TEE	**OL3450** UNION

Pagina / Page	146		147	147
BSPP plug swivel		BSPP plugs		
	OL2460 FEMALE FLUG SWIVEL		**OL2470** FEMALE PLUG	**OL2420** MALE PLUG

Pagina / Page	148	148	149	149
BSPP weldable				
	OL2140 SWIVEL FEMALE WELDABLE END	**OL2170** MALE WELDABLE END	**OL3540** MALE WELDABLE END	**OL3500** THREADED SLEEVE







Pagina / Page	150	151	151	152	152
BSPP BSPT					
	OL2970 MALE CONNECTOR BSP/BSPT	**OL2980** SWIVEL CONNECTOR F BSP/M BSPT	**OL5845** BSPT BRANCH TEE	**OL5295** 90° CO NNECTOR BSP MALEXBSPT MALE	**OL5395** 45° CONNECTOR BSP MALEXBSPT MALE






Pagina / Page	153	153
BSPP BSPT		
	OL5290 90° CONNECTOR BSP SWIVEL FXBSPT M	**OL5390** 45° CONNECTOR BSP SWIVEL FXBSPT M






Dimensions and general characteristics may be changed at any time without prior notice.






Data contained herein are for information purpose only, and it does not enlarge, amend or imply any warranty other than provided by us with the product
Any use of the product not in conformance with our instructions may be dangerous.






Adattatori BSP / BSP Adaptors




Pagina / Page	154	155	155	156	156	157
BSPP NPTF						
	OL3700	**OL3750**	**OL5850**	**OL5265**	**OL5365**	**OL5268**
	MALE CONNECTOR BSP/NPTF	SWIVEL CONNECTOR F BSP/M NPTF	NPTF MALE BRANCH TEE	90° CONNECTOR BSP MXNPTF MALE	45° CONNECTOR BSP Mx NPTF M	90° CONNECTOR BSP SWIVEL F x NPTF M

Pagina / Page	157		158	159	159	160
BSPP NPTF		BSP BSP Adj.				
	OL5376		**OL5275**	**OL5296**	**OL5855**	**OL5860**
	45° CONNECTOR BSP SWIVEL F x NPTF M		ADJUSTABLE ELBOW BSP/BSP	ADJ.90° ELBOW SWIVEL F BSP/BSPP M	ADJ. RUN TEE BSP/BSPP MALE	ADJ. BRANCH TEE BSP/BSPP MALE

Pagina / Page	161	162	162	163	163	
BSPP metric						
	OL2930	**OL4100**	**OL2910**	**OL4120**	**OL4105**	
	MALE CONNECTOR BSP M METRIC 60° CONE	SWIVEL NUT F METRIC 60° CONE/BSP	M CONNECTOR BSP/ METRIC DIN 3852-1	Long Male Connector M BSP x M Metric	SWIVEL NUT F BSP/ METRIC D IN 3852-1	

Pagina / Page	164	164	165		165	166
BSPP metric						
	OL5266	**OL5267**	**OL5366**		**OL5865**	**OL5870**
	ADJ. ELBOW BSP/ METRIC DIN 3852-1	Long Adjustable Elbow BSP M x Metric M	ADJ. 45° ELBOW BSP/ METRIC DIN 3852-1		ADJ. RUN TEE BSP/ METRIC DIN 3852-1	ADJ. BRANCH TEE BSP/ METRIC DIN 3852-1

Pagina / Page	167	167	168		168	169
BSPP UNF						
	OL2940	**OL4130**	**OL4110**		**OL5276**	**OL5277**
	MALE CONNECTOR BSP/UNF	Long Male Connector BSP M x UNF M	SWIVEL NUT FEMALE BSP/UNF		ADJ. ELBOW BSP/UNF	Adjustable Elbow BSP/UNF


Pagina / Page	169		170	170		
BSPP UNF						
	OL5371		**OL5875**	**OL5880**		
	ADJ. ELBOW BSP/UNF		ADJ. RUN TEE BSP/UNF	ADJ. BRANCH TEE BSP/UNF		

Dimensions and general characteristics may be changed at any time without prior notice.

Data contained herein are for information purpose only, and it does not enlarge, amend or imply any warranty other than provided by us with the product
Any use of the product not in conformance with our instructions may be dangerous.

OL2770 Nipplo di giunzione


Union



part number	Ø tube		Dimensions			
	mm	inch	F	L	H	
OL2770-01	6	1/4"	1/8-28	24	14	
OL2770-02	8	5/16"	1/4-19	32	19	
OL2770-03	10	3/8"	3/8-19	36	22	
OL2770-04	12	1/2"	1/2-14	42	27	
OL2770-05	16	5/8"	5/8-14	40	30	
OL2770-06	20	3/4"	3/4-14	42	32	
OL2770-07	25	1"	1-11	52	41	
OL2770-08	32	1.1/4"	1.1/4-11	57	50	
OL2770-09	38	1.1/2"	1.1/2-11	60	55	
OL2770-10	51	2"	2-11	71	70	

OL2870 Nipplo di riduzione

Reducing Niple




part number	Ø tube		Dimensions				
	mm	inch	F	T	L	H	
OL2870-01	6	1/4"	1/4-19	1/8-28	29	19	
OL2870-30	6	1/4"	3/8-19	1/8-28	30	22	
OL2870-02	8	5/16"	3/8-19	1/4-19	34	22	
OL2870-03	8	5/16"	1/2-14	1/4-19	35	27	
OL2870-04	10	3/8"	1/2-14	3/8-19	40	27	
OL2870-31	12	1/2"	5/8-14	1/2-14	44	30	
OL2870-32	8	5/16"	3/4-14	1/4-19	41	32	
OL2870-05	10	3/8"	3/4-14	3/8-19	42	32	
OL2870-06	12	1/2"	3/4-14	1/2-14	44	32	
OL2870-33	16	5/8"	3/4-14	5/8-14	46	32	
OL2870-08	10	3/8"	1-11	3/8-19	45	38	
OL2870-09	12	1/2"	1-11	1/2-14	47	41	
OL2870-10	20	3/4"	1-11	3/4-14	49	41	
OL2870-11	20	3/4"	1.1/4-11	3/4-14	52	50	
OL2870-12	25	1"	1.1/4-11	1-11	55	50	
OL2870-34	20	3/4"	1.1/2-11	3/4-14	54	55	
OL2870-35	25	1"	1.1/2-11	1-11	58	55	
OL2870-13	32	1.1/4"	1.1/2-11	1.1/4-11	58	55	
OL2870-14	25	1"	2-11	1-11	64	70	
OL2870-15	32	1.1/4"	2-11	1.1/4-11	66	70	
OL2870-16	38	1.1/2"	2-11	1.1/2-11	68	70	

Adattatori BSP / BSP Adaptors

OL3070 Riduzione Corta maschio/femm.


Short Male-Female reducing



part number	Ø tube		Dimensions				
	mm	inch	F	T	L	H	
OL3070-01	6	1/4"	1/4"-19	1/8"-28	22	19	
OL3070-02	6	1/4"	3/8"-14	1/8"-28	22	22	
OL3070-03	8	5/16"	3/8-19	1/4-19	21	22	
OL3070-04	8	5/16"	1/2-14	1/4-19	24	27	
OL3070-05	10	3/8"	1/2-14	3/8-19	29	27	
OL3070-06	8	5/16"	3/4"-14	1/4"-19	27	32	
OL3070-07	10	3/8"	3/4-14	3/8-19	26	32	
OL3070-08	12	1/2"	3/4-14	1/2-14	27	32	
OL3070-09	10	3/8"	1-11	3/8-19	31	41	
OL3070-10	12	1/2"	1-11	1/2-14	30	41	
OL3070-11	20	3/4"	1-11	3/4-14	31	41	
OL3070-12	20	3/4"	1.1/4-11	3/4-14	34	50	
OL3070-13	25	1"	1.1/4-11	1-11	34	50	
OL3070-14	25	1"	1.1/2-11	1-11	35	55	
OL3070-15	32	1.1/4"	1.1/2-11	1.1/4-11	39	55	
OL3070-16	32	1.1/4"	2-11	1.1/4-11	43	70	
OL3070-17	38	1.1/2"	2-11	1.1/2-11	43	70	

OL3170 Colonnetta M/F


Male/female connector



part number	Ø tube		Dimensions				
	mm	inch	F	T	L	H	
OL3170-01.20	8	5/16"	1/4-19	1/4-19	33	19	
OL3170-01.25	8	5/16"	1/4-19	1/4-19	42	19	
OL3170-01.40	8	5/16"	1/4-19	1/4-19	55	19	
OL3170-02.25	10	3/8"	3/8-19	3/8-19	35	22	
OL3170-02.40	10	3/8"	3/8-19	3/8-19	54	22	
OL3170-02.60	10	3/8"	3/8-19	3/8-19	73	22	
OL3170-03.25	12	1/2"	1/2-14	1/2-14	40	27	
OL3170-03.30	12	1/2"	1/2-14	1/2-14	45	27	
OL3170-03.45	12	1/2"	1/2-14	1/2-14	60	27	
OL3170-03.60	12	1/2"	1/2-14	1/2-14	75	27	
OL3170-04.30	20	3/4"	3/4-14	3/4-14	48	32	
OL3170-04.46	20	3/4"	3/4-14	3/4-14	64	32	
OL3170-04.56	20	3/4"	3/4-14	3/4-14	75	32	
OL3170-05.35	25	1"	1-11	1-11	50	41	
OL3170-05.70	25	1"	1-11	1-11	90	41	
OL3170-06.42	32	1.1/4"	1.1/4-11	1.1/4-11	62	50	

OL3270 Riduzione femm./maschio


Female-Male reducing



part number	Ø tube		Dimensions				
	mm	inch	F	T	L	H	
OL3270-01.04	8	5/16"	1/8-28	1/4-19	28	19	
OL3270-02.02	6	1/4"	1/4-19	1/8-28	29	19	
OL3270-02.06	10	3/8"	1/4-19	3/8-19	35	22	
OL3270-02.08	12	1/2"	1/4-19	1/2-14	36	27	
OL3270-03.04	8	5/16"	3/8-19	1/4-19	33	22	
OL3270-03.08	12	1/2"	3/8-19	1/2-14	37	27	
OL3270-04.04	8	5/16"	1/2-14	1/4-19	37	27	
OL3270-04.06	10	3/8"	1/2-14	3/8-19	39	27	
OL3270-04.12	20	3/4"	1/2-14	3/4-11	38	32	
OL3270-04.16	25	1"	1/2-14	1-11	42	41	
OL3270-05.04	8	5/16"	3/4-11	1/4-19	42	32	
OL3270-05.06	10	3/8"	3/4-11	3/8-19	43	32	
OL3270-05.08	12	1/2"	3/4-11	1/2-14	45	32	
OL3270-05.16	25	1"	3/4-11	1-11	49	41	
OL3270-06.08	12	1/2"	1-11	1/2-14	49	41	
OL3270-06.12	20	3/4"	1-11	3/4-14	50	41	
OL3270-06.20	20	3/4"	1-11	1.1/4-11	51	50	
OL3270-07.12	20	3/4"	1.1/4-11	3/4-11	51	50	
OL3270-07.16	25	1"	1.1/4-11	1-11	53	50	
OL3270-07.24	20	3/4"	1.1/4-11	1.1/2-11	57	55	
OL3270-08.16	25	1"	1.1/2-11	1-11	50	55	
OL3270-08.20	20	3/4"	1.1/2-11	1.1/4-11	52	55	
OL3270-09.20	20	3/4"	2-11	1.1/4-11	68	70	
OL3270-10.24	38	1.1/2"	2-11	1.1/2-11	68	70	

OL3350 Prolunga M/M

Male/Male Extention




part number	Ø tube		Dimensions			
	mm	inch	F	L	H	
OL3350-01.04	8	5/16"	1/4-19	45	19	
OL3350-02.06	10	3/8"	3/8-19	47	22	
OL3350-03.08	12	1/2"	1/2-14	61	27	
OL3350-04.12	20	3/4"	3/4-14	73	32	
OL3350-05.16	25	1"	1-11	84	41	

Adattatori BSP / BSP Adaptors

OL2790 Passaparete


Bulkhead



part number	Ø tube		Dimensions					
	mm	inch	F	T	L	H	E	
OL2790-01	6	1/4"	1/8-28	1/8-28	35	14	14	
OL2790-02	8	5/16"	1/4-19	1/4-19	46	19	19	
OL2790-03	10	3/8"	3/8-19	3/8-19	54	22	22	
OL2790-04	12	1/2"	1/2-14	1/2-14	57	27	27	
OL2790-05	16	5/8"	5/8-14	5/8-14	65	30	30	
OL2790-06	20	3/4"	3/4-14	3/4-14	65	32	32	
OL2790-07	25	1"	1-11	1-11	73	41	41	
OL2790-08	32	1.1/4"	2-11	2-11	79	50	50	

OL2792 Controdado per passaparete


Bulkhead locknut



part number	Ø tube		Dimensions				
	mm	inch	F		G	E	
OL2792-01	6	1/4"	1/8-28		5	14	
OL2792-02	8	5/16"	1/4-19		7	19	
OL2792-03	10	3/8"	3/8-19		8	22	
OL2792-04	12	1/2"	1/2-14		9	27	
OL2792-05	16	5/8"	5/8-14		9	30	
OL2792-06	20	3/4"	3/4-14		10	32	
OL2792-07	25	1"	1-11		11	41	
OL2792-08	32	1.1/4"	2-11		13	50	

OL2791 Nipplo per Passaparete

Nipple for Bulkhead




part number	Ø tube		Dimensions				
	mm	inch	F	T	L	H	
OL2791-01	6	1/4"	1/8-28	1/8-28	35	14	
OL2791-02	8	5/16"	1/4-19	1/4-19	46	19	
OL2791-03	10	3/8"	3/8-19	3/8-19	54	22	
OL2791-04	12	1/2"	1/2-14	1/2-14	57	27	
OL2791-05	16	5/8"	5/8-14	5/8-14	65	30	
OL2791-06	20	3/4"	3/4-14	3/4-14	65	32	
OL2791-07	25	1"	1-11	1-11	73	41	
OL2791-08	32	1.1/4"	2-11	2-11	79	50	

Adattatori BSP / BSP Adaptors

OL5260 ADATTATORE 90°CIL.+CIL.


90° Union Elbow



part number	Ø tube		Dimensions				
	mm	inch	F	B	C	H	
OL5260-01	8	5/16"	1/4-19	26	26	14	
OL5260-02	10	3/8"	3/8-19	32	32	19	
OL5260-03	12	1/2"	1/2-14	36	36	22	
OL5260-04	20	3/4"	3/4-14	40	40	27	
OL5260-05	25	1"	1-11	42	42	33	
OL5260-06	32	1.1/4"	1.1/4-11	52	52	41	
OL5260-07	38	1.1/2"	1.1/2-11	59	59	50	

OL5360 ADATTATORE 45°CIL.+CIL.


45° Union Elbow



part number	Ø tube		Dimensions				
	mm	inch	F	B	C	H	
OL5360-01	8	5/16"	1/4-19	21	21	14	
OL5360-02	10	3/8"	3/8-19	25	25	19	
OL5360-03	12	1/2"	1/2-14	28	28	22	
OL5360-04	20	3/4"	3/4-14	33	33	27	
OL5360-05	25	1"	1-11	37	37	33	
OL5360-06	32	1.1/4"	1.1/4-11			41	
OL5360-07	38	1.1/2"	1.1/2-11			50	

OL5800 RACCORDO A T M+M+M


Union Tee



part number	Ø tube		Dimensions				
	mm	inch	F	B	C	H	
OL5800-01	8	5/16"	1/4-19	27	27	14	
OL5800-02	10	3/8"	3/8-19	28	28	19	
OL5800-03	12	1/2"	1/2-14	34	34	22	
OL5800-04	20	3/4"	3/4-14	40	40	27	
OL5800-05	25	1"	1-11	42	42	33	
OL5800-06	32	1.1/4"	1.1/4-11	52	52	41	
OL5800-07	38	1.1/2"	1.1/2-11	59	59	50	

OL5805 RACC. A CROCE M+M+M+M

Cross Union





part number	Ø tube		Dimensions			
	mm	inch	F	C	H	
OL5805-01	8	5/16"	1/4-19	27	14	
OL5805-02	10	3/8"	3/8-19	32	19	
OL5805-03	12	1/2"	1/2-14	36	22	
OL5805-04	20	3/4"	3/4-14	40	27	
OL5805-05	25	1"	1-11	50	33	

Adattatori BSP / BSP Adaptors

OL5815 T con femmina girevole laterale

Female swivel tee







(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring

	part number	Ø tube		Dimensions						
		mm	inch	F	T	B	C	H	E	
	OL5815-01	8	5/16"	1/4-19	1/4-19	32	27	14	19	
	OL5815-02	10	3/8"	3/8-19	3/8-19	33	28	19	22	
	OL5815-03	12	1/2"	1/2-14	1/2-14	40	34	22	27	
	OL5815-04	20	3/4"	3/4-14	3/4-14	48	40	27	32	
	OL5815-05	25	1"	1-11	1-11	52	42	33	38	
(*)	**OL5815-06**	32	1.1/4"	1.1/4-11	1.1/4-11	61	52	41	50	
(*)	**OL5815-07**	38	1.1/2"	1.1/2-11	1.1/2-11	61	59	50	55	

OL5820 T con femmina girevole centrale

Female branch tee






(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring

	part number	Ø tube		Dimensions						
		mm	inch	F	T	B	C	H	E	
	OL5820-01	8	5/16"	1/4-19	1/4-19	32	27	14	19	
	OL5820-02	10	3/8"	3/8-19	3/8-19	33	28	19	22	
	OL5820-03	12	1/2"	1/2-14	1/2-14	40	34	22	27	
	OL5820-04	20	3/4"	3/4-14	3/4-14	48	40	27	32	
	OL5820-05	25	1"	1-11	1-11	52	42	33	38	
(*)	**OL5820-06**	32	1.1/4"	1.1/4-11	1.1/4-11	61	52	41	50	
(*)	**OL5820-07**	38	1.1/2"	1.1/2-11	1.1/2-11	61	59	50	55	

OL5825 T girevole con maschio laterale


Male Run Tee



part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5825-01	8	5/16"	1/4-19	1/4-19	32	27	14	19	
OL5825-02	10	3/8"	3/8-19	3/8-19	34	32	19	22	
OL5825-03	12	1/2"	1/2-14	1/2-14	40	34	22	27	
OL5825-04	20	3/4"	3/4-14	3/4-14	48	40	27	32	
OL5825-05	25	1"	1-11	1-11	52	42	33	38	

OL5830 T girevole con maschio centrale

Male Branch Tee





part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5830-01	8	5/16"	1/4-19	1/4-19	32	27	14	19	
OL5830-02	10	3/8"	3/8-19	3/8-19	33	28	19	22	
OL5830-03	12	1/2"	1/2-14	1/2-14	40	34	22	27	
OL5830-04	20	3/4"	3/4-14	3/4-14	48	40	27	32	
OL5830-05	25	1"	1-11	1-11	52	42	33	38	

Adattatori BSP / BSP Adaptors

OL5835 Unione a T - femmina girevole

Swivel Female Union Tee







(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring

	part number	Dimensions					
		F	B	C	H	E	
	OL5835-01	1/4-19	32	32	14	19	
	OL5835-02	3/8-19	33	33	19	22	
	OL5835-03	1/2-14	40	40	22	27	
	OL5835-04	3/4-14	48	48	27	32	
	OL5835-05	1-11	52	52	33	38	
(*)	**OL5835-06**	1.1/4-11	58	58	41	50	
(*)	**OL5835-07**	1.1/2-11	61	61	50	55	

OL5005 Nipplo mas./femm. girevole

Swivel Connector







(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring

	part number	Ø tube		Dimensions					
		mm	inch	T	F	L	H	E	
	OL5005-01	6	1/4"	1/8-28	1/8-28	23	14	14	
	OL5005-02	8	5/16"	1/4-19	1/4-19	32	19	19	
	OL5005-03	8	5/16"	1/4-19	3/8-19	33	19	22	
	OL5005-04	10	3/8"	3/8-19	1/4-19	31	22	19	
	OL5005-05	10	3/8"	3/8-19	3/8-19	35	22	22	
	OL5005-06	10	3/8"	3/8-19	1/2-19	36	22	27	
	OL5005-07	10	3/8"	3/8-19	3/4-14	39	27	32	
	OL5005-08	12	1/2"	1/2-14	3/8-19	38	27	22	
	OL5005-09	12	1/2"	1/2-14	1/2-14	40	27	27	
	OL5005-10	12	1/2"	1/2-14	5/8-14	37	27	30	
	OL5005-11	12	1/2"	1/2-14	3/4-14	42	27	32	
	OL5005-12	16	5/8"	5/8-14	5/8-14	41	30	30	
	OL5005-13	20	3/4"	3/4-14	1/2-14	42	32	27	
	OL5005-14	20	3/4"	3/4-14	3/4-14	44	32	32	
	OL5005-15	20	3/4"	3/4-14	1-11	44	32	38	
	OL5005-16	25	1"	1-11	3/4-19	47	41	32	
	OL5005-17	25	1"	1-11	1-11	49	41	38	
(*)	**OL5005-18**	32	1.1/4"	1.1/4-11	1.1/4-11	55	50	50	
(*)	**OL5005-19**	38	1.1/2"	1.1/2-11	1.1/4-11	58	55	50	
(*)	**OL5005-20**	38	1.1/2"	1.1/2-11	1.1/2-11	58	55	55	
(*)	**OL5005-21**	51	2"	2-11	2-11	62	70	70	

OL5280 ADATT. 90°M+F GIR. CIL.+CIL.

Swivel 90° Elbow







(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring

	part number	Ø tube		Dimensions						
		mm	inch	F	T	B	C	H	E	
	OL5280-01	8	5/16"	1/4-19	1/4-19	31	26	14	19	
	OL5280-02	10	3/8"	3/8-19	3/8-19	37	32	19	22	
	OL5280-03	12	1/2"	1/2-14	1/2-14	42	36	22	27	
	OL5280-04	20	3/4"	3/4-14	3/4-14	48	40	27	32	
	OL5280-05	25	1"	1-11	1-11	52	42	33	38	
(*)	**OL5280-06**	32	1.1/4"	1.1/4-11	1.1/4-11	58	52	41	50	
(*)	**OL5280-07**	38	1.1/2"	1.1/2-11	1.1/2-11	61	59	50	55	

OL5380 ADATT. 45°M+F GIR. CIL.+CIL.

Swivel 45° Elbow





(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring


	part number	Ø tube		Dimensions						
		mm	inch	F	T	B	C	H	E	
	OL5380-01	8	5/16"	1/4-19	1/4-19	26	21	14	19	
	OL5380-02	10	3/8"	3/8-19	3/8-19	30	25	19	22	
	OL5380-03	12	1/2"	1/2-14	1/2-14	34	28	22	27	
	OL5380-04	20	3/4"	3/4-14	3/4-14	41	33	27	32	
	OL5380-05	25	1"	1-11	1-11	49	39	33	38	
(*)	**OL5380-06**	32	1.1/4"	1.1/4-11	1.1/4-11			41	50	
(*)	**OL5380-07**	38	1.1/2"	1.1/2-11	1.1/2-11			50	55	

Adattatori BSP / BSP Adaptors

OL5270

Compatta 90° mas./femm. girevole (saldata)

Swivel 90° Elbow (welded)




part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5270-01	6	1/4"	1/8-28	1/8-28	17	16	14	14	
OL5270-02	8	5/16"	1/4-19	1/4-19	20	23	19	19	
OL5270-03	10	3/8"	3/8-19	3/8-19	24	25	22	22	
OL5270-04	12	1/2"	1/2-14	1/2-14	28	31	27	27	
OL5270-05	20	3/4"	3/4-14	3/4-14	33	35	32	32	
OL5270-06	25	1"	1-11	1-11	39	43	41	38	

OL5370

Compatta 45° mas. /femm. girevole (Forgiata)

Swivel 45° Elbow (Forged)





part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5370-01	8	5/16"	1/4-19	1/4-19	14	33	19	19	
OL5370-02	10	3/8"	3/8-19	3/8-19	16	37	22	22	
OL5370-03	12	1/2"	1/2-14	1/2-14	20	45	27	27	
OL5370-04	20	3/4"	3/4-14	3/4-14	22	53	32	32	
OL5370-05	25	1"	1-11	1-11	27	58	41	38	

Adattatori BSP / BSP Adaptors

OL5255 Curva 90° mas/femm. Girevole (saldata)

Swivel 90° Elbow (welded)







(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring

	part number	Ø tube		Dimensions						
		mm	inch	F	T	B	C	H	E	
	OL5255-01	8	5/16"	1/4-19	1/4-19	30	32	19	19	
	OL5255-02	10	3/8"	3/8-19	3/8-19	37	38	22	22	
	OL5255-03	12	1/2"	1/2-14	1/2-14	44	43	27	27	
	OL5255-04	20	3/4"	3/4-14	3/4-14	59	62	32	32	
	OL5255-05	25	1"	1-11	1-11	66	68	41	38	
(*)	OL5255-06	32	1.1/4"	1.1/4-11	1.1/4-11	71	76	50	50	
(*)	OL5255-07	38	1.1/2"	1.1/2-11	1.1/2-11	89	93	55	55	
(*)	OL5255-08	51	2"	2-11	2-11	113	123	65	70	

OL5355 Curva 45° mas/femm. Girevole (saldata)

Swivel 45° Elbow (welded)







(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring

	part number	Ø tube		Dimensions						
		mm	inch	F	T	B	C	H	E	
	OL5355-01	8	5/16"	1/4-19	1/4-19	17	44	19	19	
	OL5355-02	10	3/8"	3/8-19	3/8-19	20	52	22	22	
	OL5355-03	12	1/2"	1/2-14	1/2-14	23	53	27	27	
	OL5355-04	20	3/4"	3/4-14	3/4-14	29	73	32	32	
	OL5355-05	25	1"	1-11	1-11	35	85	41	38	
(*)	OL5355-06	32	1.1/4"	1.1/4-11	1.1/4-11	33	84	50	50	
(*)	OL5355-07	38	1.1/2"	1.1/2-11	1.1/2-11	41	103	55	55	
(*)	OL5355-08	51	2"	2-11	2-11	53	134	65	70	

OL4150 Nipplo femmina girevole

Swivel Connector






(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring


O-Ring

	part number	Dimensions						
		F	T	L	K	E		
	OL4150-01	1/4-19	1/4-19	22	19	19		
	OL4150-02	3/8-19	3/8-19	29	22	22		
	OL4150-03	1/2-14	1/2-14	32	27	27		
	OL4150-04	5/8-14	5/8-14	29	30	30		
	OL4150-05	3/4-14	3/4-14	37	32	32		
	OL4150-06	1-11	1-11	43	38	38		
(*)	**OL4150-07**	1.1/4-11	1.1/4-11	50	50	50		
(*)	**OL4150-08**	1.1/2-11	1.1/2-11	53	55	55		
(*)	**OL4150-09**	2-11	2-11	50	70	70		

OL5285 ADATT. 90° FEM+FEM. GIR.

Swivel 90° Elbow






(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring


O-Ring

	part number	Dimensions						
		F	T	B	C	H	E	
	OL5285-01	1/4-19	1/4-19	31	31	14	19	
	OL5285-02	3/8-19	3/8-19	37	37	19	22	
	OL5285-03	1/2-14	1/2-14	42	42	22	27	
	OL5285-04	3/4-14	3/4-14	48	48	27	32	
	OL5285-05	1-11	1-11	52	52	33	38	
(*)	**OL5285-06**	1.1/4-11	1.1/4-11	58	58	41	50	
(*)	**OL5285-07**	1.1/2-11	1.1/2-11	61	61	50	55	

OL5455 Curva 90° femmina girevole (saldata)

Swivel 90° Elbow (welded)







(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring

	part number	Dimensions						
		F	T	B	C	K	E	
	OL5455-01	1/4-19	1/4-19	30	35	19	19	
	OL5455-02	3/8-19	3/8-19	37	43	22	22	
	OL5455-03	1/2-14	1/2-14	44	19	27	27	
	OL5455-04	3/4-14	3/4-14	59	67	32	32	
	OL5455-05	1-11	1-11	66	76	38	38	
(*)	**OL5455-06**	1.1/4-11	1.1/4-11	71	50	50	50	
(*)	**OL5455-07**	1.1/2-11	1.1/2-11	89	98	55	55	
(*)	**OL5455-08**	2-11	2-11	113	127	70	70	

OL5555 Curva 45° femmina girevole (saldata)

Swivel 45° Elbow (welded)






(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring

	part number	Dimensions						
		F	T	B	C	K	E	
	OL5555-01	1/4-19	1/4-19	17	47	19	19	
	OL5555-02	3/8-19	3/8-19	20	57	22	22	
	OL5555-03	1/2-14	1/2-14	23	59	27	27	
	OL5555-04	3/4-14	3/4-14	29	79	32	32	
	OL5555-05	1-11	1-11	35	93	38	38	
(*)	**OL5555-06**	1.1/4-11	1.1/4-11	33	87	50	50	
(*)	**OL5555-07**	1.1/2-11	1.1/2-11	41	108	55	55	
(*)	**OL5555-08**	2-11	2-11	53	139	70	70	

OL5460 ADATT.90° F+F CIL.+CIL. FISSO


90° Elbow Union



part number	Dimensions					
	F	T	B	C	H	
OL5460-01	1/4-19	1/4-19	27	27	19	
OL5460-02	3/8-19	3/8-19	34	34	22	
OL5460-03	1/2-14	1/2-14	36	36	27	
OL5460-04	3/4-14	3/4-14	46	46	32	
OL5460-05	1-11	1-11	50	50	41	

OL5840 RACCORDO A T F+F+F FISSO


Union Tee



part number	Dimensions				
	F	B	C	H	
OL5840-01	1/4-19	27	27	19	
OL5840-02	3/8-19	32	32	22	
OL5840-03	1/2-14	36	36	27	
OL5840-04	3/4-14	43	43	32	
OL5840-05	1-11	52	52	41	

OL3450 PROLUNGA FEM.+FEM. GAS


Union




part number	Dimensions				
	F	T	L	H	
OL3450-01	1/8-28	1/8-28	21	14	
OL3450-02	1/8-28	3/8-19	29	22	
OL3450-03	1/4-19	1/4-19	29	19	
OL3450-04	1/4-19	3/8-19	31	22	
OL3450-05	3/8-19	3/8-19	29	22	
OL3450-06	1/2-14	1/2-14	34	27	
OL3450-07	3/4-14	3/4-14	38	32	
OL3450-08	1-11	1-11	43	41	
OL3450-09	1.1/4-11	1.1/4-11	47	50	
OL3450-10	1.1/2-11	1.1/2-11	51	55	
OL3450-11	2-11	2-11	57	70	

OL2460 Tappo femmina girevole

Female Plug Swivel






(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring

part number	Dimensions			
	F	L	E	
OL2460-01	1/8-28	11	14	
OL2460-02	1/4-19	14	19	
OL2460-03	3/8-19	15	22	
OL2460-04	1/2-14	16	27	
OL2460-05	5/8-14	16	30	
OL2460-06	3/4-14	18	32	
OL2460-07	1-11	20	38	
(*) **OL2460-08**	1.1/4-11	24	50	
(*) **OL2460-09**	1.1/2-11	27	55	
(*) **OL2460-10**	2-11	24	70	

OL2470 Tappo femmina fissa


Female Plug



part number	Dimensions			
	F	L	H	
OL2470-01	1/8-28	16	14	
OL2470-02	1/4-19	19	19	
OL2470-03	3/8-19	21	22	
OL2470-04	1/2-14	23	27	
OL2470-05	5/8-14	25	30	
OL2470-06	3/4-14	28	32	
OL2470-07	1-11	31	41	
OL2470-08	1.1/4-11	36	50	
OL2470-09	1.1/2-11	41	55	
OL2470-10	2-11	46	70	

OL2420 Tappo maschio


Male plug




part number	Dimensions			
	F	L	H	
OL2420-01	1/8-28	15	14	
OL2420-02	1/4-19	19	19	
OL2420-03	3/8-19	22	22	
OL2420-04	1/2-14	25	27	
OL2420-05	5/8-14	27	30	
OL2420-06	3/4-14	27	32	
OL2420-07	1-11	30	41	
OL2420-08	1.1/4-11	34	50	
OL2420-09	1.1/2-11	39	55	
OL2420-10	2-11	43	70	

OL2140 Ogiva a saldare con dado girevole

Swivel Female Weldable End



(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring




trattamento superficiale: non zincato
surface treatment: *without zinc plating*

	part number	Dimensions				
		F	L	D	E	
	OL2140-01	1/8-28	16	6	14	
	OL2140-02	1/4-19	18	8	19	
	OL2140-03	3/8-19	21	12	22	
	OL2140-04	1/2-14	24	14	27	
	OL2140-05	5/8-14	23	18	30	
	OL2140-06	3/4-14	29	20	32	
	OL2140-07	1-11	28	25	38	
(*)	**OL2140-08**	1.1/4-11	30	32	50	
(*)	**OL2140-09**	1.1/2-11	31	38	55	
(*)	**OL2140-10**	2-11	33	50	70	

OL2170 Mezzo nipplo a saldare

Male Weldable End




trattamento superficiale: non zincato
surface treatment: *without zinc plating*

part number	Dimensions			
	F	L	H	
OL2170-01	1/8-28	15	14	
OL2170-02	1/4-19	20	19	
OL2170-03	3/8-19	22	22	
OL2170-04	1/2-14	25	27	
OL2170-05	5/8-14	27	30	
OL2170-06	3/4-14	27	32	
OL2170-07	1-11	30	41	
OL2170-08	1.1/4-11	34	50	
OL2170-09	1.1/2-11	35	55	
OL2170-10	2-11	43	70	

OL3540 Mezzo nipplo tondo a saldare

Male Weldable End




trattamento superficiale: non zincato
surface treatment: *without zinc plating*

part number	Dimensions				
	F	L	B	D	
OL3540-01	1/8				
OL3540-02	1/4-19	30	7	14	
OL3540-03	3/8-19	32	9	17	
OL3540-04	1/2-14	34	12	21	
OL3540-06	3/4-14	40	15	28	
OL3540-07	1-11	41	20	35	
OL3540-08	1.1/4				
OL3540-09	1.1/2				
OL3540-10	2				

OL3500 Borchia a saldare

Threaded Sleeve




trattamento superficiale: non zincato
surface treatment: *without zinc plating*

part number	Dimensions			
	F	L	D	
OL3500-01	1/8-28	14	20	
OL3500-02	1/4-19	16	22	
OL3500-03	3/8-19	17	26	
OL3500-04	1/2-14	18	30	
OL3500-05	5/8-14	20	32	
OL3500-06	3/4-14	20	38	
OL3500-07	1-11	25	45	
OL3500-08	1.1/4-11	25	55	
OL3500-09	1.1/2-11	30	62	
OL3500-10	2-11	30	70	

OL2970 Nipplo maschio CIL.+CON.

Male Connector BSP/BSPT




Filettatura / Thread:
BSPT (Form C DIN 3852)

part number	Ø tube		Dimensions				
	mm	inch	F	T	L	H	
OL2970-01	6	1/4"	1/8-28	1/8-28	24	14	
OL2970-02	8	5/16"	1/4-19	1/4-19	34	19	
OL2970-03	10	3/8"	3/8-19	3/8-19	36	22	
OL2970-04	12	1/2"	1/2-14	1/2-14	43	27	
OL2970-05	12	1/2"	1/2-14	3/4-14	46	27	
OL2970-06	20	3/4"	3/4-14	3/4-14	46	32	
OL2970-07	20	3/4"	3/4-14	1.1/4-11	55	46	
OL2970-08	25	1"	1-11	1-11	54	41	
OL2970-09	32	1.1/4"	1.1/4-11	1.1/4-11	59	50	
OL2970-10	38	1.1/2"	1.1/2-11	1.1/2-11	60	55	
OL2970-11	51	2"	2-11	2-11	69	70	

OL2980 Nipplo Mas.Conico+Femmina girevole

Swivel Connector Female BSP/ Male BSPT




Filettatura / Thread:
BSPT (Form C DIN 3852)

part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	E	H	
OL2980-01	6	1/4"	1/8"	1/8"	29	10	11	14	
OL2980-02	6	1/4"	1/8"	1/4"	33	15	14	14	
OL2980-03	8	5/16"	1/4"	1/4"	33	15	14	19	
OL2980-04	10	3/8"	3/8"	1/4"	36	15	16	22	
OL2980-05	8	5/16"	1/4"	3/8"	34	15	19	19	
OL2980-06	10	3/8"	3/8"	3/8"	36	15	19	22	
OL2980-07	12	1/2"	1/2"	3/8"	40	15	22	27	
OL2980-08	10	3/8"	3/8"	1/2"	42	19	22	22	
OL2980-09	12	1/2"	1/2"	1/2"	41	18	22	27	
OL2980-10	20	3/4"	3/4"	1/2"	47	19	27	32	
OL2980-11	12	1/2"	1/2"	3/4"	47	19	27	27	
OL2980-12	20	3/4"	3/4"	3/4"	47	19	27	32	
OL2980-13	25	1"	1"	3/4"	55	19	32	41	
OL2980-14	20	3/4"	3/4"	1"	54	24	36	32	
OL2980-15	25	1"	1"	1"	60	24	36	41	
OL2980-16	32	1.1/4"	1.1/4"	1"	62	24	41	50	
OL2980-17	32	1.1/4"	1.1/4"	1.1/4"	62	25	46	50	
OL2980-18	38	1.1/2"	1.1/2"	1.1/4"	66	25	46	60	
OL2980-19	38	1.1/2"	1.1/2"	1.1/2"	67	26	50	60	

OL5845 RACCORDO A T Mcil.+Mcon.+Mcil.

BSPT Branch Tee




Filettatura / Thread:
BSPT (Form C DIN 3852)

part number	Ø tube		Dimensions					
	mm	inch	F	T	B	C	H	
OL5845-01	8	5/16"	1/4-19	1/4-19	27	27	14	
OL5845-02	10	3/8"	3/8-19	3/8-19	28	28	19	
OL5845-03	12	1/2"	1/2-14	1/2-14	34	34	22	
OL5845-04	20	3/4"	3/4-14	3/4-14	40	40	27	
OL5845-05	25	1"	1-11	1-11	42	42	33	
OL5845-06	32	1.1/4"	1.1/4-11	1.1/4-11	52	52	41	

OL5295 ADATT. 90° MAS. Cilindrico+MAS. Conico

90° connector BSP male x BSPT male




Filettatura / Thread:
BSPT (Form C DIN 3852)

part number	Ø tube		Dimensions					
	mm	inch	F	T	B	C	H	
OL5295-01	6	1/4"	1/8-28	1/8-28	26	26	14	
OL5295-02	8	5/16"	1/4-19	1/4-19	26	26	14	
OL5295-03	10	3/8"	3/8-19	3/8-19	32	32	19	
OL5295-04	12	1/2"	1/2-14	1/2-14	36	36	22	
OL5295-05	20	3/4"	3/4-14	3/4-14	40	40	27	
OL5295-06	25	1"	1-11	1-11	42	42	33	
OL5295-07	32	1.1/4"	1.1/4-11	1.1/4-11	52	52	41	
OL5295-08	38	1.1/2"	1.1/2-11	1.1/2-11	59	59	50	

OL5395 ADATT. 45° MAS. Cilindrico+MAS. Conico

45° connector BSP male x BSPT male





Filettatura / Thread:
BSPT (Form C DIN 3852)

part number	Ø tube		Dimensions					
	mm	inch	F	T	B	C	H	
OL5395-01	8	5/16"	1/4-19	1/4-19	21	21	14	
OL5395-02	10	3/8"	3/8-19	3/8-19	25	25	19	
OL5395-03	12	1/2"	1/2-14	1/2-14	28	28	22	
OL5395-04	20	3/4"	3/4-14	3/4-14	33	33	27	
OL5395-05	25	1"	1-11	1-11	41	41	33	
OL5395-06	32	1.1/4"	1.1/4-11	1.1/4-11			41	
OL5395-07	38	1.1/2"	1.1/2-11	1.1/2-11			50	

OL5290 ADATT. 90° femm.gir./maschio conico

90° connector BSP swivel female x BSPT male






(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring


Filettatura / Thread:
BSPT (Form C DIN 3852)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5290-01	8	5/16"	1/4-19	1/4-19	29	27	14	19	
OL5290-02	10	3/8"	3/8-19	3/8-19	34	32	19	22	
OL5290-03	12	1/2"	1/2-14	1/2-14	42	36	22	27	
OL5290-04	20	3/4"	3/4-14	3/4-14	48	40	27	32	
OL5290-05	25	1"	1-11	1-11	58	48	33	38	
(*) **OL5290-06**	32	1.1/4"	1.1/4-11	1.1/4-11	58	52	41	50	
(*) **OL5290-07**	38	1.1/2"	1.1/2-11	1.1/2-11	61	59	50	55	

OL5390 ADATT. 45° femm.gir./maschio conico

45° connector BSP swivel female x BSPT male






(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring

Filettatura / Thread:
BSPT (Form C DIN 3852)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5390-01	8	5/16"	1/4-19	1/4-19	22	21	14	19	
OL5390-02	10	3/8"	3/8-19	3/8-19	27	25	19	22	
OL5390-03	12	1/2"	1/2-14	1/2-14	31	28	22	27	
OL5390-04	20	3/4"	3/4-14	3/4-14	37	31	27	32	
OL5390-05	25	1"	1-11	1-11	40	37	33	38	
(*) **OL5390-06**	32	1.1/4"	1.1/4-11	1.1/4-11			41	50	
(*) **OL5390-07**	38	1.1/2"	1.1/2-11	1.1/2-11			50	55	

OL3700 Nipplo maschio BSP/NPTF

Male Connector BSP/NPTF




Filettatura / Thread:
NPT (ANSI/ASME B1, 20, 1-1983)

part number	Ø tube		Dimensions				
	mm	inch	F	T	L	H	
OL3700-01	8	5/16"	1/4-19	1/4-18	35	19	
OL3700-02	8	5/16"	1/4-19	3/8-18	35	19	
OL3700-03	8	5/16"	1/4-19	1/2-14	41	22	
OL3700-04	10	3/8"	3/8-19	1/4-18	36	22	
OL3700-05	10	3/8"	3/8-19	3/8-18	36	22	
OL3700-06	10	3/8"	3/8-19	1/2-14	41	22	
OL3700-07	12	1/2"	1/2-14	3/8-18	39	27	
OL3700-08	12	1/2"	1/2-14	1/2-14	44	27	
OL3700-09	12	1/2"	1/2-14	3/4-14	46	27	
OL3700-10	20	3/4"	3/4-14	1/2-14	46	32	
OL3700-11	20	3/4"	3/4-14	3/4-14	48	32	
OL3700-12	20	3/4"	3/4-14	1-11.1/2	53	36	
OL3700-13	25	1"	1-11	3/4-14	49	41	
OL3700-14	25	1"	1-11	1-11.1/2	55	41	
OL3700-15	32	1.1/4"	1-1/4-11	1.1/4-11.1/2	59	50	
OL3700-16	32	1.1/4"	1-1/4-11	1.1/2-11.1/2	61	50	
OL3700-17	38	1.1/2"	1.1/2-11	1.1/2-11.1/2	63	55	
OL3700-18	51	2"	2-11	2-11.1/2	69	70	

Adattatori BSP / BSP Adaptors

OL3750 Nipplo Mas. NPTF+fem. Girevole BSP




Swivel Connector Female BSP/ Male NPTF

Filettatura / Thread:
NPT (ANSI/ASME B1, 20, 1-1983)

part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	E	H	
OL3750-01	6	1/4"	1/8-28	1/8-28	29	10	11	14	
OL3750-02	6	1/4"	1/8-28	1/4-18	33	15	14	14	
OL3750-03	8	5/16"	1/4-19	1/4-18	33	15	14	19	
OL3750-04	10	3/8"	3/8-19	1/4-18	36	15	16	22	
OL3750-05	8	5/16"	1/4-19	3/8-18	34	15	19	19	
OL3750-06	10	3/8"	3/8-19	3/8-18	36	15	19	22	
OL3750-07	12	1/2"	1/2-14	3/8-18	40	15	22	27	
OL3750-08	10	3/8"	3/8-19	1/2-14	42	19	22	22	
OL3750-09	12	1/2"	1/2-14	1/2-14	45	19	22	27	
OL3750-10	20	3/4"	3/4-14	1/2-14	47	19	27	32	
OL3750-11	12	1/2"	1/2-14	3/4-14	47	19	27	27	
OL3750-12	20	3/4"	3/4-14	3/4-14	47	19	27	32	
OL3750-13	25	1"	1-11	3/4-14	55	19	32	41	
OL3750-14	20	3/4"	3/4-14	1-11.1/2	54	24	36	32	
OL3750-15	25	1"	1-11	1-11.1/2	60	24	36	41	
OL3750-16	32	1.1/4"	1.1/4-11	1-11.1/2	62	24	41	50	
OL3750-17	32	1.1/4"	1.1/4-11	1.1/4-11.1/2	62	25	46	50	
OL3750-18	38	1.1/2"	1.1/2-11	1.1/4-11.1/2	66	25	46	60	
OL3750-19	38	1.1/2"	1.1/2-11	1.1/2-11.1/2	67	26	50	60	

OL5850 RACCORDO A T Mcil + M NPTF + Mcil




NPTF male branch Tee

Filettatura / Thread:
NPT (ANSI/ASME B1, 20, 1-1983)

part number	Ø tube		Dimensions					
	mm	inch	F	T	B	C	H	
OL5850-01	8	5/16"	1/4-19	1/4-18	27	27	14	
OL5850-02	10	3/8"	3/8-19	3/8-18	32	32	19	
OL5850-03	12	1/2"	1/2-14	1/2-14	36	37	22	
OL5850-04	20	3/4"	3/4-14	3/4-14	40	40	27	
OL5850-05	25	1"	1-11	1-11.1/2	50	50	33	
OL5850-06	32	1.1/4"	1.1/4-11	1.1/4-11.1/2	52	52	41	

OL5265 ADATT. 90°Mcil.+M NPTF

90°connector BSP male x NPTF male




Filettatura / Thread:
NPT (ANSI/ASME B1, 20, 1-1983)

part number	Ø tube		Dimensions					
	mm	inch	F	T	B	C	H	
OL5265-01	8	5/16"	1/4-19	1/4-18	26	26	14	
OL5265-02	10	3/8"	3/8-19	3/8-18	32	32	19	
OL5265-03	12	1/2"	1/2-14	1/2-14	36	36	22	
OL5265-04	20	3/4"	3/4-14	3/4-14	40	40	27	
OL5265-05	25	1"	1-11	1-11.1/2	42	42	33	
OL5265-06	32	1.1/4"	1.1/4-11	1.1/4-11.1/2	52	52	41	
OL5265-07	38	1.1/2"	1.1/2-11	1.1/2-11.1/2	59	59	50	

OL5365 ADATT. 45°Mcil.+M NPTF

45°connector BSP male x NPTF male




Filettatura / Thread:
NPT (ANSI/ASME B1, 20, 1-1983)


part number	Ø tube		Dimensions					
	mm	inch	F	T	B	C	H	
OL5365-01	8	5/16"	1/4-19	1/4-18	21	21	14	
OL5365-02	10	3/8"	3/8-19	3/8-18	25	25	19	
OL5365-03	12	1/2"	1/2-14	1/2-14	30	28	22	
OL5365-04	20	3/4"	3/4-14	3/4-14	33	33	27	
OL5365-05	25	1"	1-11	1-11.1/2	41	41	33	
OL5365-06	32	1.1/4"	1.1/4-11	1.1/4-11.1/2	46	46	41	
OL5365-07	38	1.1/2"	1.1/2-11	1.1/2-11.1/2			50	

Adattatori BSP / BSP Adaptors

OL5268 ADATT. 90° Femm. Gir.+Mas. NPTF

90° connector BSP swivel female x NPTF male






(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring


Filettatura / Thread:
NPT (ANSI/ASME B1, 20, 1-1983)

	part number	Ø tube		Dimensions						
		mm	inch	F	T	B	C	H	E	
	OL5268-01	8	5/16"	1/4-19	1/4-18	29	27	14	19	
	OL5268-02	10	3/8"	3/8-19	3/8-18	34	32	19	22	
	OL5268-03	12	1/2"	1/2-14	1/2-14	40	36	22	27	
	OL5268-04	20	3/4"	3/4-14	3/4-14	46	40	27	32	
	OL5268-05	25	1"	1-11	1-11.1/2	52	50	33	38	
(*)	**OL5268-06**	32	1.1/4"	1.1/4-11	1.1/4-11.1/2	54	52	41	50	
(*)	**OL5268-07**	38	1.1/2"	1.1/2-11	1.1/2-11.1/2	61	59	50	55	

OL5376 ADATT. 90° Femm. Gir.+Mas. NPTF

45° connector BSP swivel female x NPTF male






(*) - Femmina BSP con O-Ring
(*) - BSP female with O-Ring

Filettatura / Thread:
NPT (ANSI/ASME B1, 20, 1-1983)

	part number	Ø tube		Dimensions						
		mm	inch	F	T	B	C	H	E	
	OL5376-01	8	5/16"	1/4-19	1/4-18	21	21	14	19	
	OL5376-02	10	3/8"	3/8-19	3/8-18	25	25	19	22	
	OL5376-03	12	1/2"	1/2-14	1/2-14	28	29	22	27	
	OL5376-04	20	3/4"	3/4-14	3/4-14	33	33	27	32	
	OL5376-05	25	1"	1-11	1-11.1/2	37	37	33	38	
(*)	**OL5376-06**	32	1.1/4"	1.1/4-11	1.1/4-11.1/2			41	50	
(*)	**OL5376-07**	38	1.1/2"	1.1/2-11	1.1/2-11.1/2			50	55	

OL5275 ADATT. 90°Mas.Cil.+Mas.Cil. ORIENT.

Adjustable Elbow BSP/BSP




Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5275-01	6	1/4"	1/8	1/8	23	26	12	14	
OL5275-02	6	1/4"	1/8	1/4	27	32	14	19	
OL5275-03	8	5/16"	1/4	1/4	27	32	14	19	
OL5275-04	10	3/8"	3/8	1/4	32	34	19	19	
OL5275-05	6	1/4"	1/8	3/8	29	37	19	24	
OL5275-06	8	5/16"	1/4	3/8	29	37	19	24	
OL5275-07	10	3/8"	3/8	3/8	32	37	19	24	
OL5275-08	12	1/2"	1/2	3/8	37	40	22	24	
OL5275-09	8	5/16"	1/4	1/2	31	43	22	27	
OL5275-10	10	3/8"	3/8	1/2	34	43	22	27	
OL5275-11	12	1/2"	1/2	1/2	37	43	22	27	
OL5275-12	20	3/4"	3/4	1/2	42	46	27	27	
OL5275-13	10	3/8"	3/8	3/4	37	49	27	36	
OL5275-14	12	1/2"	1/2	3/4	40	49	27	36	
OL5275-15	20	3/4"	3/4	3/4	42	49	27	36	
OL5275-16	25	1"	1	3/4	46	52	33	36	
OL5275-17	20	3/4"	3/4	1	45	52	33	41	
OL5275-18	25	1"	1	1	46	52	33	41	
OL5275-19	32	1.1/4"	1.1/4	1	52	57	41	41	
OL5275-20	25	1"	1	1.1/4	51	57	41	50	
OL5275-21	32	1.1/4"	1.1/4	1.1/4	52	57	41	50	
OL5275-22	38	1.1/2"	1.1/2	1.1/2	59	61	48	60	

Adattatori BSP / BSP Adaptors

OL5296 ADATT. 90°Femm. Girev.+Mas. Orient.




Adjustable 90° Elbow Swivel Female BSP/BSPP Male

Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	E	H	K
OL5296-01	6	1/4"	1/8"	1/8"	25	26	12	14	14
OL5296-02	8	5/16"	1/4"	1/4"	27	32	14	19	19
OL5296-03	10	3/8"	3/8"	3/8"	32	37	19	22	24
OL5296-04	12	1/2"	1/2"	1/2"	37	43	22	27	27
OL5296-05	20	3/4"	3/4"	3/4"	42	49	27	32	36
OL5296-06	25	1"	1"	1"	46	52	33	41	41
OL5296-07	32	1.1/4"	1.1/4"	1.1/4"	52	57	41	50	50
OL5296-08	38	1.1/2"	1.1/2"	1.1/2"	59	61	48	60	60

OL5855 RACCORDO A T M+M+M LATERALE




Adjustable Run Tee BSP/BSPP Male

Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions					
	mm	inch	F	T	B	C	E	H
OL5855-01	6	1/4"	1/8-28	1/8-28	23	26	12	14
OL5855-02	6	1/4"	1/8-28	1/4-19	27	32	14	19
OL5855-03	8	5/16"	1/4-19	1/4-19	27	32	14	19
OL5855-04	10	3/8"	3/8-19	1/4-19	32	34	19	19
OL5855-05	8	5/16"	1/4-19	3/8-19	29	37	19	24
OL5855-06	10	3/8"	3/8-19	3/8-19	32	37	19	24
OL5855-07	12	1/2"	1/2-14	3/8-19	37	49	27	36
OL5855-08	10	3/8"	3/8-19	1/2-14	34	43	22	27
OL5855-09	12	1/2"	1/2-14	1/2-14	37	40	22	24
OL5855-10	12	3/4"	3/4-11	1/2-14	40	49	27	36
OL5855-11	12	1/2"	1/2-14	3/4-11	37	43	22	27
OL5855-12	20	3/4"	3/4-11	3/4-11	42	46	27	27
OL5855-13	25	1"	1-11	3/4-11	45	52	33	41
OL5855-14	20	3/4"	3/4-11	1-11	42	49	27	36
OL5855-15	25	1"	1-11	1-11	46	52	33	36
OL5855-16	32	1.1/4"	1.1/4-11	1-11	46	52	33	41
OL5855-17	32	1.1/4"	1.1/4-11	1.1/4-11	51	57	41	50
OL5855-18	38	1.1/2"	1.1/2-11	1.1/4-11	52	57	41	50
OL5855-19	32	1.1/4"	1.1/4-11	1.1/2-11	52	57	41	41
OL5855-20	38	1.1/2"	1.1/2-11	1.1/2-11	59	61	48	60

OL5860 RACCORDO A T M+M+M CENTRALE

Adjustable Branch Tee BSP/BSPP Male




Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	E	H	
OL5860-01	6	1/4"	1/8-28	1/8-28	23	26	12	14	
OL5860-02	6	1/4"	1/8-28	1/4-19	27	32	14	19	
OL5860-03	8	5/16"	1/4-19	1/4-19	27	32	14	19	
OL5860-04	10	3/8"	3/8-19	1/4-19	32	34	19	19	
OL5860-05	8	5/16"	1/4-19	3/8-19	29	37	19	24	
OL5860-06	10	3/8"	3/8-19	3/8-19	32	37	19	24	
OL5860-07	12	1/2"	1/2-14	3/8-19	37	49	27	36	
OL5860-08	10	3/8"	3/8-19	1/2-14	34	43	22	27	
OL5860-09	12	1/2"	1/2-14	1/2-14	37	40	22	24	
OL5860-10	12	3/4"	3/4-11	1/2-14	40	49	27	36	
OL5860-11	12	1/2"	1/2-14	3/4-11	37	43	22	27	
OL5860-12	20	3/4"	3/4-11	3/4-11	42	46	27	27	
OL5860-13	25	1"	1-11	3/4-11	45	52	33	41	
OL5860-14	20	3/4"	3/4-11	1-11	42	49	27	36	
OL5860-15	25	1"	1-11	1-11	46	52	33	36	
OL5860-16	32	1.1/4"	1.1/4-11	1-11	46	52	33	41	
OL5860-17	32	1.1/4"	1.1/4-11	1.1/4-11	51	57	41	50	
OL5860-18	38	1.1/2"	1.1/2-11	1.1/4-11	52	57	41	50	
OL5860-19	32	1.1/4"	1.1/4-11	1.1/2-11	52	57	41	41	
OL5860-20	38	1.1/2"	1.1/2-11	1.1/2-11	59	61	48	60	

OL2930 Nipplo maschio BSP/Metrico 60°

Male connector BSP male /Metric 60° cone




Filettatura / Thread:
Metric (DIN 7631)

part number	Ø tube		Dimensions				
	mm	inch	T	F	L	H	
OL2930-01	6	1/4"	1/8-28	M10 x 1	28	14	
OL2930-02	8	5/16"	1/4-19	M10 x 1	28	19	
OL2930-03	8	5/16"	1/4-19	M12 x 1.5	33	19	
OL2930-04	8	5/16"	1/4-19	M14 x 1.5	32	19	
OL2930-05	8	5/16"	1/4-19	M16 x 1.5	33	22	
OL2930-06	8	5/16"	1/4-19	M18 x 1.5	34	24	
OL2930-07	8	5/16"	1/4-19	M22 x 1.5	36	27	
OL2930-08	10	3/8"	3/8-19	M14 x 1.5	32	22	
OL2930-09	10	3/8"	3/8-19	M16 x 1.5	33	22	
OL2930-10	10	3/8"	3/8-19	M18 x 1.5	36	24	
OL2930-11	10	3/8"	3/8-19	M20 x 1.5	37	27	
OL2930-12	10	3/8"	3/8-19	M22 x 1.5	37	27	
OL2930-13	12	1/2"	1/2-14	M14 x 1.5	37	27	
OL2930-14	12	1/2"	1/2-14	M16 x 1.5	37	27	
OL2930-15	12	1/2"	1/2-14	M18 x 1.5	38	27	
OL2930-16	12	1/2"	1/2-14	M20 x 1.5	39	27	
OL2930-17	12	1/2"	1/2-14	M22 x 1.5	38	27	
OL2930-18	16	5/8"	5/8-14	M18 x 1.5	39	28	
OL2930-19	16	5/8"	5/8-14	M22 x 1.5	41	28	
OL2930-20	20	3/4"	3/4-14	M18 x 1.5	39	32	
OL2930-21	20	3/4"	3/4-14	M22 x 1.5	41	32	
OL2930-22	20	3/4"	3/4-14	M26 x 1.5	43	32	
OL2930-23	20	3/4"	3/4-14	M30 x 1.5	46	36	
OL2930-24	25	1"	1-11	M22 x 1.5	44	41	
OL2930-25	25	1"	1-11	M26 x 1.5	46	41	
OL2930-26	25	1"	1-11	M38 x 1.5	48	46	

OL4100 Femmina girevole Metrica cono 60°/BSP


Swivel Nut Female Metric 60° cone/BSP



part number	Ø tube		Dimensions					
	mm	inch	F	T	L	E	H	
OL4100-01	10	3/8"	M16x1,5	3/8-19	35	22	22	
OL4100-02	12	1/2"	M16x1,5	1/2-14	38	22	27	
OL4100-03	10	3/8"	M18x1,5	3/8-19	35	24	22	
OL4100-04	12	1/2"	M18x1,5	1/2-14	38	24	27	
OL4100-05	12	1/2"	M20x1,5	1/2-14	40	27	27	

OL2910 Giunzione M BSP/M Metrico DIN 3852-1


Male Connector BSP/Metric DIN 3852-1



Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
OL2910-01	6	1/4"	1/8-28	M10x1	24	9	8	16	
OL2910-02	6	1/4"	1/8-28	M12x1,5	27	12	8	17	
OL2910-03	8	5/16"	1/4-19	M14x1,5	31	11,5	11	19	
OL2910-04	8	5/16"	1/4-19	M16x1,5	32	13	11	22	
OL2910-05	10	3/8"	3/8-19	M16x1,5	33	12,5	12	22	
OL2910-06	10	3/8"	3/8-19	M18x1,5	35	14	12	24	
OL2910-07	12	1/2"	1/2-14	M18x1,5	37	13,5	14	24	
OL2910-08	12	1/2"	1/2-14	M22x1,5	39	15	14	30	
OL2910-09	20	3/4"	3/4-11	M22x1,5	42	15	16	30	
OL2910-10	20	3/4"	3/4-11	M27x2	47	19	16	36	
OL2910-11	25	1"	1-11	M27x2	50	18,5	19	36	
OL2910-12	25	1"	1-11	M33x2	50	19	19	41	
OL2910-13	32	1.1/4"	1.1/4-11	M42x2	54	19,5	20	50	
OL2910-14	38	1.1/2"	1.1/2-11	M48x2	60	22	22	60	

OL4120 Giunzione M/M Lunga BSP/ Metrico DIN 3852-1




Long Male Connector BSP/Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
OL4120-01	6	1/4"	1/8-28	M10x1	45	9	29	16	
OL4120-02	6	1/4"	1/8-28	M12x1,5	48	12	29	17	
OL4120-03	8	5/16"	1/4-19	M14x1,5	56	12	36	19	
OL4120-04	8	5/16"	1/4-19	M16x1,5	57	13	36	22	
OL4120-05	10	3/8"	3/8-19	M16x1,5	64	13	43	22	
OL4120-06	10	3/8"	3/8-19	M18x1,5	66	14	43	24	
OL4120-07	12	1/2"	1/2-14	M18x1,5	70	14	48	24	
OL4120-08	12	1/2"	1/2-14	M22x1,5	73	15	48	30	
OL4120-09	20	3/4"	3/4-11	M22x1,5	83	15	57	30	
OL4120-10	20	3/4"	3/4-11	M27x2	88	19	57	36	
OL4120-11	25	1"	1-11	M27x2	99	19	68	36	
OL4120-12	25	1"	1-11	M33x2	99	19	68	41	
OL4120-13	32	1.1/4"	1.1/4-11	M42x2	117	20	84	50	
OL4120-14	38	1.1/2"	1.1/2-11	M48x2	130	22	93	60	

OL4105 Femmina Girevole BSP/Metrico DIN 3852-1




Swivel Nut Female BSP/Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	E	H	
OL4105-01	6	1/4"	1/8"	M10x1	28	9	16	14	
OL4105-02	6	1/4"	1/8"	M12x1,5	30	12	17	14	
OL4105-03	8	5/16"	1/4"	M14x1,5	30	12	19	19	
OL4105-04	8	5/16"	1/4"	M16x1,5	32	13	22	19	
OL4105-05	10	3/8"	3/8"	M16x1,5	34	13	22	22	
OL4105-06	10	3/8"	3/8"	M18x1,5	35	14	24	22	
OL4105-07	12	1/2"	1/2"	M18x1,5	39	14	24	27	
OL4105-08	12	1/2"	1/2"	M22x1,5	41	15	30	27	
OL4105-09	20	3/4"	3/4"	M22x1,5	43	15	30	32	
OL4105-10	20	3/4"	3/4"	M27x2	47	19	36	32	
OL4105-11	25	1"	1"	M27x2	54	19	36	41	
OL4105-12	25	1"	1"	M33x2	54	19	41	41	
OL4105-13	32	1.1/4"	1.1/4"	M42x2	57	20	50	50	
OL4105-14	38	1.1/2"	1.1/2"	M48x2	63	22	60	60	

OL5266 Curva Orientabile BSP/Metrico DIN 3852-1




Adjustable Elbow BSP/Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5266-01	6	1/4"	1/8"	M10x1	23	27	12	14	
OL5266-02	6	1/4"	1/8"	M12x1,5	27	32	14	17	
OL5266-03	8	5/16"	1/4"	M14x1,5	27	32	14	19	
OL5266-04	8	5/16"	1/4"	M16x1,5	29	38	19	22	
OL5266-05	10	3/8"	3/8"	M16x1,5	32	38	19	22	
OL5266-06	10	3/8"	3/8"	M18x1,5	32	40	19	24	
OL5266-07	12	1/2"	1/2"	M18x1,5	37	41	22	24	
OL5266-08	12	1/2"	1/2"	M22x1,5	37	43	22	27	
OL5266-09	20	3/4"	3/4"	M22x1,5	42	45	27	27	
OL5266-10	20	3/4"	3/4"	M27x2	42	52	27	36	
OL5266-11	25	1"	1"	M27x2	46	52	33	36	
OL5266-12	25	1"	1"	M33x2	46	53	33	41	
OL5266-13	32	1.1/4"	1.1/4"	M42x2	52	58	41	50	
OL5266-14	38	1.1/2"	1.1/2"	M48x2	59	67	48	60	

OL5267 Curva Orientabile Lunga BSP/Metrico DIN 3852-1




Long Adjustable Elbow BSP/Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5267-01	6	1/4"	1/8"	M10x1	23	46	12	14	
OL5267-02	6	1/4"	1/8"	M12x1,5	27	54	14	17	
OL5267-03	8	5/16"	1/4"	M14x1,5	27	57	14	19	
OL5267-04	8	5/16"	1/4"	M16x1,5	29	67	19	22	
OL5267-05	10	3/8"	3/8"	M16x1,5	32	67	19	22	
OL5267-06	10	3/8"	3/8"	M18x1,5	32	67	19	24	
OL5267-07	12	1/2"	1/2"	M18x1,5	37	75	22	24	
OL5267-08	12	1/2"	1/2"	M22x1,5	37	78	22	27	
OL5267-09	20	3/4"	3/4"	M22x1,5	42	88	27	27	
OL5267-10	20	3/4"	3/4"	M27x2	42	95	27	36	
OL5267-11	25	1"	1"	M27x2	46	105	33	36	
OL5267-12	25	1"	1"	M33x2	46	105	33	41	
OL5267-13	32	1.1/4"	1.1/4"	M42x2	52	124	41	50	
OL5267-14	38	1.1/2"	1.1/2"	M48x2	59	141	48	60	

OL5366 Curva 45° Orientabile BSP/Metrico DIN 3852-1




Adjustable 45° Elbow BSP/Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5366-01	6	1/4"	1/8"	M10x1	19	27	12	14	
OL5366-02	6	1/4"	1/8"	M12x1,5	21	29	14	17	
OL5366-03	8	5/16"	1/4"	M14x1,5	21	29	14	19	
OL5366-04	8	5/16"	1/4"	M16x1,5	22	33	19	22	
OL5366-05	10	3/8"	3/8"	M16x1,5	25	33	19	22	
OL5366-06	10	3/8"	3/8"	M18x1,5	25	33	19	24	
OL5366-07	12	1/2"	1/2"	M18x1,5	28	35	22	24	
OL5366-08	12	1/2"	1/2"	M22x1,5	28	38	22	27	
OL5366-09	20	3/4"	3/4"	M22x1,5	33	40	27	27	
OL5366-10	20	3/4"	3/4"	M27x2	33	44	27	36	
OL5366-11	25	1"	1"	M27x2	37	46	33	36	
OL5366-12	25	1"	1"	M33x2	37	47	33	41	
OL5366-13	32	1.1/4"	1.1/4"	M42x2	41	49	41	50	
OL5366-14	38	1.1/2"	1.1/2"	M48x2	45	53	48	60	

OL5865 T BSP con masch. Metr. laterale orient. (DIN 3852-1)




Adjustable Run Tee BSP/Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5865-01	6	1/4"	1/8-28	M10x1	23	27	14	12	
OL5865-02	6	1/4"	1/8-28	M12x1,5	27	32	17	14	
OL5865-03	8	5/16"	1/4-19	M14x1,5	27	32	19	14	
OL5865-04	8	5/16"	1/4-19	M16x1,5	29	38	22	19	
OL5865-05	10	3/8"	3/8-19	M16x1,5	32	38	22	19	
OL5865-06	10	3/8"	3/8-19	M18x1,5	32	40	24	19	
OL5865-07	12	1/2"	1/2-14	M18x1,5	37	41	24	22	
OL5865-08	12	1/2"	1/2-14	M22x1,5	37	43	27	22	
OL5865-09	20	3/4"	3/4-11	M22x1,5	42	45	27	27	
OL5865-10	20	3/4"	3/4-11	M27x2	42	52	36	27	
OL5865-11	25	1"	1-11	M27x2	46	52	36	33	
OL5865-12	25	1"	1-11	M33x2	46	53	41	33	
OL5865-13	32	1.1/4"	1.1/4-11	M42x2	52	58	50	41	
OL5865-14	38	1.1/2"	1.1/2-11	M48x2	59	67	60	48	

OL5870 T BSP con masch. Metr. centr. orient. (DIN 3852-1)



Adjustable Branch Tee BSP/Metric DIN 3852-1


Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5870-01	6	1/4"	1/8-28	M10x1	23	27	14	12	
OL5870-02	6	1/4"	1/8-28	M12x1,5	27	32	17	14	
OL5870-03	8	5/16"	1/4-19	M14x1,5	27	32	19	14	
OL5870-04	8	5/16"	1/4-19	M16x1,5	29	38	22	19	
OL5870-05	10	3/8"	3/8-19	M16x1,5	32	38	22	19	
OL5870-06	10	3/8"	3/8-19	M18x1,5	32	40	24	19	
OL5870-07	12	1/2"	1/2-14	M18x1,5	37	41	24	22	
OL5870-08	12	1/2"	1/2-14	M22x1,5	37	43	27	22	
OL5870-09	20	3/4"	3/4-11	M22x1,5	42	45	27	27	
OL5870-10	20	3/4"	3/4-11	M27x2	42	52	36	27	
OL5870-11	25	1"	1-11	M27x2	46	52	36	33	
OL5870-12	25	1"	1-11	M33x2	46	53	41	33	
OL5870-13	32	1.1/4"	1.1/4-11	M42x2	52	58	50	41	
OL5870-14	38	1.1/2"	1.1/2-11	M48x2	59	67	60	48	

Adattatori BSP / BSP Adaptors

OL2940 Nipplo maschio BSP/UNF

Male Connector BSP/UNF




Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
OL2940-01	6	1/4"	1/8-28	7/16-20	25	9	8	14	
OL2940-02	6	1/4"	1/8-28	1/2-20	25	9	8	16	
OL2940-03	8	5/16"	1/4-19	9/16-18	30	10	11	17	
OL2940-04	8	5/16"	1/4-19	3/4-16	32	11	11	22	
OL2940-05	10	3/8"	3/8-19	3/4-16	33	11	12	22	
OL2940-06	12	1/2"	1/2-14	3/4-16	36	11	14	22	
OL2940-07	10	3/8"	3/8-19	7/8-14	36	12,5	12	27	
OL2940-08	12	1/2"	1/2-14	7/8-14	38	13	14	27	
OL2940-09	20	3/4"	3/4-11	7/8-14	42	12,5	16	27	
OL2940-10	12	1/2"	1/2-14	1.1/16-12	42	15	14	32	
OL2940-11	20	3/4"	3/4-11	1.1/16-12	44	15	16	32	
OL2940-12	20	3/4"	3/4-11	1.5/16-12	45	15	16	38	
OL2940-13	25	1"	1-11	1.5/16-12	48	15	19	38	
OL2940-14	32	1.1/4"	1.1/4-11	1.5/8-12	51	15	20	50	
OL2940-15	38	1.1/2"	1.1/2-11	1.7/8-12	55	15	22	55	

OL4130 Giunzione M/M Lunga BSP/UNF

Long Male Connector BSP/UNF




Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
OL4130-01	6	1/4"	1/8-28	7/16-20	46	9	29	14	
OL4130-02	6	1/4"	1/8-28	1/2-20	46	9	29	16	
OL4130-03	8	5/16"	1/4-19	9/16-18	55	10	36	17	
OL4130-04	8	5/16"	1/4-19	3/4-16	57	11	36	22	
OL4130-05	10	3/8"	3/8-19	3/4-16	64	11	43	22	
OL4130-06	12	1/2"	1/2-14	3/4-16	70	11	48	22	
OL4130-07	10	3/8"	3/8-19	7/8-14	67	12,5	43	27	
OL4130-08	12	1/2"	1/2-14	7/8-14	71	13	48	27	
OL4130-09	20	3/4"	3/4-11	7/8-14	83	12,5	57	27	
OL4130-10	12	1/2"	1/2-14	1.1/16-12	76	15	48	32	
OL4130-11	20	3/4"	3/4-11	1.1/16-12	85	15	57	32	
OL4130-12	20	3/4"	3/4-11	1.5/16-12	86	15	57	38	
OL4130-13	25	1"	1-11	1.5/16-12	97	15	68	38	
OL4130-14	32	1.1/4"	1.1/4-11	1.5/8-12	114	15	84	50	
OL4130-15	38	1.1/2"	1.1/2-11	1.7/8-12	125	15	93	55	

Adattatori BSP / BSP Adaptors

OL4110 Femmina girevole BSP/UNF




Swivel Nut Female BSP/UNF

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	L	E	H	
OL4110-01	6	1/4"	1/8-28	7/16-20	9	28	14	14	
OL4110-02	6	1/4"	1/8-28	1/2-20	9	28	16	14	
OL4110-03	8	5/16"	1/4-19	9/16-18	10	29	17	19	
OL4110-04	8	5/16"	1/4-19	3/4-16	11	31	22	19	
OL4110-05	10	3/8"	3/8-19	3/4-16	11	32	22	22	
OL4110-06	12	1/2"	1/2-14	3/4-16	11	37	22	27	
OL4110-07	10	3/8"	3/8-19	7/8-14	13	36	27	22	
OL4110-08	12	1/2"	1/2-14	7/8-14	13	38	27	27	
OL4110-09	20	3/4"	3/4-11	7/8-14	13	41	27	32	
OL4110-10	12	1/2"	1/2-14	1.1/16-12	15	43	32	27	
OL4110-11	20	3/4"	3/4-11	1.1/16-12	15	43	32	32	
OL4110-12	20	3/4"	3/4-11	1.5/16-12	15	45	38	32	
OL4110-13	25	1"	1-11	1.5/16-12	15	51	38	41	
OL4110-14	32	1.1/4"	1.1/4-11	1.5/8-12	15	53	50	50	
OL4110-15	38	1.1/2"	1.1/2-11	1.7/8-12	15	57	55	60	

OL5276 ADATT.90°M+M ORIENTABILE




Adjustable Elbow BSP/UNF

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5276-01	6	1/4"	1/8"	7/16-20	23	46	12	14	
OL5276-02	6	1/4"	1/8"	1/2-20	24	50	14	16	
OL5276-03	8	5/16"	1/4"	9/16-18	27	57	14	19	
OL5276-04	8	5/16"	1/4"	3/4-16	29	67	19	22	
OL5276-05	10	3/8"	3/8"	3/4-16	32	67	19	22	
OL5276-06	12	1/2"	1/2"	3/4-16	37	75	22	22	
OL5276-07	10	3/8"	3/8"	7/8-14	34	78	22	27	
OL5276-08	12	1/2"	1/2"	7/8-14	37	78	22	27	
OL5276-09	20	3/4"	3/4"	7/8-14	42	88	27	27	
OL5276-10	12	1/2"	1/2"	1.1/16-12	40	92	27	32	
OL5276-11	20	3/4"	3/4"	1.1/16-12	42	92	27	32	
OL5276-12	20	3/4"	3/4"	1.5/16-12	45	105	33	41	
OL5276-13	25	1"	1"	1.5/16-12	46	105	33	41	
OL5276-14	32	1.1/4"	1.1/4"	1.5/8-12	52	124	41	50	
OL5276-15	38	1.1/2"	1.1/2"	1.7/8-12	59	135	48	55	

Adattatori BSP / BSP Adaptors

OL5277 ADATT. 90°M+M ORIENTABILE TIPO LUNGO




Adjustable Elbow BSP/UNF

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5277-01	6	1/4"	1/8"	7/16-20	23	26	12	14	
OL5277-02	6	1/4"	1/8"	1/2-20	24	29	14	16	
OL5277-03	8	5/16"	1/4"	9/16-18	27	32	14	19	
OL5277-04	8	5/16"	1/4"	3/4-16	29	37	19	22	
OL5277-05	10	3/8"	3/8"	3/4-16	32	37	19	22	
OL5277-06	12	1/2"	1/2"	3/4-16	37	40	22	22	
OL5277-07	10	3/8"	3/8"	7/8-14	34	43	22	27	
OL5277-08	12	1/2"	1/2"	7/8-14	37	43	22	27	
OL5277-09	20	3/4"	3/4"	7/8-14	42	46	27	27	
OL5277-10	12	1/2"	1/2"	1.1/16-12	40	50	27	32	
OL5277-11	20	3/4"	3/4"	1.1/16-12	42	50	27	32	
OL5277-12	20	3/4"	3/4"	1.5/16-12	45	52	33	41	
OL5277-13	25	1"	1"	1.5/16-12	46	52	33	41	
OL5277-14	32	1.1/4"	1.1/4"	1.5/8-12	52	57	41	50	
OL5277-15	38	1.1/2"	1.1/2"	1.7/8-12	59	61	48	55	

OL5371 ADATT. 45°M+M ORIENTABILE




Adjustable Elbow BSP/UNF

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5371-01	6	1/4"	1/8"	7/16-20	12	27	12	14	
OL5371-02	6	1/4"	1/8"	1/2-20	14	27	14	16	
OL5371-03	8	5/16"	1/4"	9/16-18	14	29	14	19	
OL5371-04	8	5/16"	1/4"	3/4-16	19	33	19	22	
OL5371-05	10	3/8"	3/8"	3/4-16	19	33	19	22	
OL5371-06	12	1/2"	1/2"	3/4-16	22	35	22	22	
OL5371-07	10	3/8"	3/8"	7/8-14	22	39	22	27	
OL5371-08	12	1/2"	1/2"	7/8-14	22	39	22	27	
OL5371-09	20	3/4"	3/4"	7/8-14	27	40	27	27	
OL5371-10	12	1/2"	1/2"	1.1/16-12	27	44	27	32	
OL5371-11	20	3/4"	3/4"	1.1/16-12	27	44	27	32	
OL5371-12	20	3/4"	3/4"	1.5/16-12	33	47	33	41	
OL5371-13	25	1"	1"	1.5/16-12	33	47	33	41	
OL5371-14	32	1.1/4"	1.1/4"	1.5/8-12	41	49	41	50	
OL5371-15	38	1.1/2"	1.1/2"	1.7/8-12	48	49	48	55	

Adattatori BSP / BSP Adaptors

OL5875 T BSP con maschio UNF laterale orientabile




Adjustable Run Tee BSP/UNF

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5875-01	6	1/4"	1/8-28	7/16-20	23	26	14	12	
OL5875-02	6	1/4"	1/8-28	1/2-20	24	29	16	14	
OL5875-03	8	5/16"	1/4-19	9/16-18	27	32	19	14	
OL5875-04	8	5/16"	1/4-19	3/4-16	29	37	22	19	
OL5875-05	10	3/8"	3/8-19	3/4-16	32	37	22	19	
OL5875-06	12	1/2"	1/2-14	3/4-16	37	40	22	22	
OL5875-07	10	3/8"	3/8-19	7/8-14	34	43	27	22	
OL5875-08	12	1/2"	1/2-14	7/8-14	37	43	27	22	
OL5875-09	20	3/4"	3/4-11	7/8-14	42	46	27	27	
OL5875-10	12	1/2"	1/2-14	1.1/16-12	40	50	32	27	
OL5875-11	20	3/4"	3/4-11	1.1/16-12	42	50	32	27	
OL5875-12	20	3/4"	3/4-11	1.5/16-12	45	52	41	33	
OL5875-13	25	1"	1-11	1.5/16-12	46	52	41	33	
OL5875-14	32	1.1/4"	1.1/4-11	1.5/8-12	52	57	50	41	
OL5875-15	38	1.1/2"	1.1/2-11	1.7/8-12	59	61	55	48	

OL5880 T BSP con maschio UNF centrale orientabile



Adjustable Branch Tee BSP/UNF

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL5880-01	6	1/4"	1/8-28	7/16-20	23	26	14	12	
OL5880-02	6	1/4"	1/8-28	1/2-20	24	29	16	14	
OL5880-03	8	5/16"	1/4-19	9/16-18	27	32	19	14	
OL5880-04	8	5/16"	1/4-19	3/4-16	29	37	22	19	
OL5880-05	10	3/8"	3/8-19	3/4-16	32	37	22	19	
OL5880-06	12	1/2"	1/2-14	3/4-16	37	40	22	22	
OL5880-07	10	3/8"	3/8-19	7/8-14	34	43	27	22	
OL5880-08	12	1/2"	1/2-14	7/8-14	37	43	27	22	
OL5880-09	20	3/4"	3/4-11	7/8-14	42	46	27	27	
OL5880-10	12	1/2"	1/2-14	1.1/16-12	40	50	32	27	
OL5880-11	20	3/4"	3/4-11	1.1/16-12	42	50	32	27	
OL5880-12	20	3/4"	3/4-11	1.5/16-12	45	52	41	33	
OL5880-13	25	1"	1-11	1.5/16-12	46	52	41	33	
OL5880-14	32	1.1/4"	1.1/4-11	1.5/8-12	52	57	50	41	
OL5880-15	38	1.1/2"	1.1/2-11	1.7/8-12	59	61	55	48	