







Adattatori JIC / JIC Adaptors





Nut, Sleeves

Pagina / Page	93	94	94
			
	OL3970	**OL3971**	**OL3972**
	Nut	Metric Sleeve	Sleeve






JIC swivel

Pagina / Page	95	95	96	97	97
					
	OL4020	**OL4021**	**OL4022**	**OL4023**	**OL4024**
	Swivel Connector M UNF x F JIC	Swivel Union M JIC x F JIC	Swivel Connector M BSP x F JIC	Swivel Reduction M JIC x F JIC	90° Swivel Elbow F JIC x M JIC





JIC swivel

Pagina / Page	98	98	99	99
				
	OL3810	**OL3811**	**OL3812**	**OL3813**
	45° Swivel Elbow F JIC x M JIC	Run Tee Swivel Connector	Branch Tee Swivel Connector	Swivel Connector F NPSM x M NPTF







JIC JIC

Pagina / Page	100	100	101	101	102
					
	OL3800	**OL3801**	**OL3802**	**OL3803**	**OL3804**
	Union	Bulkhead Union	90° Elbow Union	90° Bulkhead Elbow Union	Bulkhead 45° Union Elb. JIC

JIC JIC

Pagina / Page	102	103	103	104
				
	OL3820	**OL3821**	**OL3822**	**OL3823**
	Union Tee JIC	Bulkhead Run Tee JIC	Bulkhead Branch Tee JIC	Union Cross JIC






JIC NPTF






Pagina / Page	104	105	105	106	106	107
						
	OL4000	**OL4001**	**OL4002**	**OL4003**	**OL4004**	**OL4005**
	Male Connector M JIC x M NPTF	90° Elbow Connector M JIC x M NPTF	Run Tee Connector JIC-JIC-NPTF	45° Elbow Connector M JIC x M NPTF	Branch Tee Connector JIC-NPTF-JIC	Male-Female Con nector M JIC x F NPTF







Dimensions and general characteristics may be changed at any time without prior notice.






Data contained herein are for information purpose only, and it does not enlarge, amend or imply any warranty other than provided by us with the product
Any use of the product not in conformance with our instructions may be dangerous.







Adattatori JIC / JIC Adaptors






Pagina / Page	108	108	109	109	110
JIC UNF					
	OL4012	**OL4013**	**OL4014**	**OL4015**	**OL4016**
	Male Connector	Long Male Connector	90° Elbow Connecto r	Long Adjustable Elbow	45° Elbow Connector
	M JIC x M UNF	M JIC x M UNF	UNF Orientable	UNF Orientable	UNF Orientable

Pagina / Page	110	111		111	112	113
JIC UNF			JIC BSP			
	OL4010	**OL4011**		**OL3850**	**OL3950**	**OL3870**
	Run Tee Connector	Branch Tee Connector		Male Connector	Male Connector	Male-Female Connector
	UNF Orientable	UNF Orientable		M JIC x M BSP	M JIC x M BSP or	M JIC x F BSP

Pagina / Page	113	114	114	115	155	116
JIC BSP						
	OL3851	**OL3852**	**OL3853**	**OL3854**	**OL3855**	**OL3856**
	90° Elbow Connector	Adjustable 45° Elbow	Run Tee Conn ector	Branch Tee Connector	Adj. Elb. with swivel nut	Swivel Connector
	BSP Orientable	M JIC x M BSP	BSP Orientable	BSP Orientable	F JIC x M BSP	F JIC x M BSP or (ED)

Pagina / Page	117	117	118		119	120
JIC BSPT						
	OL3860	**OL3861**	**OL3862**		**OL3863**	**OL3864**
	Male Connector	90° Elbow Connector	45° Elbow Connecto r		Run Tee Connector	Branch Tee Connector
	M JIC x M BSPT	M JIC x M BSPT	M JIC x M BSPT		JIC-JIC-BSPT	JIC-BSPT-JIC

Pagina / Page	121	121	122	122	123	124
JIC METRIC						
	OL3830	**OL3831**	**OL3832**	**OL3833**	**OL3834**	**OL3835**
	Male Connector	Long Male Connector	Adjustable Elbow	Long Adjustable Elbow	Adjustable 45° Elbow	Adjustable Branch Tee
	M JIC x M Metric	M JIC x M Metric	M JIC x M Metric	M JIC x M Metric	M JIC x M Metric	JIC - JIC - Metric


Pagina / Page	124	125		125	126	126
JIC METRIC			Plugs			
	OL3836	**OL3837**		**OL3960**	**OL3961**	**OL3962**
	Adjustable Run Tee	Swivel Connector		SAE Plug	JIC Male Plug	JIC Female Plug
	JIC - Metric - JIC	F JIC x M Metric or (ED)				Swivel

Dimensions and general characteristics may be changed at any time without prior notice.

Data contained herein are for information purpose only, and it does not enlarge, amend or imply any warranty other than provided by us with the product
Any use of the product not in conformance with our instructions may be dangerous.

OL3970 Dado


Nut



part number	Ø tube		Dimensions			
	mm	inch	F	L	E	
OL3970-01	6	1/4"	7/16" - 20	16	14	
OL3970-02	8	5/16"	1/2" - 20	17	17	
OL3970-03	10	3/8"	9/16" - 18	18	19	
OL3970-04	12	1/2"	3/4" - 16	21	22	
OL3970-05	16	5/8"	7/8" - 14	25	27	
OL3970-06	20	3/4"	1.1/16" - 12	26	32	
OL3970-07	25	1"	1.5/16" - 12	28	41	
OL3970-08	32	1-1/4"	1.5/8" - 12	31	50	
OL3970-09	38	1-1/2"	1.7/8" - 12	36	60	

OL3971 Bussola per tubo metrico


Sleeve for metric tube



part number	Ø tube	Dimensions			
	mm	L	C	D	
OL3971-01	6	10	7	6	
OL3971-02	8	11	7	8	
OL3971-03	10	13	8	10	
OL3971-04	12	14	9	12	
OL3971-05	14	17	11	14	
OL3971-06	15	17	11	15	
OL3971-07	16	17	11	16	
OL3971-08	18	17	11	18	
OL3971-09	20	17	11	20	
OL3971-10	25	20	13	25	
OL3971-11	30	23	15	30	
OL3971-12	32	23	15	32	
OL3971-13	38	28	20	38	

OL3972 Bussola per tubo in pollici


Sleeve for inches tube



part number	Ø tube	Dimensions			
	inch	L	C	D	
OL3972-01	1/4"	10	7	1/4"	
OL3972-02	5/16"	11	7	5/16"	
OL3972-03	3/8"	13	8	3/8"	
OL3972-04	1/2"	14	9	1/2"	
OL3972-05	5/8"	17	11	5/8"	
OL3972-06	3/4"	17	11	3/4"	
OL3972-07	1"	20	13	1"	
OL3972-08	1.1/4"	23	15	1.1/4"	
OL3972-09	1.1/2"	28	20	1.1/2"	

OL4020 Nipplo maschio UNF/femmina JIC

Connector swivel JIC female X UNF male




Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
OL4020-01	6	1/4"	7/16" - 20	7/16" - 20	9	33	15	14	
OL4020-02	8	5/16"	1/2" - 20	1/2" - 20	9	34	17	17	
OL4020-03	10	3/8"	9/16" - 18	9/16" - 18	10	36	19	17	
OL4020-04	12	1/2"	3/4" - 16	3/4" - 16	11	42	24	22	
OL4020-05	16	5/8"	7/8" - 14	7/8" - 14	13	47	27	27	
OL4020-06	20	3/4"	1.1/16" - 12	1.1/16" - 12	15	51	32	32	
OL4020-07	25	1"	1.5/16" - 12	1.5/16" - 12	15	58	38	38	
OL4020-08	32	1-1/4"	1.5/8" - 12	1.5/8" - 12	15	63	50	50	
OL4020-09	38	1-1/2"	1.7/8" - 12	1.7/8" - 12	15	68	55	55	

OL4021 Nipplo M/F JIC


Swivel Union M/F JIC



part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
OL4021-01	6	1/4"	7/16" - 20	7/16" - 20	14	27	15	12	
OL4021-02	8	5/16"	1/2" - 20	1/2" - 20	14	28	17	14	
OL4021-03	10	3/8"	9/16" - 18	9/16" - 18	14	29	19	15	
OL4021-04	12	1/2"	3/4" - 16	3/4" - 16	17	34	24	19	
OL4021-05	16	5/8"	7/8" - 14	7/8" - 14	19	39	27	24	
OL4021-06	20	3/4"	1.1/16" - 12	1.1/16" - 12	22	43	32	27	
OL4021-07	25	1"	1.5/16" - 12	1.5/16" - 12	23	47	38	34	
OL4021-08	32	1-1/4"	1.5/8" - 12	1.5/8" - 12	24	53	50	42	
OL4021-09	38	1-1/2"	1.7/8" - 12	1.7/8" - 12	28	60	55	50	
OL4021-10	50	2"	2.1/2"-12	2.1/2"-12	34	71	60	65	

OL4022 Nipplo maschio BSP/femmina JIC

Connector swivel JIC female X BSP male




Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
OL4022-01	6	1/4"	7/16" - 20	1/8"-28	8	28	15	14	
OL4022-02	6	1/4"	7/16" - 20	1/4"-19	11	33	15	19	
OL4022-03	6	1/4"	7/16" - 20	3/8"-19	11	36	15	22	
OL4022-04	6	1/4"	7/16" - 20	1/2"-14	15	41	15	27	
OL4022-05	8	5/16"	1/2" - 20	1/4"-19	11	34	17	19	
OL4022-06	8	5/16"	1/2" - 20	3/8"-19	11	37	17	22	
OL4022-07	10	3/8"	9/16" - 18	1/4"-19	11	35	19	19	
OL4022-08	10	3/8"	9/16" - 18	3/8"-19	11	36	19	22	
OL4022-09	10	3/8"	9/16" - 18	1/2"-14	15	41	19	27	
OL4022-10	12	1/2"	3/4" - 16	1/4"-19	11	36	24	19	
OL4022-11	12	1/2"	3/4" - 16	3/8"-19	11	39	24	22	
OL4022-12	12	1/2"	3/4" - 16	1/2"-14	15	43	24	27	
OL4022-13	16	5/8"	7/8" - 14	3/8"-19	11	43	27	22	
OL4022-14	16	5/8"	7/8" - 14	1/2"-14	15	47	27	27	
OL4022-15	16	5/8"	7/8" - 14	3/4"-14	15	49	27	32	
OL4022-16	20	3/4"	1.1/16" - 12	1/2"-14	15	49	32	27	
OL4022-17	20	3/4"	1.1/16" - 12	3/4"-14	15	49	32	32	
OL4022-18	20	3/4"	1.1/16" - 12	1"-11	19	55	32	41	
OL4022-19	25	1"	1.5/16" - 12	3/4"-14	15	52	38	32	
OL4022-20	25	1"	1.5/16" - 12	1"-11	19	58	38	41	
OL4022-21	25	1"	1.5/16" - 12	1.1/4"-11	19	63	38	50	
OL4022-22	32	1-1/4"	1.5/8" - 12	1"-11	19	58	50	41	
OL4022-23	32	1-1/4"	1.5/8" - 12	1.1/4"-11	19	63	50	50	
OL4022-24	38	1-1/2"	1.7/8" - 12	1.1/2"-11	19	69	55	55	

Adattatori JIC / JIC Adaptors

OL4023 Riduzione M/F JIC


Swivel Reduction M/F JIC



part number	Ø tube		Dimensions					
	mm	inch	F	T	B	L	E	
OL4023-01	10	3/8"	9/16" - 18	7/16" - 20	14	23	19	
OL4023-02	10	3/8"	9/16" - 18	1/2" - 20	14	23	19	
OL4023-03	12	1/2"	3/4" - 16	7/16" - 20	14	24	22	
OL4023-04	12	1/2"	3/4" - 16	1/2" - 20	14	24	22	
OL4023-05	12	1/2"	3/4" - 16	9/16" - 18	14	24	22	
OL4023-06	16	5/8"	7/8" - 14	7/16" - 20	14	25	27	
OL4023-07	16	5/8"	7/8" - 14	9/16" - 18	14	25	27	
OL4023-08	16	5/8"	7/8" - 14	3/4" - 16	17	28	27	
OL4023-09	20	3/4"	1.1/16" - 12	7/16" - 20	14	27	32	
OL4023-10	20	3/4"	1.1/16" - 12	9/16" - 18	14	27	32	
OL4023-11	20	3/4"	1.1/16" - 12	3/4" - 16	17	30	32	
OL4023-12	20	3/4"	1.1/16" - 12	7/8" - 14	19	32	32	
OL4023-13	25	1"	1.5/16" - 12	7/8" - 14	19	34	41	
OL4023-14	25	1"	1.5/16" - 12	1.1/16" - 12	22	36	41	
OL4023-15	32	1.1/4"	1.5/8" - 12	1.1/16" - 12	22	39	50	
OL4023-16	32	1.1/4"	1.5/8" - 12	1.5/16" - 12	23	40	50	
OL4023-17	38	1.1/2"	1.7/8" - 12	1.1/16" - 12	22	41	60	
OL4023-18	38	1.1/2"	1.7/8" - 12	1.5/16" - 12	23	42	60	
OL4023-19	38	1.1/2"	1.7/8" - 12	1.5/8" - 12	24	43	60	

OL4024 Gomito 90° maschio/femm. girevole JIC

90° connector swivel JIC female X JIC male




part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
OL4024-01	6	1/4"	7/16" - 20	7/16" - 20	26	23	16	14	
OL4024-02	8	5/16"	1/2" - 20	1/2" - 20	29	26	16	14	
OL4024-03	10	3/8"	9/16" - 18	9/16" - 18	32	26	19	14	
OL4024-04	12	1/2"	3/4" - 16	3/4" - 16	35	32	24	19	
OL4024-05	16	5/8"	7/8" - 14	7/8" - 14	41	36	27	22	
OL4024-06	20	3/4"	1.1/16" - 12	1.1/16" - 12	44	40	32	27	
OL4024-07	25	1"	1.5/16" - 12	1.5/16" - 12	50	42	38	34	
OL4024-08	32	1.1/4"	1.5/8" - 12	1.5/8" - 12	59	52	50	41	
OL4024-09	38	1.1/2"	1.7/8" - 12	1.7/8" - 12	66	59	60	48	
OL4024-10	50	2"	2.1/2" - 12	2.1/2" - 12	78	85	66	70	

Adattatori JIC / JIC Adaptors

OL3810 Gomito 45° maschio/femm. girevole JIC


45° connector swivel JIC female X JIC male



part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
OL3810-01	6	1/4"	7/16" - 20	7/16" - 20	24	19	16	14	
OL3810-02	8	5/16"	1/2" - 20	1/2" - 20	25	21	16	14	
OL3810-03	10	3/8"	9/16" - 18	9/16" - 18	25	21	19	14	
OL3810-04	12	1/2"	3/4" - 16	3/4" - 16	32	29	24	19	
OL3810-05	16	5/8"	7/8" - 14	7/8" - 14	34	29	27	22	
OL3810-06	20	3/4"	1.1/16" - 12	1.1/16" - 12	38	33	32	27	
OL3810-07	25	1"	1.5/16" - 12	1.5/16" - 12	44	48	38	33	

OL3811 T con femmina girevole laterale


Female run tee



part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
OL3811-01	6	1/4"	7/16" - 20	7/16" - 20	25	23	15	11	
OL3811-02	8	5/16"	1/2" - 20	1/2" - 20	27	24	17	13	
OL3811-03	10	3/8"	9/16" - 18	9/16" - 18	32	27	19	14	
OL3811-04	12	1/2"	3/4" - 16	3/4" - 16	35	32	24	19	
OL3811-05	16	5/8"	7/8" - 14	7/8" - 14	41	37	27	22	
OL3811-06	20	3/4"	1.1/16" - 12	1.1/16" - 12	44	42	32	27	
OL3811-07	25	1"	1.5/16" - 12	1.5/16" - 12	51	46	38	33	
OL3811-08	32	1.1/4"	1.5/8" - 12	1.5/8" - 12	58	52	50	41	

OL3812 T con femmina girevole centrale


Female branch tee



part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
OL3812-01	6	1/4"	7/16" - 20	7/16" - 20	25	26	15	14	
OL3812-02	8	5/16"	1/2" - 20	1/2" - 20	24	27	17	14	
OL3812-03	10	3/8"	9/16" - 18	9/16" - 18	26	30	19	14	
OL3812-04	12	1/2"	3/4" - 16	3/4" - 16	32	35	24	19	
OL3812-05	16	5/8"	7/8" - 14	7/8" - 14	37	41	27	22	
OL3812-06	20	3/4"	1.1/16" - 12	1.1/16" - 12	42	44	32	27	
OL3812-07	25	1"	1.5/16" - 12	1.5/16" - 12	46	52	38	33	
OL3812-08	32	1.1/4"	1.5/8" - 12	1.5/8" - 12	52	59	50	41	

OL3813 Nipplo maschio NPTF/femmina NPSM

Straight connector NPSM female X NPTF male




Filettatura / Thread:
NPT (ANSI/ASME B1.20.1-1983)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
OL3813-01	6	1/4"	1/8" - 28	1/8" - 28	10	28	14	13	
OL3813-02	8	5/16"	1/4" - 18	1/4" - 18	14	36	19	15	
OL3813-03	10	3/8"	3/8" - 18	3/8" - 18	14	39	22	19	
OL3813-04	12	1/2"	1/2" - 14	1/2" - 14	19	48	27	27	
OL3813-05	20	3/4"	3/4" - 14	3/4" - 14	19	53	32	32	
OL3813-06	25	1"	1" - 11,5	1" - 11,5	24	61	38	36	

OL3800 Nipplo maschio


Male connector



part number	Ø tube		Dimensions				
	mm	inch	F	C	L	E	
OL3800-01	6	1/4"	7/16" - 20	14	34	12	
OL3800-02	8	5/16"	1/2" - 20	14	34	14	
OL3800-03	10	3/8"	9/16" - 18	14	34	15	
OL3800-04	12	1/2"	3/4" - 16	17	40	19	
OL3800-05	16	5/8"	7/8" - 14	19	47	24	
OL3800-06	20	3/4"	1.1/16" - 12	22	52	27	
OL3800-07	25	1"	1.5/16" - 12	23	56	34	
OL3800-08	32	1.1/4"	1.5/8" - 12	24	60	42	
OL3800-09	38	1.1/2"	1.7/8" - 12	28	70	50	
OL3800-10	50	2"	2.1/2" - 12	34	85	65	

OL3801 Passaparete Diritto


Straight Bulkhead Union



part number	Ø tube		Dimensions						
	mm	inch	F	L	C	B	H	E	
OL3801-01	6	1/4"	7/16" - 20	53	14	31	17	13	
OL3801-02	8	5/16"	1/2" - 20	53	14	31	19	14	
OL3801-03	10	3/8"	9/16" - 18	55	14	33	22	16	
OL3801-04	12	1/2"	3/4" - 16	62	17	37	24	19	
OL3801-05	16	5/8"	7/8" - 14	70	19	41	30	24	
OL3801-06	20	3/4"	1.1/16" - 12	79	22	45	36	27	
OL3801-07	25	1"	1.5/16" - 12	80	23	45	41	36	
OL3801-08	32	1.1/4"	1.5/8" - 12	84	24	47	50	46	
OL3801-09	38	1.1/2"	1.7/8" - 12	89	28	47	55	50	

OL3802 Gomito a 90° M/M


90° Elbow Union



part number	Ø tube		Dimensions			
	mm	inch	F	C	E	
OL3802-01	6	1/4"	7/16" - 20	22	14	
OL3802-02	8	5/16"	1/2" - 20	25	14	
OL3802-03	10	3/8"	9/16" - 18	26	14	
OL3802-04	12	1/2"	3/4" - 16	31	19	
OL3802-05	16	5/8"	7/8" - 14	34	22	
OL3802-06	20	3/4"	1.1/16" - 12	41	27	
OL3802-07	25	1"	1.5/16" - 12	50	35	
OL3802-08	32	1.1/4"	1.5/8" - 12	56	44	
OL3802-09	38	1.1/2"	1.7/8" - 12	61	50	
OL3802-10	50	2"	2.1/2" - 12	75	65	

OL3803 Passaparete a 90°


Bulkhead 90° Elbow Union



part number	Ø tube		Dimensions						
	mm	inch	F	C	L	B	H	E	
OL3803-01	6	1/4"	7/16" - 20	25	41	28	17	11	
OL3803-02	8	5/16"	1/2" - 20	27	44	28	19	14	
OL3803-03	10	3/8"	9/16" - 18	28	46	30	22	14	
OL3803-04	12	1/2"	3/4" - 16	35	54	35	24	19	
OL3803-05	16	5/8"	7/8" - 14	40	61	39	30	22	
OL3803-06	20	3/4"	1.1/16" - 12	45	68	43	36	27	
OL3803-07	25	1"	1.5/16" - 12	50	71	43	41	33	
OL3803-08	32	1.1/4"	1.5/8" - 12	55	79	44	50	41	

OL3804 Passaparete a 45°


Bulkhead 45° Elbow Union



part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL3804-01	6	1/4"	7/16" - 20	7/16" - 20	19	39	17	14	
OL3804-02	8	5/16"	1/2" - 20	1/2" - 20	19	42	19	14	
OL3804-03	10	3/8"	9/16" - 18	9/16" - 18	21	43	22	14	
OL3804-04	12	1/2"	3/4" - 16	3/4" - 16	25	49	24	19	
OL3804-05	16	5/8"	7/8" - 14	7/8" - 14	28	55	30	22	
OL3804-06	20	3/4"	1.1/16" - 12	1.1/16" - 12	33	62	36	27	
OL3804-07	25	1"	1.5/16" - 12	1.5/16" - 12	38	65	41	33	
OL3804-08	32	1-1/4"	1.5/8" - 12	1.5/8" - 12	41	67	50	41	
OL3804-09	38	1-1/2"	1.7/8" - 12	1.7/8" - 12	45	68	55	48	

OL3820 Unione a T


Union Tee



part number	Ø tube		Dimensions					
	mm	inch	F	C	L	B	E	
OL3820-01	6	1/4"	7/16" - 20	26	52	26	14	
OL3820-02	8	5/16"	1/2" - 20	24	48	24	14	
OL3820-03	10	3/8"	9/16" - 18	26	52	26	14	
OL3820-04	12	1/2"	3/4" - 16	32	64	32	19	
OL3820-05	16	5/8"	7/8" - 14	32	64	32	22	
OL3820-06	20	3/4"	1.1/16" - 12	42	84	42	27	
OL3820-07	25	1"	1.5/16" - 12	46	92	46	35	
OL3820-08	32	1.1/4"	1.5/8" - 12	52	104	52	44	
OL3820-09	38	1.1/2"	1.7/8" - 12	59	118	59	50	
OL3820-10	50	2"	2.1/2" - 12	78	156	78	65	

OL3821 T con passaparete laterale


Bulkhead male run tee



part number	Ø tube		Dimensions						
	mm	inch	F		B	C	H	E	
OL3821-01	6	1/4"	7/16" - 20		25	40	17	14	
OL3821-02	8	5/16"	1/2" - 20		27	44	19	14	
OL3821-03	10	3/8"	9/16" - 18		28	46	22	14	
OL3821-04	12	1/2"	3/4" - 16		35	54	24	19	
OL3821-05	16	5/8"	7/8" - 14		40	61	30	22	
OL3821-06	20	3/4"	1.1/16" - 12		45	68	36	27	
OL3821-07	25	1"	1.5/16" - 12		50	71	41	33	
OL3821-08	32	1-1/4"	1.5/8" - 12		55	79	50	41	
OL3821-09	38	1-1/2"	1.7/8" - 12		59	87	55	48	

OL3822 T con passaparete centrale

Bulkhead male Branch tee




part number	Ø tube		Dimensions						
	mm	inch	F		B	C	H	E	
OL3822-01	6	1/4"	7/16" - 20		25	40	17	14	
OL3822-02	8	5/16"	1/2" - 20		27	44	19	14	
OL3822-03	10	3/8"	9/16" - 18		28	46	22	14	
OL3822-04	12	1/2"	3/4" - 16		35	54	24	19	
OL3822-05	16	5/8"	7/8" - 14		40	61	30	22	
OL3822-06	20	3/4"	1.1/16" - 12		45	68	36	27	
OL3822-07	25	1"	1.5/16" - 12		50	71	41	33	
OL3822-08	32	1-1/4"	1.5/8" - 12		55	79	50	41	
OL3822-09	38	1-1/2"	1.7/8" - 12		59	87	55	48	

Adattatori JIC / JIC Adaptors

OL3823 Croce di Unione JIC

Union Cross JIC




part number	Ø tube		Dimensions					
	mm	inch	F		B	L	E	
OL3823-01	6	1/4"	7/16" - 20		14	23	12	
OL3823-02	8	5/16"	1/2" - 20		14	24	14	
OL3823-03	10	3/8"	9/16" - 18		14	27	14	
OL3823-04	12	1/2"	3/4" - 16		17	32	19	
OL3823-05	16	5/8"	7/8" - 14		19	37	22	
OL3823-06	20	3/4"	1.1/16" - 12		22	42	27	
OL3823-07	25	1"	1.5/16" - 12		23	46	33	
OL3823-08	32	1-1/4"	1.5/8" - 12		24	52	41	
OL3823-09	38	1-1/2"	1.7/8" - 12		28	59	48	

OL4000 Nipplo maschio JIC/NPTF

Male connector NPTF male X JIC male

Filettatura / Thread:
NPT (ANSI/ASME B1.20.1-1983)




part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	B	E	
OL4000-01	6	1/4"	7/16" - 20	1/8"	14	30	10	12	
OL4000-02	8	5/16"	1/2" - 20	1/8"	14	31	10	14	
OL4000-03	10	3/8"	9/16" - 18	1/8"	14	30	10	15	
OL4000-04	6	1/4"	7/16" - 20	1/4"	14	35	14	15	
OL4000-05	8	5/16"	1/2" - 20	1/4"	14	35	14	15	
OL4000-06	10	3/8"	9/16" - 18	1/4"	14	36	14	15	
OL4000-07	10	3/8"	9/16" - 18	3/8"	14	36	14	19	
OL4000-08	12	1/2"	3/4" - 16	3/8"	17	39	14	19	
OL4000-09	16	5/8"	7/8" - 14	3/8"	19	43	14	24	
OL4000-10	6	1/4"	7/16" - 20	1/2"	14	41	19	22	
OL4000-11	10	3/8"	9/16" - 18	1/2"	14	41	19	22	
OL4000-12	12	1/2"	3/4" - 16	1/2"	17	44	19	22	
OL4000-13	16	5/8"	7/8" - 14	1/2"	19	48	19	24	
OL4000-14	20	3/4"	1.1/16" - 12	1/2"	22	49	19	27	
OL4000-15	12	1/2"	3/4" - 16	3/4"	17	45	19	27	
OL4000-16	16	5/8"	7/8" - 14	3/4"	19	50	19	27	
OL4000-17	20	3/4"	1.1/16" - 12	3/4"	22	52	19	27	
OL4000-18	25	1"	1.5/16" - 12	3/4"	23	52	19	34	
OL4000-19	20	3/4"	1.1/16" - 12	1"	22	56	24	36	
OL4000-20	25	1"	1.5/16" - 12	1"	23	58	24	36	
OL4000-21	32	1.1/4"	1.5/8" - 12	1"	24	62	24	46	
OL4000-22	32	1.1/4"	1.5/8" - 12	1.1/4"	24	62	25	46	
OL4000-23	38	1.1/2"	1.7/8" - 12	1.1/2"	28	66	25	50	
OL4000-24	50	2"	2.1/2" - 12	2"	34	78	26	65	

Adattatori JIC / JIC Adaptors

OL4001 Gomito 90° JIC/NPTF

90° connector JIC male X NPTF male




Filettatura / Thread:
NPT (ANSI/ASME B1.20.1-1983)

part number	Ø tube		Dimensions					
	mm	inch	F	T	C	L	E	
OL4001-01	6	1/4"	7/16" - 20	1/8"	25	24	14	
OL4001-02	8	5/16"	1/2" - 20	1/8"	26	24	14	
OL4001-03	6	1/4"	7/16" - 20	1/4"	26	27	14	
OL4001-04	8	5/16"	1/2" - 20	1/4"	26	27	14	
OL4001-05	10	3/8"	9/16" - 18	1/4"	26	27	14	
OL4001-06	10	3/8"	9/16" - 18	3/8"	28	32	19	
OL4001-07	12	1/2"	3/4" - 16	3/8"	32	32	19	
OL4001-08	14	5/8"	7/8" - 14	3/8"	34	36	22	
OL4001-09	10	3/8"	9/16" - 18	1/2"	29	36	22	
OL4001-10	12	1/2"	3/4" - 16	1/2"	34	36	22	
OL4001-11	15	5/8"	7/8" - 14	1/2"	34	36	22	
OL4001-12	18	3/4"	1.1/16" - 12	1/2"	40	42	27	
OL4001-13	12	1/2"	3/4" - 16	3/4"	36	40	27	
OL4001-14	16	5/8"	7/8" - 14	3/4"	39	43	27	
OL4001-15	20	3/4"	1.1/16" - 12	3/4"	40	43	27	
OL4001-16	25	1"	1.5/16" - 12	3/4"	42	42	33	
OL4001-17	25	1"	1.5/16" - 12	1"	42	42	33	
OL4001-18	32	1.1/4"	1.5/8" - 12	1"	56	57	44	
OL4001-19	32	1.1/4"	1.5/8" - 12	1-1/4"	56	59	44	
OL4001-20	38	1.1/2"	1.7/8" - 12	1-1/2"	62	62	50	
OL4001-21	50	2"	2.1/2" - 12	2"	74	74	65	

OL4002 T con maschio NPTF laterale

NPTF male Run Tee




Filettatura / Thread:
NPT (ANSI/ASME B1.20.1-1983)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	B	E	
OL4002-01	6	1/4"	7/16" - 20	1/8"	23	43	20	14	
OL4002-02	6	1/4"	7/16" - 20	1/4"	26	52	26	14	
OL4002-03	8	5/16"	1/2" - 20	1/4"	24	51	27	14	
OL4002-04	10	3/8"	9/16" - 18	1/4"	27	55	28	14	
OL4002-05	12	1/2"	3/4" - 16	3/8"	32	63	31	19	
OL4002-06	16	5/8"	7/8" - 14	1/2"	37	74	37	22	
OL4002-07	20	3/4"	1.1/16" - 12	3/4"	42	82	40	27	
OL4002-08	25	1"	1.5/16" - 12	1"	46	92	45,5	32	

Adattatori JIC / JIC Adaptors

OL4003 Gomito 45° JIC/NPTF




45° connector JIC male X NPTF male

Filettatura / Thread:
NPT (ANSI/ASME B1.20.1-1983)

part number	Ø tube		Dimensions					
	mm	inch	F	T	C	L	E	
OL4003-01	6	1/4"	7/16" - 20	1/8"	20	18	14	
OL4003-02	8	5/16"	1/2" - 20	1/8"	22	20	14	
OL4003-03	6	1/4"	7/16" - 20	1/4"	21	20	14	
OL4003-04	8	5/16"	1/2" - 20	1/4"	20	20	14	
OL4003-05	10	3/8"	9/16" - 18	1/4"	22	23	19	
OL4003-06	10	3/8"	9/16" - 18	3/8"	22	23	19	
OL4003-07	12	1/2"	3/4" - 16	3/8"	27	23	22	
OL4003-08	14	5/8"	7/8" - 14	3/8"	29	23	22	
OL4003-09	10	3/8"	9/16" - 18	1/2"	22	28	22	
OL4003-10	12	1/2"	3/4" - 16	1/2"	27	28	22	
OL4003-11	15	5/8"	7/8" - 14	1/2"	32	32	27	
OL4003-12	18	3/4"	1.1/16" - 12	1/2"	35	32	27	
OL4003-13	12	1/2"	3/4" - 16	3/4"	30	32	27	
OL4003-14	16	5/8"	7/8" - 14	3/4"	29	29	27	
OL4003-15	20	3/4"	1.1/16" - 12	3/4"	33	32	27	
OL4003-16	25	1"	1.5/16" - 12	3/4"	29	29	35	
OL4003-17	25	1"	1.5/16" - 12	1"	37	38	35	
OL4003-18	32	1.1/4"	1.5/8" - 12	1"	42	43	44	
OL4003-19	32	1.1/4"	1.5/8" - 12	1-1/4"	42	43	44	
OL4003-20	38	1.1/2"	1.7/8" - 12	1-1/2"	44	43	50	
OL4003-21	50	2"	2.1/2" - 12	2"	53	52	65	70

OL4004 T con maschio NPTF centrale




NPTF male branch Tee

Filettatura / Thread:
NPT (ANSI/ASME B1.20.1-1983)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	B	E	
OL4004-01	6	1/4"	7/16" - 20	1/8"	20	46	23	14	
OL4004-02	6	1/4"	7/16" - 20	1/4"	26	52	26	14	
OL4004-03	8	5/16"	1/2" - 20	1/4"	26	52	26	14	
OL4004-04	10	3/8"	9/16" - 18	1/4"	28	54	27	14	
OL4004-05	12	1/2"	3/4" - 16	3/8"	31	64	32	19	
OL4004-06	16	5/8"	7/8" - 14	1/2"	37	74	37	22	
OL4004-07	20	3/4"	1.1/16" - 12	3/4"	40	84	42	27	
OL4004-08	25	1"	1.5/16" - 12	1"	50	92	46	35	

OL4005 Nipplo maschio JIC/femmina fissa NPTF

Connector NPTF female X JIC male




Filettatura / Thread:
NPT (ANSI/ASME B1.20.1-1983)

part number	Ø tube		Dimensions					
	mm	inch	F	T	C	L	E	
OL4005-01	6	1/4"	7/16" - 20	1/8" - 27	14	30	14	
OL4005-02	8	5/16"	1/2" - 20	1/8" - 27	14	30	14	
OL4005-03	10	3/8"	9/16" - 18	1/4" - 18	14	35	19	
OL4005-04	10	3/8"	9/16" - 18	3/8" - 18	14	39	22	
OL4005-05	12	1/2"	3/4" - 16	3/8" - 14	17	39	22	
OL4005-06	16	5/8"	7/8" - 14	1/2" - 14	19	46	24	
OL4005-07	20	3/4"	1.1/16" - 12	3/4" - 14	22	51	27	
OL4005-08	25	1"	1.5/16" - 12	1" - 11.1/2	23	54	36	

Adattatori JIC / JIC Adaptors

OL4012 Nipplo maschio JIC/UNF




Male connector JIC male X UNF straight thread

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	B	E	
OL4012-01	6	1/4"	7/16" - 20	7/16" - 20	14	31	9	14	
OL4012-02	6	1/4"	7/16" - 20	1/2" - 20	14	31	9	17	
OL4012-03	6	1/4"	7/16" - 20	9/16" - 18	14	32	10	17	
OL4012-04	8	5/16"	1/2" - 20	1/2" - 20	14	31	9	17	
OL4012-05	8	5/16"	1/2" - 20	3/4" - 14	14	35	11	22	
OL4012-06	10	3/8"	9/16" - 18	9/16" - 18	14	33	10	17	
OL4012-07	10	3/8"	9/16" - 18	3/4" - 14	14	35	11	22	
OL4012-08	12	1/2"	3/4" - 14	3/4" - 14	17	38	11	22	
OL4012-09	12	1/2"	3/4" - 14	7/8" - 14	17	39	13	27	
OL4012-10	14	5/8"	7/8" - 14	3/4" - 14	19	38	11	24	
OL4012-11	15	5/8"	7/8" - 14	7/8" - 14	19	43	13	27	
OL4012-12	16	5/8"	7/8" - 14	1.1/16" - 12	19	47	15	32	
OL4012-13	20	3/4"	1.1/16" - 12	7/8" - 14	22	46	13	27	
OL4012-14	20	3/4"	1.1/16" - 12	1.1/16" - 12	22	50	15	32	
OL4012-15	20	3/4"	1.1/16" - 12	1.5/16" - 12	22	51	15	38	
OL4012-16	25	1"	1.5/16" - 12	1.1/16" - 12	23	51	15	34	
OL4012-17	25	1"	1.5/16" - 12	1.5/16" - 12	23	52	15	38	
OL4012-18	32	1.1/4"	1.5/8" - 12	1.5/8" - 12	24	55	15	50	
OL4012-19	38	1.1/2"	1.7/8" - 12	1.7/8" - 12	28	60	15	55	

OL4013 Giunzione M/M Lunga JIC/UNF




Long Male Connector JIC/UNF

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
OL4013-01	6	1/4"	7/16-20	7/16-20	53	9	36	14	
OL4013-02	8	5/16"	1/2-20	1/2-20	54	9	37	16	
OL4013-03	10	3/8"	9/16-18	9/16-18	59	10	40	17	
OL4013-04	10	3/8"	9/16-18	3/4-16	60	11	40	22	
OL4013-05	12	1/2"	3/4-16	3/4-16	68	11	48	22	
OL4013-06	14-16	5/8"	7/8-14	3/4-16	75	11	53	24	
OL4013-07	12	1/2"	3/4-16	7/8-14	72	13	48	27	
OL4013-08	14-16	5/8"	7/8-14	7/8-14	77	13	53	27	
OL4013-09	18-20	3/4"	1.1/16-12	7/8-14	89	13	64	27	
OL4013-10	14-16	5/8"	7/8-14	1.1/16-12	81	15	53	32	
OL4013-11	18-20	3/4"	1.1/16-12	1.1/16-12	92	15	64	32	
OL4013-12	18-20	3/4"	1.1/16-12	1.5/16-12	93	15	64	35	
OL4013-13	25	1"	1.5/16-12	1.5/16-12	101	15	72	35	
OL4013-14	30-32	1.1/4"	1.5/8-12	1.5/8-12	119	15	88	50	
OL4013-15	38	1.1/2"	1.7/8-12	1.7/8-12	131	15	99	55	

Adattatori JIC / JIC Adaptors

OL4014 Gomito 90° orientabile JIC/UNF




90° elbow "adjustable" connector JIC male X UNF
straight thread male

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
OL4014-01	6	1/4"	7/16" - 20	7/16" - 20	24	26	14	11	
OL4014-02	8	5/16"	1/2" - 20	1/2" - 20	26	32	17	14	
OL4014-03	10	3/8"	9/16" - 18	9/16" - 18	26	32	17	14	
OL4014-04	12	1/2"	3/4" - 16	3/4" - 16	31	37	22	19	
OL4014-05	16	5/8"	7/8" - 14	7/8" - 14	35	43	25	22	
OL4014-06	20	3/4"	1.1/16" - 12	1.1/16" - 12	41	49	32	27	
OL4014-07	25	1"	1.5/16" - 12	1.5/16" - 12	47	52	38	35	
OL4014-08	32	1.1/4"	1.5/8" - 12	1.5/8" - 12	57	57	48	43	

OL4015 Gomito 90° Orientabile Lungo JIC/UNF




45° elbow "adjustable" connector JIC male X UNF
straight thread male

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	E	H	
OL4015-01	6	1/4"	7/16-20	7/16-20	23	46	14	12	
OL4015-02	8	5/16"	1/2-20	1/2-20	24	50	16	14	
OL4015-03	10	3/8"	9/16-18	9/16-18	27	57	17	14	
OL4015-04	10	3/8"	9/16-18	3/4-16	29	67	22	19	
OL4015-05	12	1/2"	3/4-16	3/4-16	32	67	22	19	
OL4015-06	14-16	5/8"	7/8-14	3/4-16	37	75	22	22	
OL4015-07	12	1/2"	3/4-16	7/8-14	34	78	27	22	
OL4015-08	14-16	5/8"	7/8-14	7/8-14	37	78	27	22	
OL4015-09	18-20	3/4"	1.1/16-12	7/8-14	42	88	27	27	
OL4015-10	14-16	5/8"	7/8-14	1.1/16-12	40	92	32	27	
OL4015-11	18-20	3/4"	1.1/16-12	1.1/16-12	42	92	32	27	
OL4015-12	18-20	3/4"	1.1/16-12	1.5/16-12	45	105	41	33	
OL4015-13	25	1"	1.5/16-12	1.5/16-12	46	105	41	33	
OL4015-14	30-32	1.1/4"	1.5/8-12	1.5/8-12	52	124	50	41	
OL4015-15	38	1.1/2"	1.7/8-12	1.7/8-12	59	135	55	48	

OL4016 Gomito 45° orientabile JIC/UNF




45° elbow "adjustable" connector JIC male X UNF straight thread male

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
OL4016-01	6	1/4"	7/16" - 20	7/16" - 20	19	27	14	11	
OL4016-02	8	5/16"	1/2" - 20	1/2" - 20	22	29	17	14	
OL4016-03	10	3/8"	9/16" - 18	9/16" - 18	22	29	17	14	
OL4016-04	12	1/2"	3/4" - 16	3/4" - 16	26	33	22	19	
OL4016-05	16	5/8"	7/8" - 14	7/8" - 14	30	39	25	22	
OL4016-06	20	3/4"	1.1/16" - 12	1.1/16" - 12	35	44	32	27	
OL4016-07	25	1"	1.5/16" - 12	1.5/16" - 12	39	47	38	35	
OL4016-08	32	1.1/4"	1.5/8" - 12	1.5/8" - 12	40	49	48	43	

OL4010 T con maschio UNF laterale orientabile



Adjustable UNF male run Tee


Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	B	E	
OL4010-01	6	1/4"	7/16" - 20	7/16" - 20	10	49	26	11	
OL4010-02	8	5/16"	1/2" - 20	1/2" - 20	11	52	28	13	
OL4010-03	10	3/8"	9/16" - 18	9/16" - 18	11	59	32	14	
OL4010-04	12	1/2"	3/4" - 16	3/4" - 16	13	69	37	19	
OL4010-05	16	5/8"	7/8" - 14	7/8" - 14	14	80	43	22	
OL4010-06	20	3/4"	1.1/16" - 12	1.1/16" - 12	17	91	49	27	
OL4010-07	25	1"	1.5/16" - 12	1.5/16" - 12	17	98	52	33	

Adattatori JIC / JIC Adaptors

OL4011 T con maschio UNF centrale orientabile

Adjustable UNF male branch Tee




Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
OL4011-01	6	1/4"	7/16" - 20	7/16" - 20	23	26	14	11	
OL4011-02	8	5/16"	1/2" - 20	1/2" - 20	24	28	16	13	
OL4011-03	10	3/8"	9/16" - 18	9/16" - 18	27	32	17	14	
OL4011-04	12	1/2"	3/4" - 16	3/4" - 16	32	37	22	19	
OL4011-05	16	5/8"	7/8" - 14	7/8" - 14	37	43	27	22	
OL4011-06	20	3/4"	1.1/16" - 12	1.1/16" - 12	42	49	32	27	
OL4011-07	25	1"	1.5/16" - 12	1.5/16" - 12	46	52	38	33	

OL3850 Nipplo maschio BSP/JIC

Connector BSP parallel thread male X JIC male




Filettatura / Thread:
BSPP (Form A DIN 3852)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	B	E	
OL3850-01	6	1/4"	7/16" - 20	1/8"	14	29	8	14	
OL3850-02	6	1/4"	7/16" - 20	1/4"	14	34	12	19	
OL3850-03	8	5/16"	1/2" - 20	1/4"	14	34	12	19	
OL3850-04	10	3/8"	9/16" - 18	1/4"	14	34	12	19	
OL3850-05	8	5/16"	1/2" - 20	3/8"	14	36	12	22	
OL3850-06	10	3/8"	9/16" - 18	3/8"	14	36	12	22	
OL3850-07	12	1/2"	3/4" - 16	3/8"	17	38	12	22	
OL3850-08	14	5/8"	7/8" - 14	3/8"	19	42	12	24	
OL3850-09	10	3/8"	9/16" - 18	1/2"	14	39	14	27	
OL3850-10	12	1/2"	3/4" - 16	1/2"	17	42	14	27	
OL3850-11	15	5/8"	7/8" - 14	1/2"	19	44	14	27	
OL3850-12	20	3/4"	1.1/16" - 12	1/2"	22	47	14	27	
OL3850-13	14	5/8"	7/8" - 14	5/8"	19	46	16	30	
OL3850-14	14	5/8"	1.1/16" - 12	5/8"	22	49	16	30	
OL3850-15	14	5/8"	7/8" - 14	3/4"	19	46	16	32	
OL3850-16	20	3/4"	1.1/16" - 12	3/4"	22	49	16	32	
OL3850-17	25	1"	1.5/16" - 12	3/4"	23	52	16	34	
OL3850-18	20	3/4"	1.1/16" - 12	1"	22	52	18	41	
OL3850-19	25	1"	1.5/16" - 12	1"	23	54	18	41	
OL3850-20	32	1.1/4"	1.5/8" - 12	1"	24	57	18	42	
OL3850-21	32	1.1/4"	1.5/8" - 12	1.1/4"	24	58	20	50	
OL3850-22	32	1.1/4"	1.5/8" - 12	1.1/2"	24	59	22	55	
OL3850-23	38	1.1/2"	1.7/8" - 12	1.1/2"	28	63	22	55	

OL3950 Giunzione M/M JIC/BSP O-Ring

Male Connector JIC/BSP O-Ring


Filettatura / Thread:
BSPP (ISO 1179-3)



part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
OL3950-01	6	1/4"	7/16-20	1/8-28	29	8	14	14	
OL3950-02	8	5/16"	1/2-20	1/8-28	29	8	14	16	
OL3950-03	6	1/4"	7/16-20	1/4-19	35	12	14	19	
OL3950-04	8	5/16"	1/2-20	1/4-19	35	12	14	19	
OL3950-05	10	3/8"	9/16-18	1/4-19	35	12	14	19	
OL3950-06	12	1/2"	3/4-16	1/4-19	38	12	17	22	
OL3950-07	6	1/4"	7/16-20	3/8-19	35	12	14	24	
OL3950-08	8	5/16"	1/2-20	3/8-19	35	12	14	24	
OL3950-09	10	3/8"	9/16-18	3/8-19	35	12	14	24	
OL3950-10	12	1/2"	3/4-16	3/8-19	38	12	17	24	
OL3950-11	14-16	5/8"	7/8-14	3/8-19	41	12	20	24	
OL3950-12	10	3/8"	9/16-18	1/2-14	38	14	14	27	
OL3950-13	12	1/2"	3/4-16	1/2-14	41	14	17	27	
OL3950-14	14-16	5/8"	7/8-14	1/2-14	44	14	20	27	
OL3950-15	18-20	3/4"	1.1/16-12	1/2-14	47	14	22	27	
OL3950-16	12	1/2"	3/4-16	3/4-11	45	16	17	36	
OL3950-17	14-16	5/8"	7/8-14	3/4-11	48	16	20	36	
OL3950-18	18-20	3/4"	1.1/16-12	3/4-11	50	16	22	36	
OL3950-19	25	1"	1.5/16-12	3/4-11	51	16	23	36	
OL3950-20	18-20	3/4"	1.1/16-12	1-11	53	18	22	41	
OL3950-21	25	1"	1.5/16-12	1-11	54	18	23	41	
OL3950-22	30-32	1.1/4"	1.5/8-12	1-11	56	18	25	42	
OL3950-23	25	1"	1.5/16-12	1.1/4-11	57	20	23	50	
OL3950-24	30-32	1.1/4"	1.5/8-12	1.1/4-11	59	20	25	50	
OL3950-25	38	1.1/2"	1.7/8-12	1.1/2-11	66	22	28	60	

OL3870 Nipplo maschio JIC/femmina fissa BSP

Connector BSP female X JIC male




part number	Ø tube		Dimensions					
	mm	inch	F	T	C	L	E	
OL3870-01	6	1/4"	7/16-20	1/8-28	14	28	19	
OL3870-02	8	5/16"	1/2-20	1/8-28	14	28	19	
OL3870-03	6	1/4"	7/16-20	1/4-19	14	31	19	
OL3870-04	8	5/16"	1/2-20	1/4-19	14	31	19	
OL3870-05	10	3/8"	9/16-18	1/4-19	14	31	22	
OL3870-06	12	1/2"	3/4-16	1/4-19	17	36	27	
OL3870-07	10	3/8"	9/16-18	3/8-19	14	36	22	
OL3870-08	12	1/2"	3/4-16	3/8-19	17	36	27	
OL3870-09	10	3/8"	9/16-18	1/2-14	14	41	22	
OL3870-10	12	1/2"	3/4-16	1/2-14	17	41	27	
OL3870-11	16	5/8"	7/8-14	1/2-14	20	42	32	
OL3870-12	20	3/4"	1.1/16-12	1/2-14	22	45	32	
OL3870-13	20	3/4"	1.1/16-12	3/4-11	22	48	32	
OL3870-14	25	1"	1.5/16-12	1-11	23	55	41	

OL3851 Gomito 90° orientabile JIC/BSP

90° elbow "adjustable" connector JIC male X BSP straight thread male


Filettatura / Thread:
BSPP (ISO 1179-3)



part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
OL3851-01	6	1/4"	7/16" - 20	1/8"	23	26	14	11	
OL3851-02	6	1/4"	7/16" - 20	1/4"	24	32	19	14	
OL3851-03	8	5/16"	1/2" - 20	1/4"	24	33	19	14	
OL3851-04	10	3/8"	9/16" - 18	1/4"	27	32	19	14	
OL3851-05	10	3/8"	9/16" - 18	3/8"	29	37	22	19	
OL3851-06	12	1/2"	3/4" - 16	3/8"	32	37	22	19	
OL3851-07	14	5/8"	7/8" - 14	3/8"	37	43	22	22	
OL3851-08	12	1/2"	3/4" - 16	1/2"	34	43	27	22	
OL3851-09	15	5/8"	7/8" - 14	1/2"	37	43	27	22	
OL3851-10	20	3/4"	1.1/16" - 12	1/2"	42	47	27	27	
OL3851-11	16	5/8"	7/8" - 14	3/4"	37	50	36	27	
OL3851-12	20	3/4"	1.1/16" - 12	3/4"	42	50	36	27	
OL3851-13	25	1"	1.5/16" - 12	1"	46	52	41	33	
OL3851-14	32	1.1/4"	1.5/8" - 12	1.1/4"	52	57	50	41	
OL3851-15	38	1.1/2"	1.7/8" - 12	1.1/2"	59	61	55	48	

Adattatori JIC / JIC Adaptors

OL3852 Curva a 45° Orientabile JIC/BSP




Adjustable BSP male run Tee

Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL3852-01	6	1/4"	7/16-20	1/8-28	19	27	14	12	
OL3852-02	8	5/16"	1/2-20	1/8-28	20	27	14	14	
OL3852-03	6	1/4"	7/16-20	1/4-19	21	29	19	14	
OL3852-04	8	5/16"	1/2-20	1/4-19	21	29	19	14	
OL3852-05	10	3/8"	9/16-18	1/4-19	21	29	19	14	
OL3852-06	12	1/2"	3/4-16	1/4-19	25	30	19	19	
OL3852-07	6	1/4"	7/16-20	3/8-19	21	33	24	19	
OL3852-08	8	5/16"	1/2-20	3/8-19	21	33	24	19	
OL3852-09	10	3/8"	9/16-18	3/8-19	22	33	24	19	
OL3852-10	12	1/2"	3/4-16	3/8-19	25	33	24	19	
OL3852-11	14-16	5/8"	7/8-14	3/8-19	28	35	24	22	
OL3852-12	10	3/8"	9/16-18	1/2-14	23	39	27	22	
OL3852-13	12	1/2"	3/4-16	1/2-14	25	39	27	22	
OL3852-14	14-16	5/8"	7/8-14	1/2-14	28	39	27	22	
OL3852-15	18-20	3/4"	1.1/16-12	1/2-14	33	41	27	27	
OL3852-16	12	1/2"	3/4-16	3/4-11	28	44	36	27	
OL3852-17	14-16	5/8"	7/8-14	3/4-11	30	44	36	27	
OL3852-18	18-20	3/4"	1.1/16-12	3/4-11	33	44	36	27	
OL3852-19	25	1"	1.5/16-12	3/4-11	37	47	36	33	
OL3852-20	18-20	3/4"	1.1/16-12	1-11	36	47	41	33	
OL3852-21	25	1"	1.5/16-12	1-11	37	47	41	33	
OL3852-22	30-32	1.1/4"	1.5/8-12	1-11	41	49	41	41	
OL3852-23	25	1"	1.5/16-12	1.1/4-11	39	49	50	41	
OL3852-24	30-32	1.1/4"	1.5/8-12	1.1/4-11	41	49	50	41	
OL3852-25	38	1.1/2"	1.7/8-12	1.1/2-11	45	49	60	48	

OL3853 T con maschio BSP laterale orientabile



Adjustable BSP male run Tee


Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	T	F	C	L	B	E	
OL3853-01	6	1/4"	7/16" - 20	1/8"	6	49	26	11	
OL3853-02	8	5/16"	1/2" - 20	1/4"	11	56	32	14	
OL3853-03	10	3/8"	9/16" - 18	1/4"	11	59	32	14	
OL3853-04	10	3/8"	9/16" - 18	3/8"	11	64	37	19	
OL3853-05	12	1/2"	3/4" - 16	3/8"	11	69	37	19	
OL3853-06	16	5/8"	7/8" - 14	1/2"	13	80	43	22	
OL3853-07	14-16	5/8"	7/8" - 14	3/4"	13	88	49,3	27	
OL3853-08	20	3/4"	1.1/16" - 12	3/4"	13	92	50	27	
OL3853-09	25	1"	1.5/16" - 12	1"	16	98	52	33	

Adattatori JIC / JIC Adaptors

OL3854 T con maschio BSP centrale orientabile

Adjustable BSP male branch Tee




Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	H	E	
OL3854-01	6	1/4"	7/16" - 20	1/8"	23	26	14	11	
OL3854-02	8	5/16"	1/2" - 20	1/4"	24	32	19	14	
OL3854-03	10	3/8"	9/16" - 18	1/4"	27	32	19	14	
OL3854-04	10	3/8"	9/16" - 18	3/8"	27	37	22	19	
OL3854-05	12	1/2"	3/4" - 16	3/8"	32	37	22	19	
OL3854-06	12	1/2"	3/4" - 16	1/2"	34	43	27	22	
OL3854-07	16	5/8"	7/8" - 14	1/2"	37	43	27	22	
OL3854-08	20	3/4"	1.1/16" - 12	3/4"	42	50	36	27	
OL3854-09	25	1"	1.5/16" - 12	1"	46	52	41	33	

OL3855 Curva Orientabile con Femmina Girevole JIC/GAS


Adjustable Elbow with Swivel Nut JIC/BSP



Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	E	H	K
OL3855-01	6	1/4"	7/16-20	1/8-28	18	26	14	12	17
OL3855-02	6	1/4"	7/16-20	1/4-19	18	32	19	14	17
OL3855-03	8	5/16"	1/2-20	1/4-19	19	32	19	14	17
OL3855-04	10	3/8"	9/16-18	1/4-19	23	32	19	14	19
OL3855-05	12	1/2"	3/4-16	1/4-19	24	35	19	19	24
OL3855-06	8	5/16"	1/2-20	3/8-19	22	37	22	19	17
OL3855-07	10	3/8"	9/16-18	3/8-19	23	37	22	19	19
OL3855-08	12	1/2"	3/4-16	3/8-19	25	37	22	19	24
OL3855-09	14-16	5/8"	7/8-14	3/8-19	26	40	22	22	27
OL3855-10	12	1/2"	3/4-16	1/2-14	27	43	27	22	24
OL3855-11	14-16	5/8"	7/8-14	1/2-14	29	43	27	22	27
OL3855-12	18-20	3/4"	1.1/16-12	1/2-14	31	46	27	27	32
OL3855-13	14-16	5/8"	7/8-14	3/4-11	29	55	36	27	27
OL3855-14	18-20	3/4"	1.1/16-12	3/4-11	31	55	36	27	32
OL3855-15	25	1"	1.5/16-12	3/4-11	36	58	36	33	41
OL3855-16	18-20	3/4"	1.1/16-12	1-11	36	60	41	33	32
OL3855-17	25	1"	1.5/16-12	1-11	38	60	41	33	41
OL3855-18	30-32	1.1/4"	1.5/8-12	1.1/4-11	46	62	50	42	50
OL3855-19	38	1.1/2"	1.7/8-12	1.1/2-11	53	65	55	48	55

OL3856 Nipplo femmina girevole JIC / maschio BSP con guarnizione ED




Connector swivel JIC female X BSP male with "ED" seal

Filettatura / Thread:
BSPP (Form E DIN 3852)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	D	H	E	
OL3856-01	6	1/4"	7/16"-20	1/8"	8	26	14	14	
OL3856-02	8	5/16"	1/2"-20	1/8"	8	28	17	14	
OL3856-03	6	1/4"	7/16"-20	1/4"	12	26	14	19	
OL3856-04	8	5/16"	1/2"-20	1/4"	12	27	17	19	
OL3856-05	10	3/8"	9/16"-18	1/4"	12	28	19	19	
OL3856-06	12	1/2"	3/4"-16	1/4"	12	30	22	19	
OL3856-07	6	1/4"	7/16"-20	3/8"	12	28	14	22	
OL3856-08	8	5/16"	1/2"-20	3/8"	12	29	17	22	
OL3856-09	10	3/8"	9/16"-18	3/8"	12	30	19	22	
OL3856-10	12	1/2"	3/4"-16	3/8"	12	32	22	22	
OL3856-11	16	5/8"	7/8"-14	3/8"	12	36	27	22	
OL3856-12	10	3/8"	9/16"-18	1/2"	14	31	19	27	
OL3856-13	12	1/2"	3/4"-16	1/2"	14	34	22	27	
OL3856-14	16	5/8"	7/8"-14	1/2"	14	38	27	27	
OL3856-15	20	3/4"	1.1/16"-12	1/2"	14	38	32	27	
OL3856-16	16	5/8"	7/8"-14	3/4"	16	39	27	32	
OL3856-17	20	3/4"	1.1/16"-12	3/4"	16	39	32	32	
OL3856-18	25	1"	1.5/16"-12	3/4"	16	43	41	32	
OL3856-19	20	3/4"	1.1/16"-12	1"	18	41	32	41	
OL3856-20	25	1"	1.5/16"-12	1"	18	44	41	41	
OL3856-21	32	1.1/4"	1.5/8"-12	1"	18	45	50	41	
OL3856-22	25	1"	1.5/16"-12	1.1/4"	20	47	41	50	
OL3856-23	32	1.1/4"	1.5/8"-12	1.1/4"	20	47	50	50	
OL3856-24	32	1.1/4"	1.7/8"-12	1.1/4"	20	54	60	50	
OL3856-25	38	1.1/2"	1.7/8"-12	1.1/2"	22	55	60	55	

Adattatori JIC / JIC Adaptors

OL3860 Giunzione M/M JIC/Gas Conico




Male Connector JIC/BSPT

Filettatura / Thread:
BSPT (Form C DIN 3852)

part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
OL3860-01	6	1/4"	7/16-20	1/8-28	31	10	14	13	
OL3860-02	8	5/16"	1/2-20	1/8-28	31	10	14	14	
OL3860-03	6	1/4"	7/16-20	1/4-19	36	15	14	14	
OL3860-04	8	5/16"	1/2-20	1/4-19	36	15	14	14	
OL3860-05	10	3/8"	9/16-18	1/4-19	36	15	14	16	
OL3860-06	12	1/2"	3/4-16	1/4-19	39	15	17	19	
OL3860-07	10	3/8"	9/16-18	3/8-19	36	15	14	19	
OL3860-08	12	1/2"	3/4-16	3/8-19	39	15	17	19	
OL3860-09	14-16	5/8"	7/8-14	3/8-19	44	15	20	24	
OL3860-10	12	1/2"	3/4-16	1/2-14	36	19	17	22	
OL3860-11	14-16	5/8"	7/8-14	1/2-14	48	19	20	24	
OL3860-12	18-20	3/4"	1.1/16-12	1/2-14	53	19	22	27	
OL3860-13	14-16	5/8"	7/8-14	3/4-11	50	19	20	27	
OL3860-14	18-20	3/4"	1.1/16-12	3/4-11	53	19	22	27	
OL3860-15	25	1"	1.5/16-12	3/4-11	54	19	23	36	
OL3860-16	18-20	3/4"	1.1/16-12	1-11	58	24	22	36	
OL3860-17	25	1"	1.5/16-12	1-11	59	24	23	36	
OL3860-18	30-32	1.1/4"	1.5/8-12	1-11	62	24	25	42	
OL3860-19	30-32	1.1/4"	1.5/8-12	1.1/4-11	62	25	25	46	
OL3860-20	38	1.1/2"	1.7/8-12	1.1/4-11	67	25	28	50	
OL3860-21	38	1.1/2"	1.7/8-12	1.1/2-11	68	25	28	50	

OL3861 Curva 90° M/M JIC/Gas Conico




Male 90° Elbow JIC/BSPT

Filettatura / Thread:
BSPT (Form C DIN 3852)

part number	Ø tube		Dimensions					
	mm	inch	F	T	L	C	E	
OL3861-01	6	1/4"	7/16”-20	1/8-28	20	23	12	
OL3861-02	8	5/16"	1/2”-20	1/8-28	20	24	14	
OL3861-03	6	1/4"	7/16”-20	1/4-19	28	27	14	
OL3861-04	8	5/16"	1/2”-20	1/4-19	28	27	14	
OL3861-05	10	3/8"	9/16”-18	1/4-19	28	27	14	
OL3861-06	12	1/2"	3/4”-16	1/4-19	31	32	19	
OL3861-07	10	3/8"	9/16”-18	3/8-19	31	29	14	
OL3861-08	12	1/2"	3/4”-16	3/8-19	31	32	19	
OL3861-09	14-16	5/8"	7/8”-14	3/8-19	33	37	22	
OL3861-10	12	1/2"	3/4”-16	1/2-14	38	34	22	
OL3861-11	14-16	5/8"	7/8”-14	1/2-14	38	37	22	
OL3861-12	18-20	3/4"	1.1/16”-12	1/2-14	41	42	27	
OL3861-13	14-16	5/8"	7/8”-14	3/4-11	41	40	27	
OL3861-14	18-20	3/4"	1.1/16”-12	3/4-11	41	42	27	
OL3861-15	25	1"	1.5/16”-12	3/4-11	45	46	33	
OL3861-16	18-20	3/4"	1.1/16”-12	1-11	50	45	33	
OL3861-17	25	1"	1.5/16”-12	1-11	50	46	33	
OL3861-18	30-32	1.1/4"	1.5/8”-12	1-11	60	52	41	
OL3861-19	30-32	1.1/4"	1.5/8”-12	1.1/4-11	61	52	41	
OL3861-20	38	1.1/2"	1.7/8”-12	1.1/4-11	66	59	48	
OL3861-21	38	1.1/2"	1.7/8”-12	1.1/2-11	67	59	48	

OL3862 Curva 45° M/M JIC/Gas Conico


Male 45° Elbow JIC/BSPT



Filettatura / Thread:
BSPT (Form C DIN 3852)

part number	Ø tube		Dimensions					
	mm	inch	F	T	L	C	E	
OL3862-01	6	1/4"	7/16-20	1/8-28	17	19	12	
OL3862-02	8	5/16"	1/2-20	1/8-28	17	20	14	
OL3862-03	6	1/4"	7/16-20	1/4-19	22	21	14	
OL3862-04	8	5/16"	1/2-20	1/4-19	22	21	14	
OL3862-05	10	3/8"	9/16-18	1/4-19	22	21	14	
OL3862-06	12	1/2"	3/4-16	1/4-19	24	25	19	
OL3862-07	10	3/8"	9/16-18	3/8-19	24	22	14	
OL3862-08	12	1/2"	3/4-16	3/8-19	24	25	19	
OL3862-09	14-16	5/8"	7/8-14	3/8-19	25	28	22	
OL3862-10	12	1/2"	3/4-16	1/2-14	30	25	22	
OL3862-11	14-16	5/8"	7/8-14	1/2-14	30	28	22	
OL3862-12	18-20	3/4"	1.1/16-12	1/2-14	31	33	27	
OL3862-13	14-16	5/8"	7/8-14	3/4-11	31	30	27	
OL3862-14	18-20	3/4"	1.1/16-12	3/4-11	31	33	27	
OL3862-15	25	1"	1.5/16-12	3/4-11	33	37	33	
OL3862-16	18-20	3/4"	1.1/16-12	1-11	38	36	33	
OL3862-17	25	1"	1.5/16-12	1-11	38	37	33	
OL3862-18	30-32	1.1/4"	1.5/8-12	1-11	42	41	41	
OL3862-19	30-32	1.1/4"	1.5/8-12	1.1/4-11	43	41	41	
OL3862-20	38	1.1/2"	1.7/8-12	1.1/4-11	44	45	48	
OL3862-21	38	1.1/2"	1.7/8-12	1.1/2-11	45	45	48	

OL3863 T JIC con maschio BSPT laterale




Run Tee JIC/BSPT

Filettatura / Thread:
BSPT (Form C DIN 3852)

part number	Ø tube		Dimensions					
	mm	inch	F	T	B	C	E	
OL3863-01	6	1/4"	7/16-20	1/8	23	20	12	
OL3863-02	8	5/16"	1/2-20	1/8	24	20	14	
OL3863-03	6	1/4"	7/16-20	1/4	27	28	14	
OL3863-04	8	5/16"	1/2-20	1/4	27	28	14	
OL3863-05	10	3/8"	9/16-18	1/4	27	28	14	
OL3863-06	12	1/2"	3/4-16	1/4	32	31	19	
OL3863-07	10	3/8"	9/16-18	3/8	29	31	14	
OL3863-08	12	1/2"	3/4-16	3/8	32	31	19	
OL3863-09	14-16	5/8"	7/8-14	3/8	37	33	22	
OL3863-10	12	1/2"	3/4-16	1/2	34	38	22	
OL3863-11	14-16	5/8"	7/8-14	1/2	37	38	22	
OL3863-12	18-20	3/4"	1.1/16-12	1/2	42	41	27	
OL3863-13	14-16	5/8"	7/8-14	3/4	40	41	27	
OL3863-14	18-20	3/4"	1.1/16-12	3/4	42	41	27	
OL3863-15	25	1"	1.5/16-12	3/4	46	45	33	
OL3863-16	18-20	3/4"	1.1/16-12	1	45	50	33	
OL3863-17	25	1"	1.5/16-12	1	46	50	33	
OL3863-18	30-32	1.1/4"	1.5/8-12	1	52	60	41	
OL3863-19	30-32	1.1/4"	1.5/8-12	1.1/4	52	61	41	
OL3863-20	38	1.1/2"	1.7/8-12	1.1/4	59	66	48	
OL3863-21	38	1.1/2"	1.7/8-12	1.1/2	59	67	48	

OL3864 T JIC con maschio BSPT centrale




Branch Tee JIC/BSPT

Filettatura / Thread:
BSPT (Form C DIN 3852)

part number	Ø tube		Dimensions					
	mm	inch	F	T	B	C	E	
OL3864-01	6	1/4"	7/16-20	1/8	23	20	12	
OL3864-02	8	5/16"	1/2-20	1/8	24	20	14	
OL3864-03	6	1/4"	7/16-20	1/4	27	28	14	
OL3864-04	8	5/16"	1/2-20	1/4	27	28	14	
OL3864-05	10	3/8"	9/16-18	1/4	27	28	14	
OL3864-06	12	1/2"	3/4-16	1/4	32	31	19	
OL3864-07	10	3/8"	9/16-18	3/8	29	31	14	
OL3864-08	12	1/2"	3/4-16	3/8	32	31	19	
OL3864-09	14-16	5/8"	7/8-14	3/8	37	33	22	
OL3864-10	12	1/2"	3/4-16	1/2	34	38	22	
OL3864-11	14-16	5/8"	7/8-14	1/2	37	38	22	
OL3864-12	18-20	3/4"	1.1/16-12	1/2	42	41	27	
OL3864-13	14-16	5/8"	7/8-14	3/4	40	41	27	
OL3864-14	18-20	3/4"	1.1/16-12	3/4	42	41	27	
OL3864-15	25	1"	1.5/16-12	3/4	46	45	33	
OL3864-16	18-20	3/4"	1.1/16-12	1	45	50	33	
OL3864-17	25	1"	1.5/16-12	1	46	50	33	
OL3864-18	30-32	1.1/4"	1.5/8-12	1	52	60	41	
OL3864-19	30-32	1.1/4"	1.5/8-12	1.1/4	52	61	41	
OL3864-20	38	1.1/2"	1.7/8-12	1.1/4	59	66	48	
OL3864-21	38	1.1/2"	1.7/8-12	1.1/2	59	67	48	

OL3830 Giunzione M/M JIC/Metrico DIN 3852-1




Male Connector JIC/Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
OL3830-01	6	1/4"	7/16-20	M10x1	30	9	14	16	
OL3830-02	8	5/16"	1/2-20	M10x1	30	9	14	16	
OL3830-03	6	1/4"	7/16-20	M12x1,5	33	12	14	17	
OL3830-04	8	5/16"	1/2-20	M12x1,5	33	12	14	17	
OL3830-05	10	3/8"	9/16-18	M14x1,5	34	12	14	19	
OL3830-06	10	3/8"	9/16-18	M16x1,5	35	13	14	22	
OL3830-07	12	1/2"	3/4-16	M16x1,5	38	13	17	22	
OL3830-08	12	1/2"	3/4-16	M18x1,5	40	14	17	24	
OL3830-09	14-16	5/8"	7/8-14	M18x1,5	42	14	20	24	
OL3830-10	14-16	5/8"	7/8-14	M22x1,5	45	15	20	30	
OL3830-11	18-20	3/4"	1.1/16-12	M22x1,5	48	15	22	30	
OL3830-12	18-20	3/4"	1.1/16-12	M27x2	53	19	22	36	
OL3830-13	25	1"	1.5/16-12	M27x2	54	19	23	36	
OL3830-14	25	1"	1.5/16-12	M33x2	54	19	23	41	
OL3830-15	30	1.1/4"	1.5/8-12	M42x2	58	20	25	50	
OL3830-16	38	1.1/2"	1.7/8-12	M48x2	65	22	28	60	

OL3831 Giunzione M/M Lunga JIC/Metrico DIN 3852-1




Long Male Connector JIC/Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	L	B	C	E	
OL3831-01	6	1/4"	7/16-20	M10x1	52	9	36	16	
OL3831-02	8	5/16"	1/2-20	M10x1	53	9	37	16	
OL3831-03	6	1/4"	7/16-20	M12x1,5	54	12	36	17	
OL3831-04	8	5/16"	1/2-20	M12x1,5	56	12	37	17	
OL3831-05	10	3/8"	9/16-18	M14x1,5	59	12	40	19	
OL3831-06	10	3/8"	9/16-18	M16x1,5	60	13	40	22	
OL3831-07	12	1/2"	3/4-16	M16x1,5	69	13	48	22	
OL3831-08	12	1/2"	3/4-16	M18x1,5	71	14	48	24	
OL3831-09	14-16	5/8"	7/8-14	M18x1,5	76	14	53	24	
OL3831-10	14-16	5/8"	7/8-14	M22x1,5	78	15	53	30	
OL3831-11	18-20	3/4"	1.1/16-12	M22x1,5	90	15	64	30	
OL3831-12	18-20	3/4"	1.1/16-12	M27x2	94	19	64	36	
OL3831-13	25	1"	1.5/16-12	M27x2	103	19	72	36	
OL3831-14	25	1"	1.5/16-12	M33x2	103	19	72	41	
OL3831-15	30	1.1/4"	1.5/8-12	M42x2	122	20	88	50	
OL3831-16	38	1.1/2"	1.7/8-12	M48x2	136	22	99	60	

OL3832 Curva Orientabile JIC/Metrico DIN 3852-1




Adjustable Elbow JIC/Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL3832-01	6	1/4"	7/16-20	M10x1	23	27	12	14	
OL3832-02	8	5/16"	1/2-20	M10x1	24	27	14	14	
OL3832-03	6	1/4"	7/16-20	M12x1,5	27	32	14	17	
OL3832-04	8	5/16"	1/2-20	M12x1,5	27	32	14	17	
OL3832-05	10	3/8"	9/16-18	M14x1,5	27	32	14	19	
OL3832-06	10	3/8"	9/16-18	M16x1,5	29	38	19	22	
OL3832-07	12	1/2"	3/4-16	M16x1,5	32	38	19	22	
OL3832-08	12	1/2"	3/4-16	M18x1,5	32	40	19	24	
OL3832-09	14-16	5/8"	7/8-14	M18x1,5	37	41	22	24	
OL3832-10	14-16	5/8"	7/8-14	M22x1,5	37	43	22	27	
OL3832-11	18-20	3/4"	1.1/16-12	M22x1,5	42	45	27	27	
OL3832-12	18-20	3/4"	1.1/16-12	M27x2	42	52	27	36	
OL3832-13	25	1"	1.5/16-12	M27x2	46	52	33	36	
OL3832-14	25	1"	1.5/16-12	M33x2	46	53	33	41	
OL3832-15	30	1.1/4"	1.5/8-12	M42x2	52	58	41	50	
OL3832-16	38	1.1/2"	1.7/8-12	M48x2	59	67	48	60	

OL3833 Curva Orientabile Lunga JIC/Metrico DIN 3852-1




Long Adjustable Elbow JIC/Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL3833-01	6	1/4"	7/16-20	M10x1	23	46	12	14	
OL3833-02	8	5/16"	1/2-20	M10x1	24	50	14	14	
OL3833-03	6	1/4"	7/16-20	M12x1,5	27	54	14	17	
OL3833-04	8	5/16"	1/2-20	M12x1,5	27	54	14	17	
OL3833-05	10	3/8"	9/16-18	M14x1,5	27	57	14	19	
OL3833-06	10	3/8"	9/16-18	M16x1,5	29	67	19	22	
OL3833-07	12	1/2"	3/4-16	M16x1,5	32	67	19	22	
OL3833-08	12	1/2"	3/4-16	M18x1,5	32	67	19	24	
OL3833-09	14-16	5/8"	7/8-14	M18x1,5	37	75	22	24	
OL3833-10	14-16	5/8"	7/8-14	M22x1,5	37	78	22	27	
OL3833-11	18-20	3/4"	1.1/16-12	M22x1,5	42	88	27	27	
OL3833-12	18-20	3/4"	1.1/16-12	M27x2	42	95	27	36	
OL3833-13	25	1"	1.5/16-12	M27x2	46	105	33	36	
OL3833-14	25	1"	1.5/16-12	M33x2	46	105	33	41	
OL3833-15	30	1.1/4"	1.5/8-12	M42x2	52	124	41	50	
OL3833-16	38	1.1/2"	1.7/8-12	M48x2	59	141	48	60	

OL3834 Curva a 45° Orientabile JIC/Metrico DIN 3852-1

Adjustable 45° Elbow JIC/Metric DIN 3852-1




Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL3834-01	6	1/4"	7/16-20	M10x1	19	27	12	14	
OL3834-02	8	5/16"	1/2-20	M10x1	20	27	14	14	
OL3834-03	6	1/4"	7/16-20	M12x1,5	21	29	14	17	
OL3834-04	8	5/16"	1/2-20	M12x1,5	21	29	14	19	
OL3834-05	10	3/8"	9/16-18	M14x1,5	21	29	14	17	
OL3834-06	10	3/8"	9/16-18	M16x1,5	22	33	19	22	
OL3834-07	12	1/2"	3/4-16	M16x1,5	25	33	19	22	
OL3834-08	12	1/2"	3/4-16	M18x1,5	25	33	19	24	
OL3834-09	14-16	5/8"	7/8-14	M18x1,5	28	35	22	24	
OL3834-10	14-16	5/8"	7/8-14	M22x1,5	28	38	22	27	
OL3834-11	18-20	3/4"	1.1/16-12	M22x1,5	33	41	27	27	
OL3834-12	18-20	3/4"	1.1/16-12	M27x2	33	44	27	36	
OL3834-13	25	1"	1.5/16-12	M27x2	37	46	33	36	
OL3834-14	25	1"	1.5/16-12	M33x2	37	47	33	41	
OL3834-15	30	1.1/4"	1.5/8-12	M42x2	41	49	41	50	
OL3834-16	38	1.1/2"	1.7/8-12	M48x2	45	53	48	60	

Adattatori JIC / JIC Adaptors

OL3835 T JIC con maschio Metrico DIN 3852-1 laterale orientabile




Adjustable Run Tee Metric DIN 3852-1/JIC

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL3835-01	6	1/4"	7/16-20	M10x1	23	27	12	14	
OL3835-02	8	5/16"	1/2-20	M10x1	24	27	14	14	
OL3835-03	6	1/4"	7/16-20	M12x1,5	27	32	14	17	
OL3835-04	8	5/16"	1/2-20	M12x1,5	27	32	14	19	
OL3835-05	10	3/8"	9/16-18	M14x1,5	27	32	14	17	
OL3835-06	10	3/8"	9/16-18	M16x1,5	29	38	19	22	
OL3835-07	12	1/2"	3/4-16	M16x1,5	32	38	19	22	
OL3835-08	12	1/2"	3/4-16	M18x1,5	32	40	19	24	
OL3835-09	14-16	5/8"	7/8-14	M18x1,5	37	41	22	24	
OL3835-10	14-16	5/8"	7/8-14	M22x1,5	37	43	22	27	
OL3835-11	18-20	3/4"	1.1/16-12	M22x1,5	42	45	27	27	
OL3835-12	18-20	3/4"	1.1/16-12	M27x2	42	52	27	36	
OL3835-13	25	1"	1.5/16-12	M27x2	46	52	33	36	
OL3835-14	25	1"	1.5/16-12	M33x2	46	53	33	41	
OL3835-15	30	1.1/4"	1.5/8-12	M42x2	52	58	41	50	
OL3835-16	38	1.1/2"	1.7/8-12	M48x2	59	67	48	60	

OL3836 T JIC con maschio Metrico DIN 3852-1 centrale orientabile




Adjustable Branch Tee Metric DIN 3852-1/JIC

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL3836-01	6	1/4"	7/16-20	M10x1	23	27	12	14	
OL3836-02	8	5/16"	1/2-20	M10x1	24	27	14	14	
OL3836-03	6	1/4"	7/16-20	M12x1,5	27	32	14	17	
OL3836-04	8	5/16"	1/2-20	M12x1,5	27	32	14	19	
OL3836-05	10	3/8"	9/16-18	M14x1,5	27	32	14	17	
OL3836-06	10	3/8"	9/16-18	M16x1,5	29	38	19	22	
OL3836-07	12	1/2"	3/4-16	M16x1,5	32	38	19	22	
OL3836-08	12	1/2"	3/4-16	M18x1,5	32	40	19	24	
OL3836-09	14-16	5/8"	7/8-14	M18x1,5	37	41	22	24	
OL3836-10	14-16	5/8"	7/8-14	M22x1,5	37	43	22	27	
OL3836-11	18-20	3/4"	1.1/16-12	M22x1,5	42	45	27	27	
OL3836-12	18-20	3/4"	1.1/16-12	M27x2	42	52	27	36	
OL3836-13	25	1"	1.5/16-12	M27x2	46	52	33	36	
OL3836-14	25	1"	1.5/16-12	M33x2	46	53	33	41	
OL3836-15	30	1.1/4"	1.5/8-12	M42x2	52	58	41	50	
OL3836-16	38	1.1/2"	1.7/8-12	M48x2	59	67	48	60	

OL3837 Nipplo femmina girevole JIC / maschio Metrico con guarnizione ED




Connector swivel JIC female X Metric male with "ED" seal

Filettatura / Thread:
BSPP (Form E DIN 3852)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	D	H	E	
OL3837-01	6	1/4"	7/16"-20	M10x1	8	24,5	14	14	
OL3837-02	8	5/16"	1/2"-20	M10x1	8	26,0	17	14	
OL3837-03	6	1/4"	7/16"-20	M12x1,5	8	24,5	14	17	
OL3837-04	8	5/16"	1/2"-20	M12x1,5	8	26,0	17	17	
OL3837-05	8	5/16"	1/2"-20	M14x1,5	12	26,0	17	19	
OL3837-06	10	3/8"	9/16"-18	M14x1,5	12	26,8	19	19	
OL3837-07	10	3/8"	9/16"-18	M16x1,5	12	27,3	19	22	
OL3837-08	12	1/2"	3/4"-16	M16x1,5	12	29,6	22	22	
OL3837-09	12	1/2"	3/4"-16	M18x1,5	12	30,6	22	24	
OL3837-10	16	5/8"	7/8"-14	M18x1,5	12	34,6	27	24	
OL3837-11	16	5/8"	7/8"-14	M20x1,5	14	35,6	27	27	
OL3837-12	16	5/8"	7/8"-14	M22x1,5	14	36,1	27	29	
OL3837-13	20	3/4"	1.1/16"-12	M22x1,5	14	36,2	32	27	
OL3837-14	20	3/4"	1.1/16"-12	M27x2	16	36,7	32	32	
OL3837-15	25	1"	1.5/16"-12	M27x2	16	40,4	41	32	
OL3837-16	25	1"	1.5/16"-12	M33x2	18	41,4	41	41	
OL3837-17	32	1.1/4"	1.5/8"-12	M42x2	20	43,8	50	50	
OL3837-18	38	1.1/2"	1.7/8"-12	M48x2	22	51,3	60	55	

OL3960 Tappo maschio SAE




UNF male plug

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions			
	mm	inch	F	L	E	
OL3960-01			7/16" - 20	17	14	
OL3960-02			1/2" - 20	17	14	
OL3960-03			9/16" - 18	19	17	
OL3960-04			3/4" - 16	21	22	
OL3960-05			7/8" - 14	24	27	
OL3960-06			1.1/16" - 12	27	32	
OL3960-07			1.5/16" - 12	28	38	

OL3961 Tappo maschio


Male plug



part number	Ø tube		Dimensions			
	mm	inch	F	L	E	
OL3961-01			7/16" - 20	22	12	
OL3961-02			1/2" - 20	20	14	
OL3961-03			9/16" - 18	22	15	
OL3961-04			3/4" - 16	25	19	
OL3961-05			7/8" - 14	27	24	
OL3961-06			1.1/16" - 12	32	27	
OL3961-07			1.3/16" - 12	33	32	
OL3961-08			1.5/16" - 12	33	34	
OL3961-09			1.5/8" - 12	36	46	
OL3961-10			1.7/8" - 12	43	50	

OL3962 Tappo femmina girevole

Female Plug Swivel



part number	Ø tube		Dimensions			
	mm	inch	F	L	H	
OL3962-01			7/16" - 20	10	14	
OL3962-02			1/2" - 20	10	17	
OL3962-03			9/16" - 18	12	19	
* SAE 45° **OL3962-04**			5/8" - 18	12	22	
OL3962-05			3/4" - 16	13	24	
OL3962-06			7/8" - 14	14	27	
OL3962-07			1.1/16" - 12	16	32	
OL3962-08			1.3/16" - 12	15	36	
OL3962-09			1.5/16" - 12	17	41	
OL3962-10			1.5/8" - 12	20	50	
OL3962-11			1.7/8" - 12	23	55	