





















Adattatori ORFS / ORFS Adaptors





Pagina / Page	245			246	246
ORFS Nut			ORFS Sleeve		
	OL8500 ORFS Nut			**OL8505** Sleeve	**OL8510** Braze Sleeve

Pagina / Page	247	247	248	248
ORFS male				
	OL8515 Union ORFS	**OL8520** 90°Elbow Union ORFS	**OL8525** Union Tee ORFS	**OL8530** Cross Union ORFS

Pagina / Page	249	250	250	251	251	252
ORFS Swivel						
	OL8535 Reducing F ORFS x M ORFS	**OL8540** Swivel Nut Female F ORFS x M ORFS	**OL8545** Swivel Nut Elbow F ORFS x M ORFS	**OL8550** Swivel 45° Nut Elbow F ORFS x M ORFS	**OL8555** Swivel Nut Run Tee ORFS	**OL8560** Swivel Nut Branch Tee ORFS

Pagina / Page	252	253	253	254	254
ORFS ORFS bulkhead					
	OL8565 Bulkhead Union ORFS	**OL8570** Bulkhead Union Elbow ORFS	**OL8575** Bulkhead 45° Union Elb. ORFS	**OL8580** Run Tee Connector ORFS Bulkhead	**OL8585** Bulkhead Branch Tee ORFS







Pagina / Page	255	255	256	256	257	257
UNF ORFS swivel						
	OL8590 Bulkhead Connector M UNF x M ORFS	**OL8595** Male Connector M UNF x M ORFS	**OL8600** Swivel Nut female F ORFS x M UNF	**OL8605** 90° Elbow Connector UNF Orientable	**OL8610** Long Adjustable Elbow M ORFS x M UNF	**OL8615** 45° Elbow Con nector UNF Orientable




Pagina / Page	258	258		259		259
UNF ORFS swivel			ORFS BSPT swivel		ORFS NPTF swivel	
	OL8620 Branch Tee Connector UNF Orientable	**OL8625** Run Tee Connector UNF Orientable		**OL8630** Male Connector M ORFS x M BSPT		**OL8635** Male Connector M ORFS x M NPTF






Dimensions and general characteristics may be changed at any time without prior notice.






Data contained herein are for information purpose only, and it does not enlarge, amend or imply any warranty other than provided by us with the product
Any use of the product not in conformance with our instructions may be dangerous.

Adattatori ORFS / ORFS Adaptors

Pagina / Page	260	261	261	262	263	264
ORFS BSP						
	OL8640	**OL8645**	**OL8650**	**OL8655**	**OL8660**	**OL8665**
	Swivel Nut Female	Male Connector	Male Connector	Adjustable Elbow	Adjustable 45° Elbow	Adj. Elb. with swivel nut
	F ORFS x M BSP or (ED)	M ORFS x M BSP or	M ORFS x M BSP	M BSP x M ORFS	M ORFS x M BSP	M ORFS x M BSP

Pagina / Page	264	265				266
ORFS BSP				ORFS JIC swivel		
	OL8670	**OL8675**				**OL8680**
	Adjustable Run Tee	Adjustable Branch Tee				Swivel Nut Female
	ORFS - ORFS - BSP	ORFS - BSP - ORFS				F ORFS x M JIC

Pagina / Page	266	267		267	268	268
ORFS METRIC						
	OL8685	**OL8690**		**OL8695**	**OL8700**	**OL8705**
	Male Connector	Long Male Connector		Adjustable Elbow	Long Adjustable Elbow	Adjustable 45° Elbow
	M ORFS x M Metric	M ORFS x M Metric		M ORFS x M Metric	M ORFS x M Metric	M ORFS x M Metric


Pagina / Page	269	269	270		271	271
ORFS METRIC				ORFS Plug		
	OL8710	**OL8715**	**OL8720**		**OL8725**	**OL8730**
	Adjustable Branch Tee	Adjustable Run Tee	Male Connector ORFS		ORFS Male Plug	ORFS Female Plug
	ORFS - Metric - ORFS	ORFS - ORFS - Metric	Metric (ISO 6149-2)			

Dimensions and general characteristics may be changed at any time without prior notice.

Data contained herein are for information purpose only, and it does not enlarge, amend or imply any warranty other than provided by us with the product
Any use of the product not in conformance with our instructions may be dangerous.

OL8500 Dado ORFS


ORFS nut



part number	Ø tube		Dimensions			
	mm	inch	F	L	E	
OL8500-01	6	1/4"	9/16 - 18	15,0	19	
OL8500-02	8-10	5/16"-3/8"	11/16 - 16	17,0	22	
OL8500-03	12	1/2"	13/16 - 16	20,0	24	
OL8500-04	14-16	5/8"	1 - 14	24,0	30	
OL8500-05	18-20	3/4"	1.3/16 - 12	26,5	36	
OL8500-06	25	1"	1.7/16 - 12	27,5	41	
OL8500-07	30-32	1.1/4"	1.11/16 - 12	27,5	50	
OL8500-08	38	1.1/2"	2 - 12	27,5	60	

OL8505 Bussola metrica


Metric sleeve



part number	Ø tube	Dimensions			
	mm	L	D		
OL8505-01	06	7,5	06		
OL8505-02	08	8,5	08		
OL8505-03	10	8,4	10		
OL8505-04	12	10,7	12		
OL8505-05	14	10,5	14		
OL8505-06	15	10,6	15		
OL8505-07	16	10,6	16		
OL8505-08	18	14	18		
OL8505-09	20	12,1	20		
OL8505-10	22	13,5	22		
OL8505-11	25	13,5	25		
OL8505-12	28	15,5	28		
OL8505-13	30	13	30		
OL8505-14	32	13	32		
OL8505-15	35	15,5	35		
OL8505-16	38	12,5	38		

OL8510 Bussola a saldare

Braze sleeve




trattamento superficiale: non zincato
surface treatment: *without zinc plating*

part number	Ø tube	Dimensions			
	mm	L	D		
OL8510-01	06	9,5	06		
OL8510-02	08	9,5	08		
OL8510-03	10	9,5	10		
OL8510-04	12	9,5	12		
OL8510-05	14	10,5	14		
OL8510-06	15	10,5	15		
OL8510-07	16	10,5	16		
OL8510-08	18	14	18		
OL8510-09	20	14	20		
OL8510-10	22	15,5	22		
OL8510-11	25	15,5	25		
OL8510-12	28	15,5	28		
OL8510-13	30	15,5	30		
OL8510-14	32	15,5	32		
OL8510-15	35	15,5	35		
OL8510-16	38	15,5	38		

OL8515 Nipplo maschio

Male connector




* - F1 e C1 sono indicate solo per le riduzioni
* - *F1 and C1 are for jump size only*

part number	Ø tube		Dimensions						
	mm	inch	F	F1	L	C	C1	E	
OL8515-01	6	1/4"	9/16 - 18	-	27	10	-	17	
OL8515-02	8-10	5/16"-3/8"	11/16 - 16	-	31	11	-	19	
OL8515-03	12	1/2"	13/16 - 16	-	35	13	-	22	
OL8515-04	8-10-12	5/16 to 1/2	13/16 - 16	11/16 - 16	34	13	11	22	
OL8515-05	14-16	5/8"	1 - 14	-	43	16	-	27	
OL8515-06	12-14-16	5/8"-1/2"	1 - 14	13/16 - 16	40	16	13	27	
OL8515-07	18-20	3/4"	1.3/16 - 12	-	47	17	-	32	
OL8515-08	14-16-18-20	5/8"-3/4"	1.3/16 - 12	1 - 14	46	17	16	32	
OL8515-09	25	1"	1.7/16 - 12	-	49	18	-	38	
OL8515-10	18-20-25	3/4"-1"	1.7/16 - 12	1.3/16 - 12	49	18	17	38	
OL8515-11	30-32	1.1/4"	1.11/16 - 12	-	51	18	-	46	
OL8515-12	38	1.1/2"	2 - 12	-	53	18	-	55	

OL8520 Gomito a 90°

90° Elbow Union




part number	Ø tube		Dimensions				
	mm	inch	F	C	B	E	
OL8520-01	6	1/4"	9/16 - 18	22	9	14	
OL8520-02	8-10	5/16"-3/8"	11/16 - 16	25	10	19	
OL8520-03	12	1/2"	13/16 - 16	28	12	19	
OL8520-04	14-16	5/8"	1 - 14	33	14	27	
OL8520-05	18-20	3/4"	1.3/16 - 12	37	15	30	
OL8520-06	25	1"	1.7/16 - 12	38	18	32	
OL8520-07	30-32	1.1/4"	1.11/16 - 12	45	18	41	
OL8520-08	38	1.1/2"	2 - 12	49	18	48	

Adattatori ORFS / ORFS Adaptors

OL8525 Unione a T


Union Tee



part number	Ø tube		Dimensions				
	mm	inch	F	C	B	E	
OL8525-01	6	1/4"	9/16 - 18	22	10	14	
OL8525-02	8-10	5/16"-3/8"	11/16 - 16	25	11	19	
OL8525-03	12	1/2"	13/16 - 16	28	13	19	
OL8525-04	14-16	5/8"	1 - 14	34	16	27	
OL8525-05	18-20	3/4"	1.3/16 - 12	38	17	33	
OL8525-06	25	1"	1.7/16 - 12	42	18	41	
OL8525-07	30-32	1.1/4"	1.11/16 - 12	45	18	41	
OL8525-08	38	1.1/2"	2 - 12	49	18	48	

OL8530 Unione a croce


Cross Union




part number	Ø tube		Dimensions				
	mm	inch	F	C	B	E	
OL8530-01	6	1/4"	9/16 - 18	22	10	14	
OL8530-02	8-10	5/16"-3/8"	11/16 - 16	25	11	19	
OL8530-03	12	1/2"	13/16 - 16	28	13	19	
OL8530-04	14-16	5/8"	1 - 14	33	16	27	
OL8530-05	18-20	3/4"	1.3/16 - 12	37	17	30	
OL8530-06	25	1"	1.7/16 - 12	42	18	37	
OL8530-07	30-32	1.1/4"	1.11/16 - 12	45	18	41	
OL8530-08	38	1.1/2"	2 - 12	49	18	48	

OL8535 Riduzione maschio - femmina ORFS

Reducing male - female ORFS






part number	Ø tube		Dimensions					
	mm	inch	F	T	L	L2	E	
OL8535-01	10-06	3/8"-1/4"	11/16""-16	9/16""-18	-	20	22	
OL8535-02	12-06	1/2"-1/4"	13/16""-16	9/16""-18	22	-	24	
OL8535-03	12-10	1/2"-3/8"	13/16""-16	11/16""-16	-	23	24	
OL8535-04	16-06	5/8"-1/4"	1"-14	9/16""-18	23	-	30	
OL8535-05	16-08	5/8"-5/16"	1"-14	11/16""-16	24	-	30	
OL8535-06	16-12	5/8"-1/2"	1"-14	13/16""-16	26	-	30	
OL8535-07	20-06	3/4"-1/4"	1.3/16""-12	9/16""-18	25	-	36	
OL8535-08	20-08	3/4"-5/16"	1.3/16""-12	11/16""-16	26	-	36	
OL8535-09	20-12	3/4"-1/2"	1.3/16""-12	13/16""-12	28	-	36	
OL8535-10	20-16	3/4"-5/8"	1.3/16""-12	1"-14	-	30	36	
OL8535-11	25-12	1"-1/2"	1.7/16""-12	13/16""-12	29	-	41	
OL8535-12	25-16	1"-5/8"	1.7/16""-12	1"-14	32	-	41	
OL8535-13	25-20	1"-3/4"	1.7/16""-12	1.3/16""-12	-	33	41	
OL8535-14	32-20	1"1/4"-3/4"	1.11/16""-12	1.3/16""-12	34	-	50	
OL8535-15	32-25	1-1"1/4"	1.11/16""-12	1.7/16""-12	-	39	50	
OL8535-16	38-25	1"1/2"-1"	2"-12	1.7/16""-12	34	-	60	
OL8535-17	38-32	."1/2"-1"1/4	2"-12	1.11/16""-12	34	-	60	

OL8540 Nipplo M/F ORFS


Swivel Union M/F ORFS



part number	Ø tube		Dimensions					
	mm	inch	F	T	B	L	E	
OL8540-01	6	1/4"	9/16"-18	9/16"-18	10	27	17	
OL8540-02	8-10	5/16"-3/8"	11/16"-16	11/16"-16	11	33	19	
OL8540-03	12	1/2"	13/16"-16	13/16"-16	13	36	22	
OL8540-04	14-16	5/8"	1"-14	1"-14	16	43	27	
OL8540-05	18-20	3/4"	1.3/16"-12	1.3/16"-12	17	43	32	
OL8540-06	25	1"	1.7/16"-12	1.7/16"-12	18	47	38	
OL8540-07	30-32	1.1/4"	1.11/16"-12	1.11/16"-12	18	48	46	
OL8540-08	38	1.1/2"	2"-12	2"-12	18	49	55	

OL8545 Gomito 90°Girevole M/F ORFS


Swivel Nut Elbow M/F ORFS



part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL8545-01	6	1/4"	9/16"-18	9/16"-18	22	27	14	19	
OL8545-02	8-10	5/16"-3/8"	11/16"-16	11/16"-16	25	29	19	22	
OL8545-03	12	1/2"	13/16"-16	13/16"-16	28	38	19	24	
OL8545-04	14-16	5/8"	1"-14	1"-14	34	41	27	30	
OL8545-05	18-20	3/4"	1.3/16"-12	1.3/16"-12	38	47	30	36	
OL8545-06	25	1"	1.7/16"-12	1.7/16"-12	42	54	37	41	
OL8545-07	30-32	1.1/4"	1.11/16"-12	1.11/16"-12	45	58	41	50	
OL8545-08	38	1.1/2"	2"-12	2"-12	49	61	48	60	

OL8550 Gomito 45° Girevole M/F ORFS


Swivel 45° Nut Elbow M/F ORFS



part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL8550-01	6	1/4"	9/16"-18	9/16"-18	16	22	14	19	
OL8550-02	8-10	5/16"-3/8"	11/16"-16	11/16"-16	19	27	19	22	
OL8550-03	12	1/2"	13/16"-16	13/16"-16	21	31	19	24	
OL8550-04	14-16	5/8"	1"-14	1"-14	24	37	27	30	
OL8550-05	18-20	3/4"	1.3/16"-12	1.3/16"-12	26	42	30	36	
OL8550-06	25	1"	1.7/16"-12	1.7/16"-12	30	47	37	41	
OL8550-07	30-32	1.1/4"	1.11/16"-12	1.11/16"-12	32	47	41	50	
OL8550-08	38	1.1/2"	2"-12	2"-12	37	49	48	60	

OL8555 T con femmina girevole laterale

Female run tee




part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL8555-01	6	1/4"	9/16"-18	9/16"-18	22	27	14	19	
OL8555-02	8-10	5/16"-3/8"	11/16"-16	11/16"-16	25	29	19	22	
OL8555-03	12	1/2"	13/16"-16	13/16"-16	28	38	19	24	
OL8555-04	14-16	5/8"	1"-14	1"-14	34	41	27	30	
OL8555-05	18-20	3/4"	1.3/16"-12	1.3/16"-12	38	47	30	36	
OL8555-06	25	1"	1.7/16"-12	1.7/16"-12	42	54	37	41	
OL8555-07	30-32	1.1/4"	1.11/16"-12	1.11/16"-12	45	58	41	50	
OL8555-08	38	1.1/2"	2"-12	2"-12	49	61	48	60	

Adattatori ORFS / ORFS Adaptors

OL8560 T con femmina girevole centrale


Female branch tee



part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL8560-01	6	1/4"	9/16"-18	9/16"-18	22	27	14	19	
OL8560-02	8-10	5/16"-3/8"	11/16"-16	11/16"-16	25	29	19	22	
OL8560-03	12	1/2"	13/16"-16	13/16"-16	28	38	19	24	
OL8560-04	14-16	5/8"	1"-14	1"-14	34	41	27	30	
OL8560-05	18-20	3/4"	1.3/16"-12	1.3/16"-12	38	47	30	36	
OL8560-06	25	1"	1.7/16"-12	1.7/16"-12	42	54	37	41	
OL8560-07	30-32	1.1/4"	1.11/16"-12	1.11/16"-12	45	58	41	50	
OL8560-08	38	1.1/2"	2"-12	2"-12	49	61	48	60	

OL8565 Passaparete

Bulkhead




part number	Dimensions						
	F	C	L	B	E	H	
OL8565-01	9/16 - 18	10	48	32	17	22	
OL8565-02	11/16 - 16	11	53	34	19	27	
OL8565-03	13/16 - 16	13	58	37	22	30	
OL8565-04	1 - 14	16	67	41	27	36	
OL8565-05	1.3/16 - 12	17	69	42	32	41	
OL8565-06	1.7/16 - 12	18	70	42	38	46	
OL8565-07	1.11/16 - 12	18	70	42	46	50	
OL8565-08	2 - 12	18	70	42	55	60	

Adattatori ORFS / ORFS Adaptors

OL8570 Passaparete a 90°


Bulkhead 90° Elbow Union



part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	E	H	
OL8570-01	6	1/4"	9/16"-18	9/16"-18	23	47	22	14	
OL8570-02	8-10	5/16"-3/8"	11/16"-16	11/16"-16	26	52	27	19	
OL8570-03	12	1/2"	13/16"-16	13/16"-16	29	56	30	19	
OL8570-04	14-16	5/8"	1"-14	1"-14	35	63	36	27	
OL8570-05	18-20	3/4"	1.3/16"-12	1.3/16"-12	39	67	41	30	
OL8570-06	25	1"	1.7/16"-12	1.7/16"-12	43	71	46	37	
OL8570-07	30-32	1.1/4"	1.11/16"-12	1.11/16"-12	46	76	50	41	
OL8570-08	38	1.1/2"	2"-12	2"-12	50	80	60	48	

OL8575 Passaparete a 45°

Bulkhead 45° Elbow Union




part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	E	H	
OL8575-01	6	1/4"	9/16"-18	9/16"-18	47	23	22	14	
OL8575-02	8-10	5/16"-3/8"	11/16"-16	11/16"-16	52	26	27	19	
OL8575-03	12	1/2"	13/16"-16	13/16"-16	56	29	30	19	
OL8575-04	14-16	5/8"	1"-14	1"-14	63	35	36	27	
OL8575-05	18-20	3/4"	1.3/16"-12	1.3/16"-12	67	39	41	30	
OL8575-06	25	1"	1.7/16"-12	1.7/16"-12	71	43	46	37	
OL8575-07	30-32	1.1/4"	1.11/16"-12	1.11/16"-12	76	46	50	41	
OL8575-08	38	1.1/2"	2"-12	2"-12	80	50	60	48	

Adattatori ORFS / ORFS Adaptors

OL8580 T con passaparete laterale


Bulkhead male run tee



part number	Ø tube		Dimensions							
	mm	inch	F	C	L	B	M	H	E	
OL8580-01	6	1/4"	9/16 - 18	10	47	32	22	22	14	
OL8580-02	8-10	5/16"-3/8"	11/16 - 16	11	52	34	25	27	19	
OL8580-03	12	1/2"	13/16 - 16	13	55	37	28	30	19	
OL8580-04	14-16	5/8"	1 - 14	16	63	41	33	36	27	
OL8580-05	18-20	3/4"	1.3/16 - 12	17	67	42	37	41	30	
OL8580-06	25	1"	1.7/16 - 12	18	71	42	42	46	37	
OL8580-07	30-32	1.1/4"	1.11/16 - 12	18	75	42	45	50	41	
OL8580-08	38	1.1/2"	2 - 12	18	80	42	49	60	48	

OL8585 T con passaparete centrale

Bulkhead male Branch tee




part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	E	H	
OL8585-01	6	1/4"	9/16"-18	9/16"-18	23	47	22	14	
OL8585-02	8-10	5/16"-3/8"	11/16"-16	11/16"-16	26	52	27	19	
OL8585-03	12	1/2"	13/16"-16	13/16"-16	29	56	30	19	
OL8585-04	14-16	5/8"	1"-14	1"-14	35	63	36	27	
OL8585-05	18-20	3/4"	1.3/16"-12	1.3/16"-12	39	67	41	30	
OL8585-06	25	1"	1.7/16"-12	1.7/16"-12	43	71	46	37	
OL8585-07	30-32	1.1/4"	1.11/16"-12	1.11/16"-12	46	76	50	41	
OL8585-08	38	1.1/2"	2"-12	2"-12	50	80	60	48	

Adattatori ORFS / ORFS Adaptors

OL8590 Passaparete UNF

Straight bulkhead UNF male X ORFS male




Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions							
	mm	inch	T	F	C	L	B	E	H	
OL8590-01	6	1/4"	7/16 - 20	9/16 - 18	32	49	11	17	22	
OL8590-02	8-10	5/16"-3/8"	9/16 - 18	11/16 - 16	34	54	12	19	27	
OL8590-03	12	1/2"	3/4 - 16	13/16 - 16	37	60	14	22	30	
OL8590-04	14-16	5/8"	7/8 - 14	1 - 14	41	67	16	27	36	
OL8590-05	18-20	3/4"	1.1/16 - 12	1.3/16 - 12	42	71	19	32	41	
OL8590-06	25	1"	1.5/16 - 12	1.7/16 - 12	42	71	19	38	46	
OL8590-07	30-32	1.1/4"	1.5/8 - 12	1.11/16 - 12	42	71	19	46	50	
OL8590-08	38	1.1/2"	1.7/8 - 12	2 - 12	42	71	19	55	60	

OL8595 Nipplo maschio ORFS/UNF

UNF male X ORFS male connector




Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	C	L	B	E	
OL8595-01	6	1/4"	7/16 - 20	9/16 - 18	10	29	11	17	
OL8595-02	8-10	5/16"-3/8"	9/16 - 18	9/16 - 18	10	31	12	19	
OL8595-03	8-10	5/16"-3/8"	9/16 - 18	11/16 - 16	11	32	12	19	
OL8595-04	12	1/2"	3/4 - 16	13/16 - 16	13	37	14	22	
OL8595-05	8-10	5/16"-3/8"	7/8 - 14	11/16 - 16	11	39	16	27	
OL8595-06	14-16	5/8"	7/8 - 14	1 - 14	16	43	16	27	
OL8595-07	18-20	3/4"	7/8 - 14	1.3/16 - 12	17	51	13	32	
OL8595-08	18-20	3/4"	1.1/16 - 12	1.3/16 - 12	17	49	19	32	
OL8595-09	25	1"	1.1/16 - 12	1.7/16 - 12	18	54	19	38	
OL8595-10	18-20	3/4"	1.5/16 - 12	1.3/16 - 12	17	50	19	38	
OL8595-11	25	1"	1.5/16 - 12	1.7/16 - 12	18	50	19	38	
OL8595-12	25	1"	1.5/8 - 12	1.7/16 - 12	18	52	19	46	
OL8595-13	30-32	1.1/4"	1.5/8 - 12	1.11/16 - 12	18	52	19	46	
OL8595-14	38	1.1/2"	1.7/8 - 12	2 - 12	18	54	19	55	

Adattatori ORFS / ORFS Adaptors

OL8600 Femmina girevole ORFS/UNF




Swivel Nut Female ORFS/UNF

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	L	E	H	
OL8600-01	6	1/4"	9/16"-18	7/16-20	11	38	16	19	
OL8600-02	8-10	5/16"-3/8"	11/16"-16	7/16-20	11	-	19	22	
OL8600-03	8-10	5/16"-3/8"	11/16"-16	9/16-18	12	41	19	22	
OL8600-04	8-10	5/16"-3/8"	11/16"-16	3/4-16	14	-	22	22	
OL8600-05	12	1/2"	13/16"-16	3/4-16	14	50	22	24	
OL8600-06	14-16	5/8"	1"-14	3/4-16	14	-	27	30	
OL8600-07	12	1/2"	13/16"-16	7/8-14	16	-	27	24	
OL8600-08	14-16	5/8"	1"-14	7/8-14	16	54	27	30	
OL8600-09	18-20	3/4"	1.3/16"-12	7/8-14	16	-	32	36	
OL8600-10	14-16	5/8"	1"-14	1.1/16-12	19	-	32	30	
OL8600-11	18-20	3/4"	1.3/16"-12	1.1/16-12	19	60	32	36	
OL8600-12	18-20	3/4"	1.3/16"-12	1.5/16-12	19	-	38	36	
OL8600-13	25	1"	1.7/16"-12	1.5/16-12	19	68	38	41	
OL8600-14	30-32	1.1/4"	1.11/16"-12	1.5/8-12	19	68	50	50	
OL8600-15	38	1.1/2"	2"-12	1.7/8-12	19	68	55	60	

OL8605 Gomito 90° orientabile ORFS/UNF




90° elbow "adjustable" connector ORFS male X
UNF male

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions							
	mm	inch	T	F	C	L	B	H	E	
OL8605-01	6	1/4"	7/16 - 20	9/16 - 18	22	33	11	17	14	
OL8605-02	6	1/4"	9/16 - 18	9/16 - 18	23	37	12	17	19	
OL8605-03	8-10	5/16"-3/8"	9/16 - 18	11/16 - 16	25	37	12	19	19	
OL8605-04	12	1/2"	3/4 - 16	13/16 - 16	28	41	14	22	19	
OL8605-05	14-16	5/8"	7/8 - 14	1 - 14	33	50	16	27	27	
OL8605-06	18-20	3/4"	1.1/16 - 12	1.3/16 - 12	37	55	19	32	30	
OL8605-07	25	1"	1.5/16 - 12	1.7/16 - 12	42	60	19	38	37	
OL8605-08	30-32	1.1/4"	1.5/8 - 12	1.11/16 - 12	45	62	19	46	41	
OL8605-09	38	1.1/2"	1.7/8 - 12	2 - 12	49	66	19	55	48	

Adattatori ORFS / ORFS Adaptors

OL8610 Gomito a 90° Orientabile Lungo ORFS/UNF




Long Adjustale Elbow ORFS/UNF

Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	E	H	
OL8610-01	6	1/4"	9/16"-18	7/16-20	22	57	16	14	
OL8610-02	8-10	5/16"-3/8"	11/16"-16	7/16-20	25	-	16	19	
OL8610-03	8-10	5/16"-3/8"	11/16"-16	9/16-18	25	67	19	19	
OL8610-04	8-10	5/16"-3/8"	11/16"-16	3/4-16	27	75	24	19	
OL8610-05	12	1/2"	13/16"-16	3/4-16	28	75	24	19	
OL8610-06	14-16	5/8"	1"-14	3/4-16	34	-	24	27	
OL8610-07	12	1/2"	13/16"-16	7/8-14	31	89	27	27	
OL8610-08	14-16	5/8"	1"-14	7/8-14	34	89	27	27	
OL8610-09	18-20	3/4"	1.3/16"-12	7/8-14	-	-	27	30	
OL8610-10	14-16	5/8"	1"-14	1.1/16-12	36	101	36	30	
OL8610-11	18-20	3/4"	1.3/16"-12	1.1/16-12	38	101	36	30	
OL8610-12	18-20	3/4"	1.3/16"-12	1.5/16-12	41	115	41	37	
OL8610-13	25	1"	1.7/16"-12	1.5/16-12	42	115	41	37	
OL8610-14	30-32	1.1/4"	1.11/16"-12	1.5/8-12	45	127	50	41	
OL8610-15	38	1.1/2"	2"-12	1.7/8-12	49	139	55	48	

OL8615 Gomito 45° orientabile ORFS/UNF



45° elbow "adjustable" connector ORFS male X
UNF male


Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions							
	mm	inch	T	F	C	L	B	H	E	
OL8615-01	6	1/4"	7/16 - 20	9/16 - 18	16	30	10	17	14	
OL8615-02	8-10	5/16"-3/8"	9/16 - 18	11/16 - 16	19	33	12	19	19	
OL8615-03	12	1/2"	3/4 - 16	13/16 - 16	20	36	13	22	19	
OL8615-04	14-16	5/8"	7/8 - 14	1 - 14	23	45	14	27	27	
OL8615-05	18-20	3/4"	1.1/16 - 12	1.3/16 - 12	26	50	17	32	30	
OL8615-06	25	1"	1.5/16 - 12	1.7/16 - 12	30	52	17	38	37	
OL8615-07	30-32	1.1/4"	1.5/8 - 12	1.11/16 - 12	32	54	17	46	41	
OL8615-08	38	1.1/2"	1.7/8 - 12	2 - 12	37	54	17	55	48	

Adattatori ORFS / ORFS Adaptors

OL8620 T con maschio UNF centrale orientabile

Adjustable UNF male branch Tee




Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions							
	mm	inch	T	F	C	L	B	H	E	
OL8620-01	6	1/4"	7/16 - 20	9/16 - 18	10	22	33	17	14	
OL8620-02	8-10	5/16"-3/8"	9/16 - 18	11/16 - 16	11	25	37	19	19	
OL8620-03	12	1/2"	3/4 - 16	13/16 - 16	13	28	41	22	19	
OL8620-04	14-16	5/8"	7/8 - 14	1 - 14	16	33	50	27	27	
OL8620-05	18-20	3/4"	1.1/16 - 12	1.3/16 - 12	17	37	55	32	30	
OL8620-06	25	1"	1.5/16 - 12	1.7/16 - 12	18	42	60	38	37	
OL8620-07	30-32	1.1/4"	1.5/8 - 12	1.11/16 - 12	18	45	62	46	41	
OL8620-08	38	1.1/2"	1.7/8 - 12	2 - 12	18	49	66	55	48	

OL8625 T con maschio UNF laterale orientabile

Adjustable UNF male run Tee




Filettatura / Thread:
UNF/UN (ISO 11926-1)

part number	Ø tube		Dimensions							
	mm	inch	T	F	C	L	B	H	E	
OL8625-01	6	1/4"	7/16 - 20	9/16 - 18	10	22	33	17	14	
OL8625-02	8-10	5/16"-3/8"	9/16 - 18	11/16 - 16	11	25	37	19	19	
OL8625-03	12	1/2"	3/4 - 16	13/16 - 16	13	28	41	22	19	
OL8625-04	14-16	5/8"	7/8 - 14	1 - 14	16	33	50	27	27	
OL8625-05	18-20	3/4"	1.1/16 - 12	1.3/16 - 12	17	37	55	32	30	
OL8625-06	25	1"	1.5/16 - 12	1.7/16 - 12	18	42	60	38	37	
OL8625-07	30-32	1.1/4"	1.5/8 - 12	1.11/16 - 12	18	45	62	46	41	
OL8625-08	38	1.1/2"	1.7/8 - 12	2 - 12	18	49	66	55	48	

Adattatori ORFS / ORFS Adaptors

OL8630 Giunzione M/M ORFS/BSPT




Male Connector ORFS/BSPT

Filettatura / Thread:
BSPT (Form C DIN 3852)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	L	E	
OL8630-01	6	1/4"	9/16"-18	1/8	10	10	27	16	
OL8630-02	6	1/4"	9/16"-18	1/4	15	10	33	16	
OL8630-03	8-10	5/16"-3/8"	11/16"-16	1/4	15	11	34	19	
OL8630-04	12	1/2"	13/16"-16	1/4	15	13	36	22	
OL8630-05	8-10	5/16"-3/8"	11/16"-16	3/8	15	11	34	19	
OL8630-06	12	1/2"	13/16"-16	3/8	15	13	36	22	
OL8630-07	14-16	5/8"	1"-14	3/8	15	16	40	27	
OL8630-08	12	1/2"	13/16"-16	1/2	19	13	42	22	
OL8630-09	14-16	5/8"	1"-14	1/2	19	16	45	27	
OL8630-10	18-20	3/4"	1.3/16"-12	1/2	19	17	48	32	
OL8630-11	14-16	5/8"	1"-14	3/4	19	16	47	27	
OL8630-12	18-20	3/4"	1.3/16"-12	3/4	19	17	48	23	
OL8630-13	25	1"	1.7/16"-12	3/4	19	18	49	38	
OL8630-14	18-20	3/4"	1.3/16"-12	1	24	17	54	36	
OL8630-15	25	1"	1.7/16"-12	1	24	18	54	38	
OL8630-16	30-32	1.1/4"	1.11/16"-12	1	24	18	56	46	
OL8630-17	30-32	1.1/4"	1.11/16"-12	1.1/4	25	18	56	46	
OL8630-18	38	1.1/2"	2"-12	1.1/4	25	18	58	55	
OL8630-19	38	1.1/2"	2"-12	1.1/2	25	18	59	55	

OL8635 Giunzione M/M ORFS/ NPTF




Male Connector ORFS/NPTF

Filettatura / Thread:
NPT (ANSI/ASME B1.20.1-1983)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	L	E	
OL8635-01	6	1/4"	9/16"-18	1/8	10	10	27	16	
OL8635-02	6	1/4"	9/16"-18	1/4	15	10	33	16	
OL8635-03	8-10	5/16"-3/8"	11/16"-16	1/4	15	11	34	19	
OL8635-04	12	1/2"	13/16"-16	1/4	15	13	36	22	
OL8635-05	8-10	5/16"-3/8"	11/16"-16	3/8	15	11	34	19	
OL8635-06	12	1/2"	13/16"-16	3/8	15	13	36	22	
OL8635-07	14-16	5/8"	1"-14	3/8	15	16	40	27	
OL8635-08	12	1/2"	13/16"-16	1/2	19	13	42	22	
OL8635-09	14-16	5/8"	1"-14	1/2	19	16	45	27	
OL8635-10	18-20	3/4"	1.3/16"-12	1/2	19	17	48	32	
OL8635-11	14-16	5/8"	1"-14	3/4	19	16	47	27	
OL8635-12	18-20	3/4"	1.3/16"-12	3/4	19	17	48	23	
OL8635-13	25	1"	1.7/16"-12	3/4	19	18	49	38	
OL8635-14	18-20	3/4"	1.3/16"-12	1	24	17	54	36	
OL8635-15	25	1"	1.7/16"-12	1	24	18	54	38	
OL8635-16	30-32	1.1/4"	1.11/16"-12	1	24	18	56	46	
OL8635-17	30-32	1.1/4"	1.11/16"-12	1.1/4	25	18	56	46	
OL8635-18	38	1.1/2"	2"-12	1.1/4	25	18	58	55	
OL8635-19	38	1.1/2"	2"-12	1.1/2	25	18	59	55	

OL8640 Femmina girevole ORFS / BSP con guarnizione ED (DIN 3852 form E)




Swivel Nut Female ORFS/BSP with "ED" seal (DIN 3852 form E)

Filettatura / Thread:
BSPP (Form E DIN 3852)

part number	Ø tube		Dimensions						
	mm	inch	F	T	A	L	E	H	
OL8640-01	6	1/4"	9/16"-18	1/8	26	34	17	14	
OL8640-02	6	1/4"	9/16"-18	1/4	26	38	17	19	
OL8640-03	8-10	5/16"-3/8"	11/16"-16	1/4	28	40	22	19	
OL8640-04	12	1/2"	13/16"-16	1/4	35	47	24	22	
OL8640-05	8-10	5/16"-3/8"	11/16"-16	3/8	28	40	22	22	
OL8640-06	12	1/2"	13/16"-16	3/8	35	47	24	22	
OL8640-07	8-10	5/16"-3/8"	11/16"-16	1/2	28	42	22	27	
OL8640-08	12	1/2"	13/16"-16	1/2	35	49	24	27	
OL8640-09	14-15-16	5/8"	1"-14	1/2	38	52	30	27	
OL8640-10	18-20	3/4"	1.3/16"-12	1/2	41	55	36	30	
OL8640-11	14-15-16	5/8"	1"-14	3/4	38	54	30	32	
OL8640-12	18-20	3/4"	1.3/16"-12	3/4	41	57	36	32	
OL8640-13	22-25	1"	1.7/16"-12	1	49	67	41	41	
OL8640-14	28-30-32	1.1/4"	1.11/16"-12	1.1/4	49	69	50	50	
OL8640-15	35-38	1.1/2"	2"-12	1.1/2	50	72	60	55	

OL8645 Giunzione M/M ORFS/BSP


M/M ORFS/BSP joint



part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	L	E	
OL8645-01	6	1/4"	9/16"-18	1/8-28	10	8	26	16	
OL8645-02	8-10	5/16"-3/8"	11/16"-16	1/4-19	11	11	31	19	
OL8645-03	12	1/2"	13/16"-16	3/8-19	13	12	35	22	
OL8645-04	16	5/8"	1"-14	1/2-14	16	14	41	27	
OL8645-05	20	3/4"	1.3/16"-12	3/4-11	17	16	46	32	
OL8645-06	25	1"	1.7/16"-12	1-11	18	19	51	38	
OL8645-07	32	1.1/4"	1.11/16"-12	1.1/4-11	18	20	54	46	
OL8645-08	38	1.1/2"	2"-12	1.1/2-11	18	22	58	55	

OL8650 Giunzione M/M ORFS/BSP O-Ring


Male Connector ORFS/BSP O-Ring



Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	L	E	
OL8650-01	6	1/4"	9/16"-18	1/8-28	8	10	25	16	
OL8650-02	6	1/4"	9/16"-18	1/4-19	12	10	31	19	
OL8650-03	8-10	5/16"-3/8"	11/16"-16	1/4-19	12	11	32	19	
OL8650-04	12	1/2"	13/16"-16	1/4-19	12	13	36	22	
OL8650-05	6	1/4"	9/16"-18	3/8-19	12	10	31	22	
OL8650-06	8-10	5/16"-3/8"	11/16"-16	3/8-19	12	11	32	24	
OL8650-07	12	1/2"	13/16"-16	3/8-19	12	13	34	24	
OL8650-08	14-16	5/8"	1"-14	3/8-19	11	16	37	27	
OL8650-09	8-10	5/16"-3/8"	11/16"-16	1/2-14	14	11	35	27	
OL8650-10	12	1/2"	13/16"-16	1/2-14	14	13	37	27	
OL8650-11	14-16	5/8"	1"-14	1/2-14	15	16	40	30	
OL8650-12	18-20	3/4"	1.3/16"-12	1/2-14	14	17	47	32	
OL8650-13	12	1/2"	13/16"-16	3/4-11	16	13	41	36	
OL8650-14	14-16	5/8"	1"-14	3/4-11	15	16	44	36	
OL8650-15	18-20	3/4"	1.3/16"-12	3/4-11	15	17	45	36	
OL8650-16	25	1"	1.7/16"-12	3/4-11	16	18	50	38	
OL8650-17	14-16	5/8"	1"-14	1-11	18	16	48	41	
OL8650-18	18-20	3/4"	1.3/16"-12	1-11	18	17	48	41	
OL8650-19	25	1"	1.7/16"-12	1-11	18	18	48	41	
OL8650-20	30-32	1.1/4"	1.11/16"-12	1-11	18	18	55	46	
OL8650-21	25	1"	1.7/16"-12	1.1/4-11	20	18	52	50	
OL8650-22	30-32	1.1/4"	1.11/16"-12	1.1/4-11	20	18	52	50	
OL8650-23	38	1.1/2"	2"-12	1.1/2-11	22	18	56	60	

OL8655 Gomito a 90° Orientabile ORFS/BSP




Adjustable Elbow ORFS/BSP

Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL8655-01	6	1/4"	9/16"-18	1/8-28	22	30	14	14	
OL8655-02	6	1/4"	9/16"-18	1/4-19	24	36	19	19	
OL8655-03	8-10	5/16"-3/8"	11/16"-16	1/4-19	25	36	19	19	
OL8655-04	12	1/2"	13/16"-16	1/4-19	28	36	19	19	
OL8655-05	6	1/4"	9/16"-18	3/8-19	25	39	19	24	
OL8655-06	8-10	5/16"-3/8"	11/16"-16	3/8-19	27	39	19	24	
OL8655-07	12	1/2"	13/16"-16	3/8-19	28	39	19	24	
OL8655-08	14-16	5/8"	1"-14	3/8-19	34	44	27	24	
OL8655-09	8-10	5/16"-3/8"	11/16"-16	1/2-14	30	49	27	27	
OL8655-10	12	1/2"	13/16"-16	1/2-14	31	49	27	27	
OL8655-11	18-20	3/4"	1.3/16"-12	1/2-14	38	50	30	27	
OL8655-12	14-16	5/8"	1"-14	1/2-14	34	49	27	27	
OL8655-13	12	1/2"	13/16"-16	3/4-11	34	52	30	36	
OL8655-14	14-16	5/8"	1"-14	3/4-11	36	52	30	36	
OL8655-15	18-20	3/4"	1.3/16"-12	3/4-11	38	52	30	36	
OL8655-16	25	1"	1.7/16"-12	3/4-11	42	58	37	36	
OL8655-17	18-20	3/4"	1.3/16"-12	1-11	41	59	37	41	
OL8655-18	25	1"	1.7/16"-12	1-11	42	59	37	41	
OL8655-19	30-32	1.1/4"	1.11/16"-12	1-11	45	61	41	41	
OL8655-20	25	1"	1.7/16"-12	1.1/4-11	45	61	41	50	
OL8655-21	30-32	1.1/4"	1.11/16"-12	1.1/4-11	45	61	41	50	
OL8655-22	38	1.1/2"	2"-12	1.1/2-11	49	65	48	60	

OL8660 Gomito a 45° Orientabile ORFS/BSP

Adjustable 45° Elbow ORFS/BSP




Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL8660-01	6	1/4"	9/16"-18	1/8-28	22	27	14	14	
OL8660-02	6	1/4"	9/16"-18	1/4-19	24	32	19	19	
OL8660-03	8-10	5/16"-3/8"	11/16"-16	1/4-19	25	32	19	19	
OL8660-04	12	1/2"	13/16"-16	1/4-19	28	33	19	19	
OL8660-05	6	1/4"	9/16"-18	3/8-19	25	34	24	19	
OL8660-06	8-10	5/16"-3/8"	11/16"-16	3/8-19	27	34	24	19	
OL8660-07	12	1/2"	13/16"-16	3/8-19	28	34	24	19	
OL8660-08	14-16	5/8"	1"-14	3/8-19	34	34	24	27	
OL8660-09	8-10	5/16"-3/8"	11/16"-16	1/2-14	30	42	27	27	
OL8660-10	12	1/2"	13/16"-16	1/2-14	31	42	27	27	
OL8660-11	18-20	3/4"	1.3/16"-12	1/2-14	38	46	27	30	
OL8660-12	14-16	5/8"	1"-14	1/2-14	34	42	27	27	
OL8660-13	12	1/2"	13/16"-16	3/4-11	34	47	36	30	
OL8660-14	14-16	5/8"	1"-14	3/4-11	36	47	36	30	
OL8660-15	18-20	3/4"	1.3/16"-12	3/4-11	38	47	36	30	
OL8660-16	25	1"	1.7/16"-12	3/4-11	42	47	36	37	
OL8660-17	18-20	3/4"	1.3/16"-12	1-11	41	51	41	37	
OL8660-18	25	1"	1.7/16"-12	1-11	45	51	41	37	
OL8660-19	30-32	1.1/4"	1.11/16"-12	1-11	45	52	41	41	
OL8660-20	25	1"	1.7/16"-12	1.1/4-11	45	52	50	41	
OL8660-21	30-32	1.1/4"	1.11/16"-12	1.1/4-11	45	52	50	41	
OL8660-22	38	1.1/2"	2"-12	1.1/2-11	49	52	60	48	

Adattatori ORFS / ORFS Adaptors

OL8665 Gomito a 90° Orientabile con Femmina Girevole ORFS/BSP

Adjustable Elbow with Swivel Nut ORFS/BSP




Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions							
	mm	inch	F	T	B	C	E	H	K	
OL8665-01	6	1/4"	9/16"-18	1/8"	27	30	14	14	19	
OL8665-02	8-10	5/16"-3/8"	11/16"-16	1/4"	29	36	19	19	22	
OL8665-03	12	1/2"	13/16"-16	3/8"	38	39	24	19	24	
OL8665-04	14-16	5/8"	1"-14	1/2"	41	49	27	27	30	
OL8665-05	18-20	3/4"	1.3/16"-12	3/4"	47	52	36	30	36	
OL8665-06	25	1"	1.7/16"-12	1"	54	59	41	37	41	
OL8665-07	30-32	1.1/4"	1.11/16"-12	1.1/4"	58	61	50	41	50	
OL8665-08	38	1.1/2"	2"-12	1.1/2"	61	65	50	48	60	

OL8670 T ORFS con maschio BSP laterale orientabile

Adjustable Run Tee ORFS/BSP




Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL8670-01	6	1/4"	9/16"-18	1/8-28	22	30	14	14	
OL8670-02	6	1/4"	9/16"-18	1/4-19	24	36	19	19	
OL8670-03	8-10	5/16"-3/8"	11/16"-16	1/4-19	25	36	19	19	
OL8670-04	12	1/2"	13/16"-16	1/4-19	28	36	19	19	
OL8670-05	6	1/4"	9/16"-18	3/8-19	25	39	19	24	
OL8670-06	8-10	5/16"-3/8"	11/16"-16	3/8-19	27	39	19	24	
OL8670-07	12	1/2"	13/16"-16	3/8-19	28	39	19	24	
OL8670-08	14-16	5/8"	1"-14	3/8-19	34	44	27	24	
OL8670-09	8-10	5/16"-3/8"	11/16"-16	1/2-14	30	49	27	27	
OL8670-10	12	1/2"	13/16"-16	1/2-14	31	49	27	27	
OL8670-11	18-20	3/4"	1.3/16"-12	1/2-14	38	50	30	27	
OL8670-12	14-16	5/8"	1"-14	1/2-14	34	49	27	27	
OL8670-13	12	1/2"	13/16"-16	3/4-11	34	52	30	36	
OL8670-14	14-16	5/8"	1"-14	3/4-11	36	52	30	36	
OL8670-15	18-20	3/4"	1.3/16"-12	3/4-11	38	52	30	36	
OL8670-16	25	1"	1.7/16"-12	3/4-11	42	58	37	36	
OL8670-17	18-20	3/4"	1.3/16"-12	1-11	41	59	37	41	
OL8670-18	25	1"	1.7/16"-12	1-11	42	59	37	41	
OL8670-19	30-32	1.1/4"	1.11/16"-12	1-11	45	61	41	41	
OL8670-20	25	1"	1.7/16"-12	1.1/4-11	45	61	41	50	
OL8670-21	30-32	1.1/4"	1.11/16"-12	1.1/4-11	45	61	41	50	
OL8670-22	38	1.1/2"	2"-12	1.1/2-11	49	65	48	60	

OL8675 T ORFS con maschio BSP centrale orientabile

Adjustable Branch Tee ORFS/BSP




Filettatura / Thread:
BSPP (ISO 1179-3)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL8675-01	6	1/4"	9/16"-18	1/8-28	22	30	14	14	
OL8675-02	6	1/4"	9/16"-18	1/4-19	24	36	19	19	
OL8675-03	8-10	5/16"-3/8"	11/16"-16	1/4-19	25	36	19	19	
OL8675-04	12	1/2"	13/16"-16	1/4-19	28	36	19	19	
OL8675-05	6	1/4"	9/16"-18	3/8-19	25	39	19	24	
OL8675-06	8-10	5/16"-3/8"	11/16"-16	3/8-19	27	39	19	24	
OL8675-07	12	1/2"	13/16"-16	3/8-19	28	39	19	24	
OL8675-08	14-16	5/8"	1"-14	3/8-19	34	44	27	24	
OL8675-09	8-10	5/16"-3/8"	11/16"-16	1/2-14	30	49	27	27	
OL8675-10	12	1/2"	13/16"-16	1/2-14	31	49	27	27	
OL8675-11	18-20	3/4"	1.3/16"-12	1/2-14	38	50	30	27	
OL8675-12	14-16	5/8"	1"-14	1/2-14	34	49	27	27	
OL8675-13	12	1/2"	13/16"-16	3/4-11	34	52	30	36	
OL8675-14	14-16	5/8"	1"-14	3/4-11	36	52	30	36	
OL8675-15	18-20	3/4"	1.3/16"-12	3/4-11	38	52	30	36	
OL8675-16	25	1"	1.7/16"-12	3/4-11	42	58	37	36	
OL8675-17	18-20	3/4"	1.3/16"-12	1-11	41	59	37	41	
OL8675-18	25	1"	1.7/16"-12	1-11	42	59	37	41	
OL8675-19	30-32	1.1/4"	1.11/16"-12	1-11	45	61	41	41	
OL8675-20	25	1"	1.7/16"-12	1.1/4-11	45	61	41	41	
OL8675-21	30-32	1.1/4"	1.11/16"-12	1.1/4-11	45	61	41	41	
OL8675-22	38	1.1/2"	2"-12	1.1/2-11	49	65	48	41	

OL8680 Femmina girevole ORFS/JIC

Swivel Nut Female ORFS/JIC




Filettatura / Thread:
UN/UNF (ISO 8434-2)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	L	E	H	
OL8680-01	6	1/4"	9/16"-18	7/16-20	14	41	13	19	
OL8680-02	8-10	5/16"-3/8"	11/16"-16	9/16-18	14	43	16	22	
OL8680-03	12	1/2"	13/16"-16	3/4-16	17	53	22	24	
OL8680-04	16	5/8"	1"-14	7/8-14	20	58	24	30	
OL8680-05	20	3/4"	1.3/16"-12	1.1/16-12	22	64	30	36	
OL8680-06	25	1"	1.7/16"-12	1.5/16-12	23	72	36	41	
OL8680-07	32	1.1/4"	1.11/16"-12	1.5/8-12	25	74	42	50	
OL8680-08	38	1.1/2"	2"-12	1.7/8-12	28	77	50	60	

OL8685 Giunzione M/M ORFS/ Metrico DIN 3852-1

Male ORFS Joint/Metric DIN 3852-1




Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	L	E	
OL8685-01	6	1/4"	9/16"-18	M10x1	9	34	26	16	
OL8685-02	6	1/4"	9/16"-18	M12x1,5	12	34	29	17	
OL8685-03	8-10	5/16"-3/8"	11/16"-16	M14x1,5	-	37	31	19	
OL8685-04	8-10	5/16"-3/8"	11/16"-16	M16x1,5	13	37	33	22	
OL8685-05	12	1/2"	13/16"-16	M16x1,5	-	45	38	22	
OL8685-06	12	1/2"	13/16"-16	M18x1,5	14	45	36	24	
OL8685-07	14-16	5/8"	1"-14	M18x1,5	-	53	43	27	
OL8685-08	14-16	5/8"	1"-14	M22x1,5	15	53	41	30	
OL8685-09	18-20	3/4"	1.3/16"-12	M22x1,5	-	64	-	32	
OL8685-10	18-20	3/4"	1.3/16"-12	M27x2	19	64	48	36	
OL8685-11	25	1"	1.7/16"-12	M27x2	-	73	-	38	
OL8685-12	25	1"	1.7/16"-12	M33x2	19	73	50	41	
OL8685-13	30-32	1.1/4"	1.11/16"-12	M42x2	19	87	53	50	
OL8685-14	38	1.1/2"	2"-12	M48x2	22	97	55	60	

Adattatori ORFS / ORFS Adaptors

OL8690 Giunzione Lunga M/M ORFS/ Metrico DIN 3852-1




Long Male Connector ORFS/ Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	L	E	
OL8690-01	6	1/4"	9/16"-18	M10x1	9	34	50	16	
OL8690-02	6	1/4"	9/16"-18	M12x1,5	12	34	53	17	
OL8690-03	8-10	5/16"-3/8"	11/16"-16	M14x1,5	-	37	57	19	
OL8690-04	8-10	5/16"-3/8"	11/16"-16	M16x1,5	13	37	59	22	
OL8690-05	12	1/2"	13/16"-16	M16x1,5	-	45	69	22	
OL8690-06	12	1/2"	13/16"-16	M18x1,5	14	45	68	24	
OL8690-07	14-16	5/8"	1"-14	M18x1,5	-	53	80	27	
OL8690-08	14-16	5/8"	1"-14	M22x1,5	15	53	78	30	
OL8690-09	18-20	3/4"	1.3/16"-12	M22x1,5	-	64	-	32	
OL8690-10	18-20	3/4"	1.3/16"-12	M27x2	19	64	95	36	
OL8690-11	25	1"	1.7/16"-12	M27x2	-	73	-	38	
OL8690-12	25	1"	1.7/16"-12	M33x2	19	73	106	41	
OL8690-13	30-32	1.1/4"	1.11/16"-12	M42x2	19	87	122	50	
OL8690-14	38	1.1/2"	2"-12	M48x2	22	97	135	60	

OL8695 Gomito a 90° Orientabile ORFS/ Metrico DIN 3852-1




Adjustable Elbow ORFS/ Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL8695-01	6	1/4"	9/16"-18	M10x1	22	32	14	14	
OL8695-02	6	1/4"	9/16"-18	M12x1,5	22	33	14	17	
OL8695-03	8-10	5/16"-3/8"	11/16"-16	M14x1,5	25	37	19	19	
OL8695-04	8-10	5/16"-3/8"	11/16"-16	M16x1,5	25	37	19	22	
OL8695-05	12	1/2"	13/16"-16	M16x1,5	28	40	19	22	
OL8695-06	12	1/2"	13/16"-16	M18x1,5	28	40	19	24	
OL8695-07	14-16	5/8"	1"-14	M18x1,5	34	45	27	24	
OL8695-08	14-16	5/8"	1"-14	M22x1,5	34	49	27	27	
OL8695-09	18-20	3/4"	1.3/16"-12	M22x1,5	38	50	30	27	
OL8695-10	18-20	3/4"	1.3/16"-12	M27x2	38	55	30	36	
OL8695-11	25	1"	1.7/16"-12	M27x2	42	56	37	36	
OL8695-12	25	1"	1.7/16"-12	M33x2	42	60	37	41	
OL8695-13	30-32	1.1/4"	1.11/16"-12	M42x2	45	62	41	50	
OL8695-14	38	1.1/2"	2"-12	M48x2	49	68	48	60	

OL8700 Gomito a 90° Orientabile Lungo ORFS/ Metrico DIN 3852-1




Long Adjustale Elbow ORFS/ Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	L	E	
OL8700-01	6	1/4"	9/16"-18	M10x1	22	56	14	14	
OL8700-02	6	1/4"	9/16"-18	M12x1,5	22	57	14	17	
OL8700-03	8-10	5/16"-3/8"	11/16"-16	M14x1,5	25	66	19	19	
OL8700-04	8-10	5/16"-3/8"	11/16"-16	M16x1,5	25	72	19	22	
OL8700-05	12	1/2"	13/16"-16	M16x1,5	28	74	19	22	
OL8700-06	12	1/2"	13/16"-16	M18x1,5	28	75	19	24	
OL8700-07	14-16	5/8"	1"-14	M18x1,5	34	84	27	24	
OL8700-08	14-16	5/8"	1"-14	M22x1,5	34	88	27	27	
OL8700-09	18-20	3/4"	1.3/16"-12	M22x1,5	38	96	30	27	
OL8700-10	18-20	3/4"	1.3/16"-12	M27x2	38	100	30	36	
OL8700-11	25	1"	1.7/16"-12	M27x2	42	111	37	36	
OL8700-12	25	1"	1.7/16"-12	M33x2	42	115	37	41	
OL8700-13	30-32	1.1/4"	1.11/16"-12	M42x2	45	127	41	50	
OL8700-14	38	1.1/2"	2"-12	M48x2	49	142	48	60	

OL8705 Gomito a 45° Orientabile ORFS/ Metrico DIN 3852-1




Adjustable 45° Elbow ORFS/ Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL8705-01	6	1/4"	9/16"-18	M10x1	16	30	14	14	
OL8705-02	6	1/4"	9/16"-18	M12x1,5	16	30	14	17	
OL8705-03	8-10	5/16"-3/8"	11/16"-16	M14x1,5	19	-	19	19	
OL8705-04	8-10	5/16"-3/8"	11/16"-16	M16x1,5	19	34	19	22	
OL8705-05	12	1/2"	13/16"-16	M16x1,5	21	-	19	22	
OL8705-06	12	1/2"	13/16"-16	M18x1,5	21	37	19	24	
OL8705-07	14-16	5/8"	1"-14	M18x1,5	24	-	27	24	
OL8705-08	14-16	5/8"	1"-14	M22x1,5	24	44	27	27	
OL8705-09	18-20	3/4"	1.3/16"-12	M22x1,5	26	-	30	27	
OL8705-10	18-20	3/4"	1.3/16"-12	M27x2	26	51	30	36	
OL8705-11	25	1"	1.7/16"-12	M27x2	30	-	37	36	
OL8705-12	25	1"	1.7/16"-12	M33x2	30	53	37	41	
OL8705-13	30-32	1.1/4"	1.11/16"-12	M42x2	32	54	41	50	
OL8705-14	38	1.1/2"	2"-12	M48x2	37	57	48	60	

Adattatori ORFS / ORFS Adaptors

OL8710 T ORFS con maschio Metrico (DIN 3852-1) centrale orientabile




Adjustable Branch Tee ORFS/ Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL8710-01	6	1/4"	9/16"-18	M10x1	22	32	14	14	
OL8710-02	6	1/4"	9/16"-18	M12x1,5	22	33	14	17	
OL8710-03	8-10	5/16"-3/8"	11/16"-16	M14x1,5	25	37	19	19	
OL8710-04	8-10	5/16"-3/8"	11/16"-16	M16x1,5	25	37	19	22	
OL8710-05	12	1/2"	13/16"-16	M16x1,5	28	40	19	22	
OL8710-06	12	1/2"	13/16"-16	M18x1,5	28	40	19	24	
OL8710-07	14-16	5/8"	1"-14	M18x1,5	34	45	27	24	
OL8710-08	14-16	5/8"	1"-14	M22x1,5	34	49	27	27	
OL8710-09	18-20	3/4"	1.3/16"-12	M22x1,5	38	50	30	27	
OL8710-10	18-20	3/4"	1.3/16"-12	M27x2	38	55	30	36	
OL8710-11	25	1"	1.7/16"-12	M27x2	42	56	37	36	
OL8710-12	25	1"	1.7/16"-12	M33x2	42	60	37	41	
OL8710-13	30-32	1.1/4"	1.11/16"-12	M42x2	45	62	41	50	
OL8710-14	38	1.1/2"	2"-12	M48x2	49	68	48	60	

OL8715 T ORFS con maschio Metrico (DIN 3852-1) laterale orientabile




Adjustable Run Tee ORFS/ Metric DIN 3852-1

Filettatura / Thread:
Metric Parallel

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	H	E	
OL8715-01	6	1/4"	9/16"-18	M10x1	22	32	14	14	
OL8715-02	6	1/4"	9/16"-18	M12x1,5	22	33	14	17	
OL8715-03	8-10	5/16"-3/8"	11/16"-16	M14x1,5	25	37	19	19	
OL8715-04	8-10	5/16"-3/8"	11/16"-16	M16x1,5	25	37	19	22	
OL8715-05	12	1/2"	13/16"-16	M16x1,5	28	40	19	22	
OL8715-06	12	1/2"	13/16"-16	M18x1,5	28	40	19	24	
OL8715-07	14-16	5/8"	1"-14	M18x1,5	34	45	27	24	
OL8715-08	14-16	5/8"	1"-14	M22x1,5	34	49	27	27	
OL8715-09	18-20	3/4"	1.3/16"-12	M22x1,5	38	50	30	27	
OL8715-10	18-20	3/4"	1.3/16"-12	M27x2	38	55	30	36	
OL8715-11	25	1"	1.7/16"-12	M27x2	42	56	37	36	
OL8715-12	25	1"	1.7/16"-12	M33x2	42	60	37	41	
OL8715-13	30-32	1.1/4"	1.11/16"-12	M42x2	45	62	41	50	
OL8715-14	38	1.1/2"	2"-12	M48x2	49	68	48	60	

OL8720 Giunzione M/M ORFS/ Metrico ISO 6149-2




Male Connector ORFS/ Metric ISO 6149-2

Filettatura / Thread:
Metric (ISO 6149-2)

part number	Ø tube		Dimensions						
	mm	inch	F	T	B	C	L	E	
OL8720-01	6	1/4"	9/16"-18	M10x1	9,8	9	27	17	
OL8720-02	6	1/4"	9/16"-18	M12x1,5	9,8	11	29	17	
OL8720-03	8-10	5/16"-3/8"	11/16"-16	M12x1,5	11,2	11	34	19	
OL8720-04	6	1/4"	9/16"-18	M14x1,5	9,8	11	30	19	
OL8720-05	8-10	5/16"-3/8"	11/16"-16	M14x1,5	11,2	11	31	19	
OL8720-06	12	1/2"	13/16"-16	M14x1,5	12,8	11	35	22	
OL8720-07	8-10	5/16"-3/8"	11/16"-16	M16x1,5	11,2	13	34	22	
OL8720-08	12	1/2"	13/16"-16	M16x1,5	12,8	13	37	24	
OL8720-09	8-10	5/16"-3/8"	11/16"-16	M18x1,5	11,2	14	35	24	
OL8720-10	12	1/2"	13/16"-16	M18x1,5	12,8	14	37	24	
OL8720-11	14-15-16	5/8"	1"-14	M18x1,5	15,5	14	41	27	
OL8720-12	8-10	5/16"-3/8"	11/16"-16	M22x1,5	11,2	15	38	27	
OL8720-13	12	1/2"	13/16"-16	M22x1,5	12,8	15	39	27	
OL8720-14	14-15-16	5/8"	1"-14	M22x1,5	15,5	15	42	27	
OL8720-15	18-20	3/4"	1.3/16"-12	M22x1,5	17,0	15	50	32	
OL8720-16	12	1/2"	13/16"-16	M27x2	12,8	18	44	32	
OL8720-17	18-20	3/4"	1.3/16"-12	M27x2	17,0	19	49	32	
OL8720-18	22-25	1"	1.7/16"-12	M27x2	17,5	18	54	41	
OL8720-19	18-20	3/4"	1.3/16"-12	M33x2	17,0	19	50	41	
OL8720-20	22-25	1"	1.7/16"-12	M33x2	17,5	18	52	41	
OL8720-21	28-30-32	1.1/4"	1.11/16"-12	M33x2	17,5	18	54	46	
OL8720-22	28-30-32	1.1/4"	1.11/16"-12	M42x2	17,5	19	55	50	
OL8720-23	35-38	1.1/2"	2"-12	M42x2	17,5	19	60	55	
OL8720-24	35-38	1.1/2"	2"-12	M48x2	17,5	21	57	55	

OL8725 Tappo maschio


Male plug



part number	Dimensions				
	F	C	L	E	
OL8725-01	9/16 - 18	10	17	17	
OL8725-02	11/16 - 16	11	19	19	
OL8725-03	13/16 - 16	13	22	22	
OL8725-04	1 - 14	16	26	27	
OL8725-05	1.3/16 - 12	17	27	32	
OL8725-06	1.7/16 - 12	18	28	38	
OL8725-07	1.11/16 - 12	18	28	46	
OL8725-08	2 - 12	18	28	55	

OL8730 Tappo femmina girevole

Female Plug Swivel



part number	Dimensions				
	F		L	E	
OL8730-01	9/16 - 18		13	19	
OL8730-02	11/16 - 16		15	22	
OL8730-03	13/16 - 16		15	24	
OL8730-04	1 - 14		17	30	
OL8730-05	1.3/16 - 12		16	36	
OL8730-06	1.7/16 - 12		19	41	
Dado Libero/Slip on nut **OL8730-07**	1.11/16 - 12		22	50	
Dado Libero/Slip on nut **OL8730-08**	2 - 12		22	60	